

**HYDROPEPTIDE S.P.F. SUN PROTECTION FRIENDS- titanium dioxide, zinc oxide**

**HydroPeptide LLC**

-----

**HydroPeptide S.P.F. Sun Protection Friends**

### ***Drug Facts***

#### ***Active Ingredients***

Titanium Dioxide 1.25%, Zinc Oxide 2.5%.

#### ***Purpose***

Sunscreen

#### ***Uses***

- Helps prevent sunburn.

#### ***Warnings***

Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. ***Skin Cancer/Skin Aging Alert:***

#### ***Do not use***

*on damaged or broken skin.*

#### ***When using this product***

*keep out of eyes. Rinse with water to remove.*

#### ***Stop use and ask a doctor***

*if rash occurs.*

#### ***Keep out of reach of children.***

*If product is swallowed, get medical help or contact a Poison Control Center right away.*

#### ***Directions***

- Apply liberally and evenly 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water-resistant sunscreen if swimming or sweating.
- Children under 6 months of age: Ask a doctor

## **Inactive Ingredients**

Alumina, Butylene Glycol, Butyrospermum Parkii (Shea) Butter, C12-15 Alkyl Benzoate, Caprylyl Glycol, Caprylyl Methicone, Carbomer, Cetareth-20, Cetearyl Alcohol, Cetyl Alcohol, Chamomilla Recutita (Matricaria) Flower Extract, Chlorphenesin, Chondrus Crispus (Carrageenan), Cyclohexasiloxane, Cyclopentasiloxane, Glucose, Glycerin, Glyceryl Caprylate, Glyceryl Stearate, Glyceryl Undecylenate, Hydrolyzed Soy Protein, Hydrolyzed Wheat Protein, Isopropyl Myristate, Lauryl PEG-9 Polydimethylsiloxyethyl Dimethicone, Lecithin, Niacinamide, PEG-100 Stearate, Phenoxyethanol, Polyhydroxystearic Acid, Pseudoalteromonas Ferment Extract, Sodium PCA, Stearyl Alcohol, Tocopheryl Acetate, Triethanolamine, Triethoxycaprylylsilane, Triethoxysilylethyl Polydimethylsiloxyethyl Hexyl Dimethicone, Tripeptide-1, Tripeptide-10 Citrulline, Vitis Vinifera (Grape) Seed Oil, Water (Aqua), Xanthan Gum

## **Drug Facts**

### **Active Ingredients**

Titanium Dioxide 2.5%, Zinc Oxide 6%

Sunscreen

### **Uses**

• Helps prevent sunburn. • If used as directed with other sun protection measures (see ), decreases the risk of skin cancer and early skin aging caused by the sun.

### **Directions**

### **Warnings**

*Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. **Skin Cancer/Skin Aging Alert:***

### **Do not use**

*on damaged or broken skin.*

### **When using this product**

*keep out of eyes. Rinse with water to remove.*

### **Stop use and ask a doctor**

*if rash occurs.*

## ***Keep out of reach of children.***

If product is swallowed, get medical help or contact a Poison Control Center right away.

## ***Directions***

• Apply liberally and evenly 15 minutes before sun exposure. • Reapply at least every 2 hours. • Use a water-resistant sunscreen if swimming or sweating. • Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • Limit time in the sun, especially from 10 a.m. - 2 p.m. • Wear long-sleeved shirts, pants, hats, and sunglasses. • Children under 6 months of age: Ask a doctor

## **Sun Protection Measures.**

## ***Inactive Ingredients***

1,2-Hexanediol, Acrylates/Ammonium Methacrylate Copolymer, Allantoin, Aloe Barbadensis Leaf Juice, Alpinia Galanga Extract, Alumina, Benzyl Benzoate, Benzyl Salicylate, Biotin, Boron Nitride, Butylene Glycol, C12-15 Alkyl Benzoate, Calendula Officinalis Flower Extract, Camellia Oleifera Leaf Extract, Caprylyl Glycol, Caprylyl Methicone, Cellulose Acetate, Cetyl Alcohol, Chamomilla Recutita (Matricaria) Flower Extract, Chlorphenesin, Citral, Citric Acid, Cucumis Sativus (Cucumber) Fruit Extract, Cyclomethicone, Cyclopentasiloxane, Dimethicone, Disodium EDTA, Ethylhexyl Palmitate, Euterpe Oleracea Fruit Extract, Fragrance (Parfum), Glycerin, Glyceryl Stearate, Hexyl Cinnamal, Hydrolyzed Yeast Protein, Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Iron Oxide (CI 77491), Iron Oxide (CI 77492), Iron Oxide (CI 77499), Lauryl Peg-9 Polydimethylsiloxyethyl Dimethicone, Limonene, Linalool, Magnesium Stearate, Methyl Ionone, Niacinamide, Panthenol, PEG-100 Stearate, Pentylene Glycol, Polyhydroxystearic Acid, Polysorbate 60, Propanediol, Propylene Glycol Stearate, Propylene Glycol, Pyridoxine HCl, Sodium Citrate, Sodium Hyaluronate, Sodium PCA, Thermus Thermophilus Ferment, Triethoxycaprylylsilane, Triethoxysilylethyl Polydimethylsiloxyethyl Dimethicone, Water (Aqua), Xanthan Gum, Stearyl Alcohol, Tocopheryl Acetate, Triethanolamine, Triethoxycaprylylsilane, Triethoxysilylethyl Polydimethylsiloxyethyl Hexyl Dimethicone, Tripeptide-1, Tripeptide-10 Citrulline, Vitis Vinifera (Grape) Seed Oil, Water (Aqua), Xanthan Gum

## ***Other Information***

Protect the products in this container from excessive heat and direct sun.

## **Questions or comments?**

Call 1.800.932.9873

**Package Labeling:**

100% BLACK

<p><b>Solar Defense Hand Guard</b></p> <p><b>Drug Facts</b></p> <p><b>Active Ingredients</b> Purpose Titanium Dioxide 1.25%, Zinc Oxide 2.5%.....Sunscreen</p> <p><b>Uses</b> • Helps prevent sunburn.</p> <p><b>Warnings</b> <i>Do not use on damaged or broken skin.</i> <i>When using this product keep out of eyes.</i> <i>Rinse with water to remove.</i> <i>Stop use and ask a doctor if rash occurs.</i> <i>Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.</i> <i>Skin Cancer/Skin Aging Alert: Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.</i></p> <p><b>Directions</b> • Apply liberally and evenly 15 minutes before sun exposure. • Reapply at least every 2 hours. • Use a water-resistant sunscreen if swimming or sweating. • Children under 6 months of age: Ask a doctor</p> <p><b>Inactive Ingredients</b> Alumina, Butylene Glycol, Butyrospermum Parkii (Shea) Butter, C12-15 Alkyl Benzoate, Caprylyl Glycol, Caprylyl Methacrylate, Carbomer, Ceteareth-20, Cetyl Alcohol, Chamomilla Recutita (Matricaria) Flower Extract, Chlorophanesin, Chondrus Crispus (Carrageenan), Cyclohexasiloxane, Cyclopentasiloxane, Glucose, Glycerin, Glyceryl Caprylate, Glyceryl Stearate, Glyceryl Undecylate, Hydrolyzed Soy Protein, Hydrolyzed Wheat Protein, Isopropyl Myristate, Lauryl PEG-9 Polydimethylsilyloxyethyl Dimethicone, Lecithin, Niacinamide, PEG-100 Stearate, Phenoxylethanol, Polyhydroxystearic Acid, Pseudoalteromonas Ferment Extract, Sodium PCA, Stearyl Alcohol, Tocopheryl Acetate, Triethanolamine, Triethoxycaprylylsilane, Triethoxysilylethyl Polydimethylsilyloxyethyl Heavy Dimethicone, Tripeptide-1, Tripeptide-10 Citrulline, Vitis Vinifera (Grape Seed Oil, Water (Aqua), Xanthan Gum</p>	<p><b>Solar Defense Tinted Mini (continued)</b></p> <p><b>Uses</b> • Helps prevent sunburn. • If used as directed with other sun protection measures (see <i>Directions</i>), decreases the risk of skin cancer and early skin aging caused by the sun.</p> <p><b>Warnings</b> <i>Do not use on damaged or broken skin.</i> <i>When using this product keep out of eyes.</i> <i>Stop use and ask a doctor if rash occurs.</i> <i>Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.</i> <i>Skin Cancer/Skin Aging Alert: Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.</i></p> <p><b>Directions</b> • Apply liberally and evenly 15 minutes before sun exposure. • Reapply at least every 2 hours. • Use a water-resistant sunscreen if swimming or sweating. • <b>Sun Protection Measures.</b> Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • Limit time in the sun, especially from 10 a.m. - 2 p.m. • Wear long-sleeved shirts, pants, hats, and sunglasses. • Children under 6 months of age: Ask a doctor</p> <p><b>Inactive Ingredients</b> 1,2-Hexanediol, Acrylates/Ammonium Methacrylate Copolymer, Allantoin, Aloe Barbadensis Leaf Juice, Aloes Gelans Extract, Alumina, Benzyl Benzoate, Benzyl Salicylate, Biotin, Boron Nitride, Butylene Glycol, C12-15 Alkyl Benzoate, Camellia Oleifera Flower Extract, Camellia Oleifera Leaf Extract, Caprylyl Glycol, Caprylyl Methacrylate, Cellulose Acrylate, Cetyl Alcohol, Chamomilla Recutita (Matricaria) Flower Extract, Chlorophanesin, Citral, Citric Acid, Cucumis Sativus (Cucumber) Fruit Extract, Cyclopentasiloxane, Cycloperasiloxane, Dimethicone, Dicapryl EDTA, Ethylhexyl Palmitate, Euterpe Oleracea Fruit Extract, Fragrance (Parfum), Glycerin, Glyceryl Stearate, Hexyl Cinnamal, Hydrolyzed Yeast Protein, Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Iron Oxide (CI 77491), Iron Oxide (CI 77492), Iron Oxide (CI 77499), Lauryl PEG-9 Polydimethylsilyloxyethyl Dimethicone, Limonene, Lisdol, Magnesium Stearate, Methylconone, Niacinamide, Panthenol, PEG-100 Stearate, Polyurethane Glycol, Polyhydroxystearic Acid, Polysorbate 60, Propanediol,</p>
<p><b>Solar Defense Tinted Mini</b></p> <p><b>Drug Facts</b></p> <p><b>Active Ingredients</b> Titanium Dioxide 2.5%, Zinc Oxide 6%.....Sunscreen</p>	<p><b>Solar Defense Tinted Mini (continued)</b></p> <p><b>Drug Facts (Continued)</b> Propylene Glycol Stearate, Propylene Glycol, Pyridoxine HCl, Sodium Citrate, Sodium Hyaluronate, Sodium PCA, Thimerus, Thermophilus Ferment, Triethoxycaprylylsilane, Tristhoxysilylethyl Polydimethylsilyloxyethyl Dimethicone, Water (Aqua), Xanthan Gum/Stearyl Alcohol, Tocopheryl Acetate, Triethanolamine, Tristhoxycaprylylsilane, Tristhoxysilylethyl Polydimethylsilyloxyethyl Heavy Dimethicone, Tripeptide-1, Tripeptide-10 Citrulline, Vitis Vinifera (Grape Seed Oil, Water (Aqua), Xanthan Gum</p> <p><b>Other Information</b> Protect the products in this container from excessive heat and direct sun. Questions or comments? Call 1.800.932.9873</p>

**SUN KIT CONTAINS:**  
1 x Solar Defense Hand Guard 2.5 FL OZ / e 75 mL  
1 x FREE Deluxe Mini Solar Defense Tinted 0.5 FL OZ / e 15 mL

**HydroPeptide®**

**S.P.F. Sun Protection Friends**

HydroPeptide®

HydroPeptide®

**Solar Defense Tinted Mini (continued)**

**Drug Facts (Continued)**  
Propylene Glycol Stearate, Propylene Glycol, Pyridoxine HCl, Sodium Citrate, Sodium Hyaluronate, Sodium PCA, Thimerus, Thermophilus Ferment, Triethoxycaprylylsilane, Tristhoxysilylethyl Polydimethylsilyloxyethyl Dimethicone, Water (Aqua), Xanthan Gum/Stearyl Alcohol, Tocopheryl Acetate, Triethanolamine, Tristhoxycaprylylsilane, Tristhoxysilylethyl Polydimethylsilyloxyethyl Heavy Dimethicone, Tripeptide-1, Tripeptide-10 Citrulline, Vitis Vinifera (Grape Seed Oil, Water (Aqua), Xanthan Gum

**Other Information**  
Protect the products in this container from excessive heat and direct sun.  
Questions or comments? Call 1.800.932.9873

VISIT HYDROPEPTIDE.COM TO LEARN MORE ABOUT OUR CLINICALLY CLEAN FORMULAS.  
STORE AT CONTROLLED ROOM TEMP: 15-30°C/59-86°F  
DIST. BY HYDROPEPTIDE, LLC  
ISSAQUAH, WA 98027  
RP: MSJ, SUITE 505  
27 UPPER PEARBROOK ST. DUBLIN, IE  
MADE IN THE USA • A658XW2

Non Printing Area

HydroPeptide®

**SOLAR  
DEFENSE  
TINTED**

Broad Spectrum  
SPF 30

Large Spectre  
FPS 30

**ANTI-WRINKLE  
+ PROTECT**

0.5 FL OZ / e 15 mL

Printing Area

Directions: Break up color adjusting spheres by manipulating between fingers then apply to entire face and massage until evenly blended. Reapply every two hours and after swimming, excessive perspiring or towel drying.

Mode d'emploi: Briser entre les doigts les sphères appropriées de couleur puis appliquer une quantité suffisante pour couvrir l'ensemble du visage jusqu'à obtenir un ton correspondant au ton de la peau.

VISIT HYDROPEPTIDE.COM TO  
LEARN MORE ABOUT OUR  
CLINICALLY CLEAN FORMULAS  
STORE AT CONTROLLED ROOM  
TEMPERATURE: 15°-30°C / 59°-86°F  
DISTR. BY HYDROPEPTIDE, LLC  
ISSAQUAH, WA 98027  
RP, MSL, SUITE 5385  
27 UPPER PEMBROKE ST  
DUBLIN, IE  
MADE IN THE USA  
ATSDTCV02



Non Printing Area



## SOLAR DEFENSE HAND GUARD

Moisturizing Cream  
Crème Hydratante

With Aloe, Peptides & Sunscreens

**ANTI-WRINKLE  
+ PROTECT**

2.5 FL OZ / e 75 mL

### Zinc Oxide + Collagen Boosting Peptides

This advanced skin defending moisturizer protects the skin with a potent combination of sunscreens, peptides and moisturizing benefits.

Directions: Apply sufficient amount of product to cover hands and massage until evenly absorbed. Reapply as needed.

Mode d'emploi: Appliquer une quantité suffisante de produit pour couvrir les mains et masser jusqu'à absorption uniforme. Renouveler au besoin.

VISIT [HYDROPEPTIDE.COM](http://HYDROPEPTIDE.COM) TO LEARN MORE ABOUT OUR CLINICALLY CLEAN FORMULAS

STORE AT CONTROLLED ROOM TEMPERATURE:

15°-30°C / 59°-86°F

DIST. BY HYDROPEPTIDE, LLC

ISSAQUAH, WA 98027

RP, MSL, SUITE 5385

27 UPPER PEMBROKE ST, DUBLIN, IE

MADE IN THE USA

[HYDROPEPTIDE.COM](http://HYDROPEPTIDE.COM)

ARSDHTV01



## HYDROPEPTIDE S.P.F. SUN PROTECTION FRIENDS

titanium dioxide, zinc oxide kit

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:60934-010
--------------	----------------	--------------------	---------------

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:60934-010-00	1 in 1 KIT	01/01/2021	

### Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	1 TUBE	75 mL
Part 2	1 TUBE	15 mL

## Part 1 of 2

# HYDROPEPTIDE SOLAR DEFENSE HAND GUARD

titanium dioxide, zinc oxide cream

### Product Information

**Item Code (Source)** NDC:60934-011

**Route of Administration** TOPICAL

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	12.5 mg in 1 mL
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	25 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>ALUMINUM OXIDE</b> (UNII: LMI26O6933)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>SHEA BUTTER</b> (UNII: K49155WL9Y)	
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>CAPRYLYL TRISILOXANE</b> (UNII: Q95M2P1KJL)	
<b>CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE</b> (UNII: 0A5MM307FC)	
<b>POLYOXYL 20 CETOSTEARYL ETHER</b> (UNII: YRC528SWUY)	
<b>CETOSTEARYL ALCOHOL</b> (UNII: 2DMT128M1S)	
<b>CETYL ALCOHOL</b> (UNII: 936JST6JCN)	
<b>CHAMOMILE</b> (UNII: FGL3685T2X)	
<b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)	
<b>CHONDRUS CRISPUS CARRAGEENAN</b> (UNII: UE856F2T78)	
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)	
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	
<b>ANHYDROUS DEXTROSE</b> (UNII: 5SL0G7R0OK)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>GLYCERYL CAPRYLATE</b> (UNII: TM2TZD4G4A)	
<b>GLYCERYL MONOSTEARATE</b> (UNII: 230OU9XXE4)	
<b>GLYCERYL 1-UNDECYLENATE</b> (UNII: B68LJT9544)	
<b>HYDROLYZED SOY PROTEIN (ENZYMATIC; 2000 MW)</b> (UNII: 1394NXB9L6)	
<b>HYDROLYZED WHEAT PROTEIN (ENZYMATIC; 3000 MW)</b> (UNII: J2S07SB0YL)	
<b>ISOPROPYL MYRISTATE</b> (UNII: 0RE8K4LNJS)	
<b>LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE</b> (UNII: 25G622K2RA)	
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)	
<b>PEG-100 STEARATE</b> (UNII: YD01N1999R)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>SODIUM PYRROLIDONE CARBOXYLATE</b> (UNII: 469OTG57A2)	

<b>STEARYL ALCOHOL</b> (UNII: 2KR89I4H1Y)
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)
<b>TROLAMINE</b> (UNII: 9O3K93S3TK)
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)
<b>TRIETHOXSILYLETHYL POLYDIMETHYLSILOXYETHYL HEXYL DIMETHICONE</b> (UNII: X75PL53TZJ)
<b>PREZATIDE</b> (UNII: 39TG2H631E)
<b>TRIPEPTIDE-10 CITRULLINE</b> (UNII: 2732R0E76W)
<b>GRAPE SEED OIL</b> (UNII: 930MLC8XGG)
<b>WATER</b> (UNII: 059QF0KO0R)
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:60934-011-00	1 in 1 CARTON		
1		75 mL in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/01/2021	

### Part 2 of 2

### HYDROPEPTIDE SOLAR DEFENSE TINTED

titanium dioxide, zinc oxide cream

### Product Information

<b>Item Code (Source)</b>	NDC:60934-012
<b>Route of Administration</b>	TOPICAL

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	25 mg in 1 mL
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	60 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>CALENDULA OFFICINALIS FLOWER</b> (UNII: P0M7O4Y7YD)	

<b>CAMELLIA OLEIFERA LEAF</b> (UNII: 5077ELOC60)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>CAPRYLYL TRISILOXANE</b> (UNII: Q95M2P1KJL)	
<b>CELLULOSE ACETATE</b> (UNII: 3J2P07GVB6)	
<b>CETYL ALCOHOL</b> (UNII: 936JST6JCN)	
<b>CHAMOMILE</b> (UNII: FGL3685T2X)	
<b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)	
<b>CITRAL</b> (UNII: T7EU009VPP)	
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)	
<b>CUCUMBER</b> (UNII: YY7C30VXJT)	
<b>CYCLOMETHICONE</b> (UNII: NMQ347994Z)	
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>EDETATE DISODIUM ANHYDROUS</b> (UNII: 8NLQ36F6MM)	
<b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)	
<b>ACAI</b> (UNII: 46AM2VJ0AW)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>GLYCERYL MONOSTEARATE</b> (UNII: 230OU9XXE4)	
<b>.ALPHA.-HEXYLCINNAMALDEHYDE</b> (UNII: 7X6O37OK2I)	
<b>HYDROXYETHYL ACRYLATE/SODIUM ACRYLOYLDIMETHYL TAURATE COPOLYMER (100000 MPA.S AT 1.5%)</b> (UNII: 86FQE96TZ4)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE</b> (UNII: 25G622K2RA)	
<b>LIMONENE, (+)-</b> (UNII: GFD7C86Q1W)	
<b>LINALOOL, (+/-)-</b> (UNII: D81QY6I88E)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>METHYL IONONES</b> (UNII: EL78BGX1LO)	
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)	
<b>PANTHENOL</b> (UNII: WW9CM0O67Z)	
<b>PEG-100 STEARATE</b> (UNII: YD01N1999R)	
<b>PENTYLENE GLYCOL</b> (UNII: 50C1307PZG)	
<b>POLYSORBATE 60</b> (UNII: CAL22UVI4M)	
<b>PROPANEDIOL</b> (UNII: 5965N8W85T)	
<b>PROPYLENE GLYCOL MONOSTEARATE</b> (UNII: MZM1I680W0)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>PYRIDOXINE HYDROCHLORIDE</b> (UNII: 68Y4CF58BV)	
<b>SODIUM CITRATE</b> (UNII: 1Q73Q2JULR)	
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)	
<b>SODIUM PYRROLIDONE CARBOXYLATE</b> (UNII: 469OTG57A2)	
<b>THERMUS THERMOPHILUS LYSATE</b> (UNII: 775R692494)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>STEARYL ALCOHOL</b> (UNII: 2KR89I4H1Y)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>TROLAMINE</b> (UNII: 9O3K93S3TK)	
<b>PREZATIDE</b> (UNII: 39TG2H631E)	
<b>TRIPLEPTIDE-10 CITRULLINE</b> (UNII: 2732R0E76W)	
<b>GRAPE SEED OIL</b> (UNII: 930MLC8XGG)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	

<b>1,2-HEXANEDIOL</b> (UNII: TR046Y3K1G)	
<b>ALLANTOIN</b> (UNII: 344S277G0Z)	
<b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)	
<b>ALUMINUM OXIDE</b> (UNII: LMI26O6933)	
<b>BENZYL BENZOATE</b> (UNII: N863NB338G)	
<b>BENZYL SALICYLATE</b> (UNII: WAO5MKN9TU)	
<b>BIOTIN</b> (UNII: 6SO6U10H04)	
<b>BORON NITRIDE</b> (UNII: 2U4T60A6YD)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:60934-012-00	1 in 1 CARTON		
1		15 mL in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/01/2021	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/01/2021	

**Labeler** - HydroPeptide LLC (006297465)