

**NEUROCAINE- lidocaine patch**  
**Blue Heron Pharmaceuticals LLC**

-----  
**Neurocaine Patch**

**Active Ingredients**

Lidocaine 4%

**Purposes**

Topical analgesic

**Uses**

For the temporary relief of pain

**Warnings**

For external use only

**Do Not Use**

- If you are allergic to Lidocaine
- On open wounds or on damaged, broken or irritated skin
- Remove immediately if you sense a burning sensation after application

**When using this product:**

- Do not use other topical products.
- Do not allow contact with eyes or mucous membranes
- Keep away from excessive heat.
- Do not apply heating pad to area of use.
- Apply only to clean, dry, untreated skin.
- Use only as directed. Read and follow all directions and warnings on this label.

**Stop use and ask a doctor if:**

- Condition worsens
- Symptoms persist for more than 7 days

**If pregnant or breast-feeding,**

Ask a physician before use.

## **Keep out of reach of children**

If put in mouth, get medical help or contact a poison control center right away. Dispose of used product away from children and pets.

## **Directions**

### **Adult and children 12 years of age and over:**

- Clean and dry affected area
- Peel patch off plastic liner and place patch on affected area for no more than 12 hours
- Wash hands after applying patch
- Under age 12, consult a physician before use
- For easier removal of the patch, apply rubbing alcohol or baby oil to adhesive edge while gently peeling

### **Children under 12 years of age: Consult a doctor**

## **Storage**

- Store at 68-77°F (20-25°C) - Room Temperature
- Do not exceed 100 °F (38 °C)

## **Inactive Ingredients**

Acrylic Adhesive, Polyethylene Fabric

## **Questions?**

Call: 813-380-0271

## **Label**

# Neurocaine Patches

(Lidocaine 4%)

## Drug Facts

Active ingredient	Purpose
Lidocaine 4%	Topical Anesthetic

**Use**  
For the temporary relief of pain

**Warnings**  
For external use only. The adhesion properties of this patch may cause an extended period of redness. Please visit [www.re-lieved.com](http://www.re-lieved.com) for more information.

**Do not use**  
If you are allergic to Lidocaine. On open wounds or on damaged, broken or irritated skin. Remove immediately if you sense a burning sensation after application.

Ask your doctor or pharmacist before use if you are using blood thinning medication, steroids, or non-steroidal anti-inflammatory drugs (NSAIDs), or if you have sensitive skin.

**When using this product**

- Do not use other topical products. ■ Do not allow contact with eyes or mucous membranes.
- Keep away from excessive heat. Do not apply heating pad to area of use.
- Apply only to clean, dry and untreated skin.
- Use only as directed. Read and follow all directions and warnings on this label.

**Stop use or ask a doctor if**

- Condition worsens ■ Symptoms persist for more than 7 days

If pregnant or breast feeding ask a physician before use. Keep out of reach of children. If put in mouth, get medical help or contact a poison control center right away. Dispose of used product away from children and pets

**Directions** adults/children 12 years or older

- Clean and dry affected area. ■ Peel patch off plastic liner and place patch on affected area for no more than 12 hours. ■ Wash hands after applying patch. ■ Under age 12, consult a physician before use. ■ For easier removal of the patch, apply rubbing alcohol or baby oil to adhesive edge while gently peeling.

**Other information** ■ store at room temperature ■ Do not exceed 100° Fahrenheit, 38° Celsius

**Inactive ingredients**  
Acrylic adhesive, Polyethylene fabric



Manufactured for:  
Blue Heron Pharmaceuticals  
2891 Allegra Way Suite 218 Lutz FL 33559  
Questions? Call: 813-380-0271  
[www.blueheronpharma.com](http://www.blueheronpharma.com)

Neurocaine Patches  
(Lidocaine 4%)



# Neurocaine Patches



(Lidocaine 4%)  
NDC: 85622-0501-15

**15 Patches**  
(Lidocaine 4%)

Neurocaine Patches  
(Lidocaine 4%)



## NEUROCAINE

lidocaine patch

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:85622-501
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	40 mg in 40 mg

### Inactive Ingredients

Ingredient Name	Strength
ACRYLIC ACID (UNII: J94PBK7X8S)	

### Product Characteristics

Color	Score
Shape	Size
RECTANGLE (Patch)	
Flavor	Imprint Code
Contains	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:85622-501-15	15 in 1 BOX	04/16/2026	
1		1 mg in 1 POUCH; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	505G(a)(3)	04/16/2026	

**Labeler** - Blue Heron Pharmaceuticals LLC (137019051)

Revised: 4/2026

Blue Heron Pharmaceuticals LLC