

PLEASURE BALM KAMA SUTRA- benzocaine gel
Cosmetic Enterprises Ltd

Pleasure Balm

Active Ingredients	Purpose
Benzocaine 5.0 %	Male genital desensitizer

Use

Helps in temporarily prolonging time until ejaculation

Keep out of reach of children.

Discontinue use and consult a doctor if

This product, used as directed does not provide relief

You or your partner develops a rash or irritation, such as burning or itching

Condition worsens or if symptoms persist for more than 7 days or clear up and occur again within a few days

The following symptoms appear: weakness, confusion, headache, difficulty breathing and/or pale, gray or blue colored skin as these may be signs of methemoglobinemia, a rare disorder which may appear up to 2 hours of use

Warnings

DO NOT use if allergic to Benzocaine or any other ingredient in this product

If swallowed seek medical assistance or contact a poison control or contact a poison control Center right away.

Premature ejaculation may be due to condition requiring medical supervision

Consult a doctor prior to use if partner is pregnant

Avoid contact with eyes: if this happens, rinse thoroughly with water

Known adverse reactions Hypersensitivity/allergy has been known to occur, in such a case, discontinue use.

Directions for use

Adults, 18 and over. Apply a small amount to head and shaft of penis 5-10 minutes before intercourse, or use as directed by a health care practitioner. Use the smallest amount to achieve the desired result. Wipe off any excess gel before intercourse. Wash product off after intercourse. For external Use only.

Inactive Inagredients: Blue 1 (CI 42090), Disodium EDTA, Hydroxyethylcellulose, Mentha Piperita (peppermint oil), PEG-8, Polysorbate 60, Propylene Glycol, Sodium Saccharin, Water (Aqua/Eau), Yellow 5 (CI 19140), Yellow 6 (CI 15985)

Pleasure Balm

Prolonging Gel for Men

Male Genital Desensitizer

Desensibilisateur Genital Pour hommes

0.4 fl oz 12 ml

Drug Facts

Active Ingredient **Purpose**
Benzocaine 5.0%.....Male Genital Desensitizer

Use

■ Helps in temporarily prolonging time until ejaculation.

Directions For Use

■ ADULTS, 18 and over, Apply a small amount to head and shaft of penis 5-10 minutes before intercourse, or use as directed by a health care practitioner ■ Avoid contact with the eyes: if this happens, immediately flush thoroughly with water ■ For external use only ■ Keep out of reach of children ■ Use the smallest amount to achieve the desired result ■ Wipe off any excess gel before intercourse ■ Wash product off after intercourse.

Warnings

■ DO NOT use if allergic to Benzocaine or any other ingredient in this product ■ Premature ejaculation may be due to a condition requiring medical supervision ■ Consult a doctor prior to use if partner is pregnant ■ If swallowed, seek medical assistance or contact a Poison Control Center immediately ■ **Known adverse reaction:** Hypersensitivity/allergy has been known to occur, in such a case, discontinue use.

Discontinue use and consult a doctor if

■ this product, used as directed does not provide relief ■ you or your partner develops a rash or irritation, such as burning or itching ■ condition worsens or if symptoms persist for more than 7 days or clear up and occur again within a few days ■ the following symptoms appear: weakness, confusion, headache, difficulty breathing and/or pale, gray or blue colored skin as these may be signs of methemoglobinemia, a rare disorder which may appear up to 2 hours after use.

Questions or comments? Call us: 1-800-778-7921 M-F 9AM - 5PM PST or visit our website at www.kamasutra.com

Faits de Médicament

Ingrédient Médicinal **Objet**
Benzocaïne 5.0%.....Desensibilisateur Génital Pour Hommes

Usage

■ Aide à prolonger temporairement le délai avant l'éjaculation.

Mode d'emploi

■ ADULTES, 18 ans et plus, Appliquer une petite quantité sur l'extrémité et le corps du pénis de 5 à 10 minutes avant le rapport sexuelle ou utiliser selon les instructions d'un praticien de soins de santé ■ Éviter tout contact avec les yeux. Le cas échéant, rincer immédiatement et abondamment les yeux avec l'eau ■ Pour usage externe seulement ■ Garder hors de portée des enfants ■ Utiliser la plus petite quantité possible pour obtenir le résultat souhaité ■ Essuyer toute excès de gel avant le début du rapport sexuel ■ Essuyer le produit après le rapport sexuel. ▶

Storage conditions: Store in air tight container. Protect from light. Store between 59-86°F.

Conditions d'entreposage: Entreposer dans un contenant hermétique à l'abri de la lumière. Conserver entre 15 à 30°C.

et éprouvez des brûlures ou des démangeaisons ■ si l'état se détériore ou si les symptômes persistent pendant plus de 7 jours ou qu'ils disparaissent pour réapparaître de plus quelques jours plus tard ■ les symptômes suivants apparaissent: faiblesse, confusion, mal de tête, difficulté à respirer, pâleur ou coloration grise ou bleu de la peau. Ces symptômes pourraient être le signe d'une méthémoglobinémie, un trouble rare qui survient jusqu'à 2 heures après l'utilisation du produit.

Questions ou commentaires? Appelez-nous: 1-800-778-7921 L-V 9am-5pm PST ou visitez notre site d'internet à www.kamasutra.com

INACTIVE INGREDIENTS/INGRÉDIENTS NON MÉDICINAUX:
BLUE 1 (CI 42090), DISODIUM EDTA, HYDROXYMETHYLCELLULOSE, MENTHOL PEBBERIA (PEPPERMINT) OIL, PEG-8, POLYSORBATE 80, PROPYLENE GLYCOL, SODIUM SACCHARIN, WATER (AQUA/EAU), YELLOW 5 (CI 19140), YELLOW 6 (CI 15985).

Faits de Médicament (continué)

Mises en garde
■ NE PAS utiliser en cas d'allergie à la benzocaïne ou à tout autre ingrédient entrant dans la composition de ce produit ■ L'éjaculation précoce pourrait être attribuable à une maladie nécessitant une supervision médicale ■ Consulter un professionnel de la santé avant usage si votre partenaire est enceinte ■ Si avalé, obtenir une aide médicale ou communiquer avec un centre antipoison ■ **Réaction indésirable connue:** Une hypersensibilité/allergie peut se manifester. Si tel et le cas, cesser l'utilisation.

Cesser l'usage et consulter un médecin si
■ ce produit, si utilisé tel qu'indiqué, ne procure aucun soulagement ■ vous ou votre partenaire développez une irritation cutanée

MAKING love BETTER

PLEASURE BALM®
PROLONG™
PERFORMANCE GEL FOR HIM
GEL DE PERFORMANCE POUR LUI

MALE GENITAL DENSENSITIZER
DÉSENSIBILISATEUR GÉNITAL
POUR HOMMES

0.4 fl oz 12 ml e
NPN: 80039144



Manufactured for and Distributed by
Fabriqué pour et Distribué par
THE KAMA SUTRA COMPANY
Thousand Oaks, CA 91320 USA
Made in the USA
Fabriqué aux États-Unis
www.kamasutra.com





PLEASURE BALM KAMA SUTRA

benzocaine gel

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:56152-1470
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZOCAINE (UNII: U3RSY48JW5) (BENZOCAINE - UNII:U3RSY48JW5)	BENZOCAINE	5 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
CETYL HYDROXYETHYLCELLULOSE (350000 MW) (UNII: T7SWE4S2TT)	
MENTHA PIPERITA (UNII: 79M2M2UDA9)	
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	
POLYSORBATE 60 (UNII: CAL22UVI4M)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
WATER (UNII: 059QF0KO0R)	
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:56152-1470-1	12 mL in 1 TUBE; Type 0: Not a Combination Product	12/13/2018	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	09/12/2013	

Labeler - Cosmetic Enterprises Ltd (017701475)

Revised: 10/2025

Cosmetic Enterprises Ltd