

**CLE DE PEAU BEAUTE SYNACTIF DAYTIME MOISTURIZER ENRICHED N-  
avobenzene, octinoxate, and octocrylene emulsion  
SHISEIDO AMERICAS CORPORATION**

-----  
**clé de peau BEAUTÉ SYNACTIF DAYTIME MOISTURIZER ENRICHED n**

***Drug Facts***

<b><i>Active ingredients</i></b>	<b><i>Purpose</i></b>
AVOBENZONE 2.5%	Sunscreen
OCTINOXATE 7.4%	Sunscreen
OCTOCRYLENE 2.0%	Sunscreen

**Uses**

- helps prevent sunburn
- If used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

**Inactive Ingredients**

WATER•GLYCERIN•BUTYLENE GLYCOL•DIPROPYLENE GLYCOL•PENTAERYTHRITYL

TETRAETHYLHEXANOATE•DIPHENYLSILOXY PHENYL TRIMETHICONE•BEHENYL ALCOHOL•GLYCERYL DIISOSTEARATE•BEHENETH-20•XYLITOL•SILICA•BETAINE•DIMETHICONE•SD ALCOHOL 40-B•PEG/PPG-14/7 DIMETHYL ETHER•XANTHAN GUM•TOCOPHERYL ACETATE•POLYQUATERNIUM-51•DIPEPTIDE-15•ERYTHRITOL•PEG/PPG-17/4 DIMETHYL ETHER•LAURYL BETAINE•CENTAUREA CYANUS FLOWER EXTRACT•LAMIUM ALBUM FLOWER/LEAF/STEM EXTRACT•MORUS ALBA ROOD EXTRACT•SODIUM ACETYLATED HYALURONATE•SODIUM HYALURONATE•MELISSA OFFICINALIS LEAF EXTRACT•LECITHIN•NUPHAR JAPONICUM ROOT EXTRACT•ZINGIBER AROMATICUS EXTRACT•PANAX GINSENG ROOT EXTRACT•CAMELLIA SINENSIS LEAF EXTRACT•GINKGO BILOBA LEAF EXTRACT•BUPLEURUM FALCATUM ROOT EXTRACT•PPG-17•STEARYL ALCOHOL•MYRISTYL MYRISTATE•ALCOHOL•CARBOMER•POTASSIUM HYDROXIDE•ISOSTEARIC ACID•SODIUM METAPHOSPHATE•DISODIUM EDTA•BHT•SODIUM METABISULFITE•CINNAMOMUM CASSIA BARK EXTRACT•TOCOPHEROL•PHENOXYETHANOL•METHYLPARABEN•SODIUM BENZOATE•FRAGRANCE•IRON OXIDES•

### **Other information**

- protect this product in this container from excessive heat and direct sun.

### **Questions or Comments?**

Call toll free 1-800-906-7503

### **PRINCIPAL DISPLAY PANEL - 20 mL Bottle Carton**

SYNACTIF

Daytime  
moisturizer  
enriched

BROAD SPECTRUM  
SPF 19  
SUNSCREEN

clé de peau  
BEAUTÉ

20mL NET WT. .7 OZ.

DAYTIME MOISTURIZER ENRICHED N



CLÉ DE PEAU  
BEAUTÉ  
SYNACTIF

DAYTIME MOISTURIZER ENRICHED N

### Drug Facts

**Active Ingredients Purpose**  
AVOBENZONE 2.5% .... Sunscreen  
OCTINOXATE 7.4% ..... Sunscreen  
OCTOCRYLENE 2.0% ... Sunscreen

### Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

QRコード

<http://cpb1982.com/16300CP>  
See our website  
for more information.

SHISEIDO AMERICAS CORPORATION DIST.  
NEW YORK, NY 10017  
MADE IN U.S.A.  
G.L.O. 16300  
[www.cledepeau-beaute.com](http://www.cledepeau-beaute.com)

縮小サイズ0.85倍 6mmバー  
12mm × 7mm × 33mm  
7 30852 16300 3



2次元  
コード

16300-41-5040  
AAA

### Drug Facts (continued)

#### Warnings

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

#### Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

CLÉ DE PEAU  
SYNACTIF

Daytime  
moisturizer  
enriched

BROAD SPECTRUM  
SPF 19  
SUNSCREEN

clé de peau  
BEAUTÉ

20mL NET WT. .7 OZ.

### Drug Facts (continued)

#### Inactive Ingredients

WATER • GLYCERIN • BUTYLENE GLYCOL • DIPROPYLENE GLYCOL • PENTAERYTHRITYL • TETRAETHYLHEXANOATE • DIPHENYLSILOXY PHENYL TRIMETHICONE • BEHENYL ALCOHOL • GLYCERYL DIISOSTEARATE • BEHENETH-20 • XYLITOL • SILICA • BETAINE • DIMETHICONE • SD ALCOHOL 40-B • PEG/PPG-14/7 DIMETHYL ETHER • XANTHAN GUM • TOCOPHERYL ACETATE • POLYQUATERNIUM-51 • DIPEPTIDE-15 • ERYTHRITOL • PEG/PPG-17/4 DIMETHYL ETHER • LAURYL BETAINE • CENTAUREA CYANUS FLOWER EXTRACT • LAMIAM ALBUM FLOWER/LEAF/STEM EXTRACT • MORUS ALBA ROOT EXTRACT • SODIUM ACETYLATED HYALURONATE • SODIUM HYALURONATE • MELISSA OFFICINALIS LEAF EXTRACT • LECITHIN • NUPHAR JAPONICUM ROOT EXTRACT • ZINGIBER AROMATICUS EXTRACT • PANAX GINSENG ROOT EXTRACT • CAMELLIA SINENSIS LEAF EXTRACT • GINKGO BILOBA LEAF EXTRACT • BUPLEURUM FALCATUM ROOT EXTRACT • PPG-17-STEARYL ALCOHOL • MYRISTYL MYRISTATE • ALCOHOL • CARBOMER • POTASSIUM HYDROXIDE • ISOSTEARIC ACID • SODIUM METAPHOSPHATE • DISODIUM EDTA • BHT • SODIUM METABISULFITE • CINNAMOMUM CASSIA BARK EXTRACT • TOCOPHEROL • PHENOXYETHANOL • METHYL PARABEN • SODIUM BENZOATE • FRAGRANCE • IRON OXIDES

#### Other Information

- protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**  
Call toll free 1-800-906-7503

# CLE DE PEAU BEAUTE SYNACTIF DAYTIME MOISTURIZER ENRICHED N

avobenzone, octinoxate, and octocrylene emulsion

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:58411-889
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	5 mg in 200 mL
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	14.8 mg in 200 mL
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	4 mg in 200 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0K00R)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>DIPROPYLENE GLYCOL</b> (UNII: E107L85C40)	
<b>PENTAERYTHRITYL TETRAETHYLHEXANOATE</b> (UNII: XJ7052W897)	
<b>DIPHENYLSILOXY PHENYL TRIMETHICONE</b> (UNII: I445L28B12)	
<b>DOCOSANOL</b> (UNII: 9G1OE216XY)	
<b>GLYCERYL DIISOSTEARATE</b> (UNII: 68BAV42LRC)	
<b>BEHENETH-20</b> (UNII: BJ4GP2IFLN)	
<b>XYLITOL</b> (UNII: VCQ006KQ1E)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>BETAINE</b> (UNII: 3SCV180C9W)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>PEG/PPG-14/7 DIMETHYL ETHER</b> (UNII: 6DNW9T7YT2)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7)</b> (UNII: EL9825H96J)	
<b>DIGLYCINE</b> (UNII: 10525P22U0)	
<b>ERYTHRITOL</b> (UNII: RA96B954X6)	
<b>PEG/PPG-17/4 DIMETHYL ETHER</b> (UNII: 4ET18WJG5K)	
<b>LAURYL BETAINE</b> (UNII: Y4P927Q133)	
<b>CENTAUREA CYANUS FLOWER</b> (UNII: QZ239038YC)	
<b>LAMIUM ALBUM FLOWER</b> (UNII: 62IB9494JA)	
<b>MORUS ALBA ROOT</b> (UNII: CST1G9BZGD)	
<b>SODIUM ACETYLATED HYALURONATE</b> (UNII: WN66R7GL93)	
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)	
<b>MELISSA OFFICINALIS LEAF</b> (UNII: 50D2ZE9219)	

<b>LECITHIN, SOYBEAN</b> (UNII: 1DI56QDM62)
<b>NUPHAR JAPONICA ROOT</b> (UNII: 3OPM78C6RQ)
<b>GINGER</b> (UNII: C5529G5JPQ)
<b>ASIAN GINSENG</b> (UNII: CUQ3A77YXI)
<b>GREEN TEA LEAF</b> (UNII: W2ZU1RY8B0)
<b>GINKGO</b> (UNII: 19FUJ2C58T)
<b>BUPLEURUM FALCATUM ROOT</b> (UNII: X04E310LUY)
<b>PPG-17</b> (UNII: OVOQ322E0U)
<b>STEARYL ALCOHOL</b> (UNII: 2KR89I4H1Y)
<b>MYRISTYL MYRISTATE</b> (UNII: 4042ZC00DY)
<b>CARBOMER HOMOPOLYMER TYPE C (ALLYL PENTAERYTHRITOL CROSSLINKED)</b> (UNII: 4Q93RCW27E)
<b>POTASSIUM HYDROXIDE</b> (UNII: WZH3C48M4T)
<b>ISOSTEARIC ACID</b> (UNII: X33R8U0062)
<b>SODIUM METAPHOSPHATE</b> (UNII: 532IUT7IRV)
<b>DISODIUM EDTA-COPPER</b> (UNII: 6V475AX06U)
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)
<b>SODIUM METABISULFITE</b> (UNII: 4VON5FNS3C)
<b>CHINESE CINNAMON</b> (UNII: W54CQ062KM)
<b>.ALPHA.-TOCOPHEROL</b> (UNII: H4N855PNZ1)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)
<b>FRAGRANCE 13576</b> (UNII: 5EM498GW35)
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-889-40	20 mL in 1 BOTTLE; Type 0: Not a Combination Product	02/01/2024	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	02/01/2024	

**Labeler** - SHISEIDO AMERICAS CORPORATION (193691821)

**Registrant** - Shiseido America Inc. (782677132)

### Establishment

Name	Address	ID/FEI	Business Operations
Shiseido America Inc.		782677132	analysis(58411-889) , manufacture(58411-889)

---

Revised: 2/2026

SHISEIDO AMERICAS CORPORATION