

MAXIMUM SECURITY- sodium fluoride gel, dentifrice
Bob Barker Company Inc.

Maximum Security®

Drug Facts:

ACTIVE INGREDIENT

Sodium Fluoride - 0.22% (0.1% W/V fluoride ion)

PURPOSE

Anticavity toothpaste

Use

Helps protect against cavities.

Warnings

Keep out of the reach of children under 6 years of age. If more than used for brushing is accidentally swallowed, get medical help or contact a Poison Control Center immediately.

Directions

Adults & Children 6 years of age & older:	Brush teeth thoroughly, preferably after each meal or at least twice a day, or as directed by a dentist or doctor.
Children 2 to 6 years:	Use only a pea sized amount and supervise child's brushing and rinsing (to minimize swallowing).
Children under 2 years:	Ask a dentist or physician.

Inactive ingredients

Water, Sorbitol, Carbomer, Sodium Lauryl Sulfate, Sodium Hydroxide, Flavor, Sodium Saccharin, Sodium Benzoate, Disodium EDTA, Menthol

Dist. by Bob Barker Co. Inc. Fuquay-Varina, NC 27526

PRINCIPAL DISPLAY PANEL - 43 g Tube Label

MAXIMUM®
SECURITY

ANTICAVITY
GEL TOOTHPASTE
Sodium Fluoride 0.22%

Fresh Mint Flavor
NET WT 1.5 OZ (43 g)



ANTICAVITY GEL TOOTHPASTE


Sodium Fluoride 0.22%

Fresh Mint Flavor
NET WT 1.5 OZ (43 g)

Drug Facts:		Drug Facts (continued)	
ACTIVE INGREDIENT: Sodium Fluoride - 0.22% (0.1% W/V fluoride ion)...	PURPOSE: ...Anticavity toothpaste	Directions: Adults & Children 6 years of age & older:	Brush teeth thoroughly, preferably after each meal or at least twice a day, or as directed by a dentist or doctor.
Use: Helps protect against cavities.		Children 2 to 6 years:	Use only a pea sized amount and supervise child's brushing and rinsing (to minimize swallowing).
Warnings: Keep out of the reach of children under 6 years of age. If more than used for brushing is accidentally swallowed, get medical help or contact a Poison Control Center immediately.		Children under 2 years:	Ask a dentist or physician.
		Inactive ingredients: Water, Sorbitol, Carbomer, Sodium Lauryl Sulfate, Sodium Hydroxide, Flavor, Sodium Saccharin, Sodium Benzoate, Disodium EDTA, Menthol	

Batch no., mfg. date &
exp. date on crimp.

E.C.No.
RAJ/COS-2927



Made in India Dist. by Bob Barker Co. Inc. Fuquay-Varina, NC 27526

MAXIMUM SECURITY

sodium fluoride gel, dentifrice

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:53247-143
Route of Administration	DENTAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Sodium Fluoride (UNII: 8ZYQ1474W7) (Fluoride Ion - UNII:Q80VPU408O)	Sodium Fluoride	2.2 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
Water (UNII: 059QF0KO0R)	
Sorbitol (UNII: 506T60A25R)	
Carbomer Homopolymer Type C (Allyl Pentaerythritol Crosslinked) (UNII: 4Q93RCW27E)	
Sodium Lauryl Sulfate (UNII: 368GB5141J)	
Sodium Hydroxide (UNII: 55X04QC32I)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
Sodium Benzoate (UNII: OJ245FE5EU)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
MENTHOL, UNSPECIFIED FORM (UNII: L7T10EIP3A)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53247-143-01	4.3 g in 1 PACKET; Type 0: Not a Combination Product	01/01/2008	
2	NDC:53247-143-02	17 g in 1 TUBE; Type 0: Not a Combination Product	01/01/2008	
3	NDC:53247-143-03	24 g in 1 TUBE; Type 0: Not a Combination Product	01/01/2008	
4	NDC:53247-143-04	43 g in 1 TUBE; Type 0: Not a Combination Product	01/01/2008	
5	NDC:53247-143-05	130 g in 1 TUBE; Type 0: Not a Combination Product	01/01/2008	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M021	01/01/2008	

Labeler - Bob Barker Company Inc. (058525536)

Revised: 10/2025

Bob Barker Company Inc.