

**MAGNESIUM CITRATE- magnesium citrate liquid  
AMERISOURCE BERGEN**

-----  
**GNP Magnesium Citrate Oral Solution - Cherry**

**Active Ingredient**

Magnesium citrate 1.745 g (in each fl oz)

**Purpose**

Saline laxative

**Uses**

- For relief of occasional constipation (irregularity)
- Generally produces bowel movement in 1/2 to 6 hours

**Warnings**

**Ask a doctor before use if you have**

- Kidney disease
- a magnesium restricted diet
- Abdominal pain, nausea, or vomiting
- Noticed a sudden change in bowel habits that persists over a period of 2 weeks
- Already used a laxative for a period longer than 1 week

**Ask a doctor or pharmacist before use if you are**

- Taking any other drug.
- Take this product 2 or more hours before or after other drugs. Laxatives may affect how other drugs work.

**Stop use and ask a doctor if**

you have rectal bleeding or failure to have a bowel movement after use. These could be signs of a serious condition.

**If pregnant or breast-feeding,**

ask health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

Store at temperatures between 46° and 86°F (8° and 30° C)

**Directions**

- shake well before using
- drink a full glass (8 ounces) of liquid with each dose
- may be taken as a single daily dose or in divided doses

adults and children 12 years of age and over	6.5 to 10 fl oz maximum 10 fl oz in 24 hours
children 6 to under 12 years of age	3 to 7 fl oz maximum 7 fl oz in 24 hours
children 2 to under 6 years of age	2 to 3 fl oz in 24 hours maximum 3 fl oz in 24 hours
children under 2 years of age	ask a doctor

**Other Information**

each fl oz contains: magnesium 290 mg

each fl oz contains: sodium 1 mg

**Inactive Ingredients**

benzoic acid, citric acid, disodium EDTA, flavor, sucralose, water

**Questions?**

1-888-235-2466

Distributed By AmerisourceBergen

1 West First Ave, Conshohocken, PA 19428

Questions or Concerns? [www.mygnp.com](http://www.mygnp.com)

L0000660 ABC#: 102751738 R1022

NDC 46122-741-38

GOOD

NEIGHBOR

PHARMACY®

• DYE-FREE • SUGAR-FREE

Magnesium

Citrate

Saline Laxative

Oral Solution

Alcohol content 0.0025%

(from flavouring)

Cherryflavor

10 FL OZ (296 mL)

DO NOT USE IF TAMPER-EVIDENT TWIST-OFF CAP IS MISSING, BROKEN OR SEPARATED FROM NECKRING

**Drug Facts**

**Active ingredient (in each fl oz) Purpose**  
Magnesium citrate 1.745 g .....Saline laxative

**Uses:** ■ For relief of occasional constipation (irregularity).  
■ Generally produces bowel movement in ½ to 6 hours

**Warnings:**  
Ask a doctor before use if you have  
■ Kidney disease ■ a magnesium restricted diet  
■ Abdominal pain, nausea, or vomiting  
■ Noticed a sudden change in bowel habits that persists over a period of 2 weeks  
■ Already used a laxative for a period longer than 1 week

Ask a doctor or pharmacist before use if you are  
■ Taking any other drug.  
■ Take this product 2 or more hours before or after other drugs. Laxatives may affect how other drugs work.

Stop use and ask a doctor if you have rectal bleeding or failure to have a bowel movement after use. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. ▶



**NDC 46122-741-38**

• DYE-FREE • SUGAR-FREE

**Magnesium Citrate**  
**Saline Laxative**

**Oral Solution**

Alcohol content 0.005%  
(from flavoring)

**Cherry Flavor**

10 fl oz | (296 mL)



**Drug Facts (continued)**

Store at temperatures between 46° and 86°F (8° and 30°C)

**Directions:** ■ shake well before using ■ drink a full glass (8 ounces) of liquid with each dose ■ may be taken as a single daily dose or in divided doses

adults and children 12 years of age and over	6.5 to 10 fl oz maximum 10 fl oz in 24 hours
children 6 to under 12 years of age	3 to 7 fl oz maximum 7 fl oz in 24 hours
children 2 to under 6 years of age	2 to 3 fl oz maximum 3 fl oz in 24 hours
children under 2 years of age	ask a doctor

**Other Information:**  
■ each fl oz contains: magnesium 290 mg  
■ each fl oz contains: sodium 1 mg

**Inactive ingredients:** benzoic acid, citric acid, disodium EDTA, flavor, sucralose, water

**Questions?** 1-888-235-2466

Distributed By AmerisourceBergen  
1 West First Ave, Conshohocken, PA 19428  
Questions or Concerns? [www.mygnp.com](http://www.mygnp.com)  
L0000660 ABC#: 10275173 R1022



0 87701 43503 4

COPY FREE AREA LEFT OPEN FOR LOT AND EXPIRATION DATE

DO NOT USE IF TAMPER-EVIDENT TWIST-OFF CAP IS MISSING, BROKEN OR SEPARATED FROM NECKRING

## MAGNESIUM CITRATE

magnesium citrate liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:46122-741
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>MAGNESIUM CITRATE</b> (UNII: RHO26O1T9V) (MAGNESIUM CATION - UNII:T6V3LHY838)	MAGNESIUM CITRATE	1.745 g in 29.6 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>BENZOIC ACID</b> (UNII: 8SKNOB0MIM)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)	
<b>SUCRALOSE</b> (UNII: 96K6UQ3ZD4)	

EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:46122-741-38	296 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	03/01/2023	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	01/31/2023	

**Labeler** - AMERISOURCE BERGEN (007914906)

### Establishment

Name	Address	ID/FEI	Business Operations
Pharma Nobis, LLC		118564114	manufacture(46122-741)

Revised: 12/2024

AMERISOURCE BERGEN