

MONISTAT 3 3 DAY- miconazole nitrate cream
Insight Pharmaceuticals LLC

Monistat 3 3 Day 63736-015

Drug Facts

Active ingredient

Miconazole nitrate 4%

Purpose

Vaginal antifungal

Use

- treats vaginal yeast infections

Warnings

For vaginal use only

Do not use if

you have never had a vaginal yeast infection diagnosed by a doctor.

Ask a doctor before use if you have

- **vaginal itching and discomfort for the first time**
- **lower abdominal, back or shoulder pain, fever, chills, nausea, vomiting, or foul-smelling vaginal discharge. You may have a more serious condition.**
- vaginal yeast infections often (such as once a month or 3 in 6 months). You could be pregnant or have a serious underlying medical cause for your symptoms, including diabetes or a weakened immune system.
- been exposed to human immunodeficiency virus (HIV) that causes AIDS

Ask a doctor or pharmacist before use if you are

taking the prescription blood thinning medicine warfarin, because bleeding or bruising may occur

When using this product

- do not use tampons, douches, spermicides, or other vaginal products. Condoms and diaphragms may be damaged and fail to prevent pregnancy or sexually transmitted disease (STDs).
- do not have vaginal intercourse
- mild increase in vaginal burning, itching, or irritation may occur

- if you do not get complete relief ask a doctor before using another product

Stop use and ask a doctor if

- **symptoms do not get better after 3 days**
- **symptoms last more than 7 days**
- **you get a rash or hives, abdominal pain, fever, chills, nausea, vomiting, or foul-smelling vaginal discharge**

If pregnant or breast feeding,

ask a health professional before use.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- before using this product read the enclosed consumer information leaflet for complete directions and information
- adults and children 12 years of age and over:
 - insert 1 applicatorful into the vagina at bedtime for 3 nights in a row. Throw applicator away after use.
- children under 12 years of age: ask a doctor

Other information

- do not use if **printed** applicator wrapper is torn, open or incompletely sealed
- do not purchase if carton is open
- store at 20° - 25°C (68° - 77°F)
- Keep this carton for future reference. It contains important information.

Inactive ingredients

benzoic acid, cetyl alcohol, isopropyl myristate, polysorbate 60, potassium hydroxide, propylene glycol, purified water, stearyl alcohol

Questions?

If you have any questions or comments, please call 1-**877-666-4782**

PRINCIPAL DISPLAY PANEL - 5 g Tube Carton

3-DAY TREATMENT

Prefilled Cream Applicator

MONISTAT® 3

Miconazole Nitrate Vaginal Cream (4%)- Vaginal Antifungal

3 Prefilled Applicators Net Wt. 0.18 oz. (5g) each

3-DAY TREATMENT

MONISTAT³
Miconazole Nitrate Vaginal Cream (4%) — Vaginal Antifungal

PREFILLED CREAM APPLICATOR

NEW LOOK!

MONISTAT³
Miconazole Nitrate Vaginal Cream (4%) — Vaginal Antifungal

PREFILLED CREAM APPLICATOR

3-DAY TREATMENT

MONISTAT³
Miconazole Nitrate Vaginal Cream (4%) — Vaginal Antifungal

PREFILLED CREAM APPLICATOR

3 Ready-to-Use Prefilled Applicators



3 Ready-to-Use Prefilled Applicators



3 Prefilled Applicators Net Wt. 0.18 oz (5 g) each

✓ CURES most vaginal YEAST INFECTIONS

If you have any questions or comments, please call 1-877-MONISTAT (1-877-666-4782)

Dot, by Insight Pharmaceuticals LLC, Tarrytown, NY 10591
A Perrigo Consumer Healthcare company
©2024 Trade dress is owned by Insight Pharmaceuticals LLC. All rights reserved. PNU5064102



3 63736 00076 9

Drug Facts

Active ingredient Miconazole nitrate 4% **Purpose** Vaginal antifungal

Use ■ treats vaginal yeast infections

Warnings
For vaginal use only.
Do not use if you have never had a vaginal yeast infection diagnosed by a doctor.
Ask a doctor before use if you have:
■ vaginal itching and discomfort for the first time
■ lower abdominal, back or shoulder pain, fever, chills, nausea, vomiting, or foul-smelling vaginal discharge. You may have a more serious condition.
■ vaginal yeast infections often (such as once a month or 3 in 6 months). You could be pregnant or have a serious underlying medical cause for your symptoms, including diabetes, or a weakened immune system.
■ been exposed to the human immunodeficiency virus (HIV) that causes AIDS
Ask a doctor or pharmacist before use if you are taking the prescription blood thinning medicine warfarin, because bleeding or bruising may occur.
When using this product:
■ do not use tampons, douches, spermicides or other vaginal products. Condoms and diaphragms may be damaged and fail to prevent pregnancy or sexually transmitted diseases (STDs).
■ do not have vaginal intercourse
■ mild increase in vaginal burning, itching or irritation may occur
■ if you do not get complete relief ask a doctor before using another product

MONISTAT³

Miconazole Nitrate Vaginal Cream (4%) — Vaginal Antifungal

Drug Facts

Active ingredient Miconazole nitrate 4% **Purpose** Vaginal antifungal

Use ■ treats vaginal yeast infections

Warnings
For vaginal use only.
Do not use if you have never had a vaginal yeast infection diagnosed by a doctor.
Ask a doctor before use if you have:
■ vaginal itching and discomfort for the first time
■ lower abdominal, back or shoulder pain, fever, chills, nausea, vomiting, or foul-smelling vaginal discharge. You may have a more serious condition.
■ vaginal yeast infections often (such as once a month or 3 in 6 months). You could be pregnant or have a serious underlying medical cause for your symptoms, including diabetes, or a weakened immune system.
■ been exposed to the human immunodeficiency virus (HIV) that causes AIDS
Ask a doctor or pharmacist before use if you are taking the prescription blood thinning medicine warfarin, because bleeding or bruising may occur.
When using this product:
■ do not use tampons, douches, spermicides or other vaginal products. Condoms and diaphragms may be damaged and fail to prevent pregnancy or sexually transmitted diseases (STDs).
■ do not have vaginal intercourse
■ mild increase in vaginal burning, itching or irritation may occur
■ if you do not get complete relief ask a doctor before using another product

Drug Facts (continued)

Stop use and ask a doctor if:
■ symptoms do not get better in 3 days
■ symptoms last more than 7 days
■ you get a rash or hives, abdominal pain, fever, chills, nausea, vomiting, or foul-smelling vaginal discharge.

If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions
■ before using this product, read the enclosed consumer information leaflet for complete directions and information
■ adults and children 12 years of age and over:
■ **applicator:** insert 1 applicatorful into the vagina at bedtime for 3 nights in a row. Wash applicator after use.
■ children under 12 years of age: ask a doctor.

Other information
■ do not use if seal over tube opening has been punctured
■ do not purchase if carton is open
■ store at 20°-25°C (68°-77°F)

Inactive ingredients
benzoic acid, cetyl alcohol, isopropyl myristate, polysorbate 60, potassium hydroxide, propylene glycol, purified water, stearyl alcohol.

Questions?
If you have any questions or comments, please call 1-877-666-4782

MONISTAT 3 3 DAY

miconazole nitrate cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63736-015
Route of Administration	VAGINAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Miconazole Nitrate (UNII: VW4H1CYW1K) (Miconazole - UNII:7NNO0D7S5M)	Miconazole Nitrate	40 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
Benzoic Acid (UNII: 8SKN0B0MIM)	
Cetyl Alcohol (UNII: 936JST6JCN)	
Isopropyl Myristate (UNII: 0RE8K4LNJS)	
Polysorbate 60 (UNII: CAL22UVI4M)	
Potassium Hydroxide (UNII: WZH3C48M4T)	
Propylene Glycol (UNII: 6DC9Q167V3)	
Water (UNII: 059QF0KO0R)	
Stearyl Alcohol (UNII: 2KR89I4H1Y)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63736-015-18	3 in 1 CARTON	03/30/1998	
1		5 g in 1 TUBE, WTH APPLICATOR; Type 0: Not a Combination Product		
2	NDC:63736-015-25	1 in 1 CARTON	03/30/1998	
2		25 g in 1 TUBE, WTH APPLICATOR; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA020827	03/30/1998	

Labeler - Insight Pharmaceuticals LLC (055665422)