LIQUID BANDAGE- benzethonium chloride and dyclonine hydrochloride liquid Wal-Mart Stores, Inc.

Equate Liquid Bandage

Active ingredients

Benzethonium chloride 0.2% Dyclonine hydrochloride 0.75%

Purpose

First aid antiseptic Topical analgesic

Uses

- first aid to prevent bacteria contamination in minor cuts, scrapes and burns
- For the temporary relief of pain

Warnings

For external use only.

Flammable:

Keep away from fire or flame.

Do not use

- in the eyes
- over large areas of the body
- longer than 1 week unless directed by a doctor

Ask a doctor before use if you have

- deep puncture wounds
- deep cuts
- animal bites
- serious burns

When using this product

• avoid contact with eyes

Stop use and ask a doctor if

- conditions persists or gets worse
- symptoms persists for more than 7 days or clear up and occur again within a few days
- infection occurs

Keep out of reach of children.

If swallowed, get medical help or call a Poison Control Center right away.

Directions

- for adults and children 2 years of age and older
- Clean affected area
- apply a small amount on the area 1-3 times daily
- let dry
- a second coating may be applied for extra protection
- children under 2 years of age: consult a doctor

Other information

- cap bottle tightly
- store between 20° to 25°C (68° to 77°F)
- may temporarily sting upon application
- to remove, apply more liquid bandages and quickly wipe off

Inactive ingredients

acetone, amyl acetate, castor oil, ethyl acetate, nitrocellulose, SD slcohol 40

Questions

Call 1-888-287-1915

Principal Display Panel

Equate

Liquid


Bandage

Topical Analgesic & Antiseptic

Seals to Protect

- Helps prevent infection
- Invisible & Flexible
- Water Resistant
- Built-in applicator brush

0.3 FL OZ (9 mL)







Liquid Bandage

Topical Analgesic & Antiseptic

Seals To Protect

- · Helps prevent infection
- · Invisible & flexible
- Water-resistant
- · Built-in applicator brush

0.3 FL. OZ. (9 mL)

Use Liquid Bandage for:

Blisters, chapped & cracked fingertips, hangnails, paper cuts, shaving nicks & help in preventing the formation of calluses.

Great for:

Athletes, active lifestyles, outdoor sportsmen & musicians.

53-033WM



Liquid Bandage

For Small Cuts & Wounds

0.3 FL. OZ. (9 mL)

NO VARNISH AREA (WHITE ONLY)







CBY6

Whipe top of bottle clean after each use.

Do not allow to come into contact with fabrics, floors, countertops or other surfaces – will stain.

Questions? Call 1-888-287-1915

Inactive ingredients acatone, amyl acetate, castor oil, ethyl acetate, nitrocellulose, SD alcohol 40

■ to remove, apply more Liquid Bandage and quickly wipe off Other information = cap bottle tightly = store between so 25° to 25°C (68° to 77°F) = may temporanty sting upon application

extra protection = children under 2 years of age: consult a doctor e clean affected area

a second coating may be applied for

clean affected area

a spply a small amount on the area 1 to 3 Directions . Tor adults and children 2 years of age and older

call a Poison Control Center right away.

again within a few days

intection occurs

Keep out of reach of children. If swallowed, get medical help or

Stop use and ask a doctor if a condition persists or gets worse symptoms persist for more than 7 days or clear up and occur

Auceu neiud zuie brogner

stong control with sheet



LIQUID BANDAGE

benzethonium chloride and dyclonine hydrochloride liquid

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:79903-485	
Route of Administration	TOPICAL			

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
BENZETHONIUM CHLORIDE (UNII: PH41D05744) (BENZETHONIUM - UNII:1VU15B70BP)	BENZETHONIUM CHLORIDE	0.06 mg in 29.6 mL		
DYCLONINE HYDROCHLORIDE (UNII: ZEC193879Q) (DYCLONINE - UNII:078A24Q300)	DYCLONINE HYDROCHLORIDE	0.23 mg in 29.6 mL		

Inactive Ingredients				
Ingredient Name	Strength			
ACETONE (UNII: 1364PS73AF)				
AMYL ACETATE (UNII: 92Q24NH7AS)				
CASTOR OIL (UNII: D5340Y2I9G)				
ETHYL ACETATE (UNII: 7684508NMZ)				
PYROXYLIN (UNII: KYR8BR2X6O)				
ALCOHOL (UNII: 3K9958V90M)				

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:79903- 485-30	29.6 mL in 1 BOTTLE, WTH APPLICATOR; Type 0: Not a Combination Product	01/31/2023		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M003	01/12/2012		

Labeler - Wal-Mart Stores, Inc. (051957769)

Revised: 11/2024 Wal-Mart Stores, Inc.