

CAREALL DIPHENHYDRAMINE- diphenhydramine hydrochloride tablet, coated
New World Imports, Inc

Drug Facts

Active Ingredient

Diphenhydramine HCl 25mg

Purpose

Antihistamine

Keep out of reach of children

In case of accidental overdose, contact a doctor or Poison Control Center (1-800-222-1222) immediately.

Uses

Temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

Sneezing, runny nose, itchy / watery eyes, and itching of the nose or throat

Temporarily relieves these symptoms associated with the common cold:

Sneezing, runny nose

Warnings

Do not use with any other products containing diphenhydramine, including ones used on skin

Ask a doctor before use if you have:

A breathing problem such as emphysema or chronic bronchitis

Glaucoma

Trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers

When using this product:

Marked drowsiness may occur

Avoid alcoholic beverages

Alcohol, sedatives, and tranquilizers may increase drowsiness

Be careful when driving a motor vehicle or operating machinery

Excitability may occur, especially in children

If pregnant or breast-feeding,ask a health professional before use

Directions

Take every 4 to 6 hours, or as directed by a doctor. Do not take more than 6 times in 24 hours

Adults and children 12 years of age and older: 1 to 2 caplets

Children 6 to 12 years:1 caplet

Children under 6:do not use

Inactive Ingredients

croscarmellose sodium, D C Red 27 aluminum lake, hypromellose, lactose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, silicon dioxide, titanium dioxide

NDC 51824-056 -01

CAREALL®

Compares to the active ingredient in BENADRYL®*

Complete Allergy Relief

Antihistamine

RELIEVES

- ▶ Sneezing
- ▶ Itchy/watery eyes
- ▶ Runny nose or itchy throat due to allergy & colds



100

Diphenhydramine HCl Caplets
25mg each

Drug Facts
Active ingredient (in each caplet) Diphenhydramine HCl 25 mg.: Antihistamine
Uses temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: <ul style="list-style-type: none"> ■ sneezing ■ runny nose ■ itchy, watery eyes ■ itching of the nose or throat these symptoms associated with the common cold: <ul style="list-style-type: none"> ■ sneezing ■ runny nose
Warnings Do not use with any other product containing diphenhydramine, including ones used on skin
Ask a doctor before use if you have <ul style="list-style-type: none"> ■ a breathing problem such as emphysema or chronic bronchitis ■ glaucoma ■ trouble urinating due to an enlarged prostate gland
Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers

Continued Under Label

*This product is not manufactured or distributed by McNeil Consumer Healthcare, owner of the registered trademark Benadryl®.

Distributed By: MWI, Inc., 160 Athens Way, Nashville, TN 37228



Lot: _____ Exp: _____
PEEL HERE

Drug Facts (Continued)

When using this product

- marked drowsiness may occur
- avoid alcoholic beverages
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of accidental overdose, contact a doctor or Poison Control Center (1-800-222-1222) immediately.

Directions

- take every 4 to 6 hours, or as directed by a doctor
- do not take more than 6 times in 24 hours

adults and children 12 years and over:
1 to 2 caplets

children 6 to under 12 years: 1 caplet

children under 6 years of age: do not use

Other information

- each caplet contains: 20mg calcium
- store at room temperature 20° – 25°C (68° – 77°F)
- do not use if safety seal under cap is broken or missing

Inactive ingredients croscarmellose sodium, D&C red #27 aluminum lake, hydroxyethylcellulose, lactose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, silicon dioxide, titanium dioxide

CAREALL DIPHENHYDRAMINE

diphenhydramine hydrochloride tablet, coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51824-056
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	25 mg

Inactive Ingredients

Ingredient Name	Strength

CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
D&C RED NO. 27 ALUMINUM LAKE (UNII: ZK64F7XSTX)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	pink (Bright Pink)	Score	no score
Shape	OVAL (Oval in Shape, sides straight, top and bottom rounded)	Size	11mm
Flavor		Imprint Code	048;D
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51824-056-01	100 in 1 BOTTLE; Type 0: Not a Combination Product	04/28/2016	12/01/2026

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	04/28/2016	12/01/2026

Labeler - New World Imports, Inc (075372276)

Revised: 12/2025

New World Imports, Inc