

**FLORASONE CREAM- cardiospermum halicacabum flowering top cream
Schwabe Mexico, S.A. de C.V.**

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Florasone Cream

Active Ingredient

Contains 10% CARDIOSPERMUM HALICACABUM TINCTURE

Inactive Ingredients

BENZYL ALCOHOL

CETYL ALCOHOL

ETHYL ALCOHOL

GLYCERIN

GLYCOL STEARATE

ISOPROPYL MYRISTATE

MINERAL OIL

POTASSIUM HYDROXIDE

PURIFIED WATER

STEARYL HEPTANOATE

Dosage and Administration

Directions

Adults & Children 6 years of age and older: apply to affected area up to 4 times daily. Rub in gently.

Patch test recommended on sensitive skin.

Indications and Usage

Temporarily relieves itch, rash and skin irritation/inflammation.

Purpose

Temporarily relieves itch, rash and skin irritation/inflammation.

Warnings

For external use only. Avoid contact with eyes and broken skin.

Do Not Use

Do not use if hypersensitive to any ingredients in this product. Breastfeeding women should not apply to breast area.

Stop Use

Stop use and ask a doctor if increased skin irritation, rash or other allergic reaction develops, condition worsens or does not improve within 7 days, symptoms clear up and occur again within a few days.

These could be signs of a serious condition.

Pregnancy or Breast Feeding

If pregnant or breast-feeding, ask a healthcare professional before use.

Keep out of reach of Children

Keep out of reach of children.

Overdosage

If swallowed, seek medical help or contact a Poison Control Center right away.



Florasone[®] Eczema Cream^{††}

Drug Facts

Active ingredient Purpose
Contains 10% *Cardiospermum* Eczema, itching, rash, skin
halicacabum tincture irritation and inflammation^{††}

Uses
■ temporarily relieves itch, rash and skin irritation/inflammation^{††}

Warnings
For external use only. Avoid contact with eyes and broken skin.
Do not use ■ if hypersensitive to any ingredients in this product
■ breast-feeding women should not apply to breast area

Stop use and ask a doctor if
■ increased skin irritation, rash or other allergic reaction develops
■ condition worsens or does not improve within 7 days
■ symptoms clear up and occur again within a few days.
These could be signs of a serious condition.

If pregnant or breast-feeding, ask a healthcare professional before use. Keep out of reach of children. If swallowed, seek medical help or contact a Poison Control Center right away.

Drug Facts (continued)

Directions
■ adults & children 6 years of age and older: apply to affected area up to 4 times daily; rub in gently
■ patch test recommended on sensitive skin

Other information
■ to open: unscrew cap, puncture tube seal, screw cap back on tube
■ store at room temperature 20-25°C (68-77°F) in a dry place out of direct sunlight

Inactive ingredients benzyl alcohol, cetyl alcohol, ethyl alcohol, glycerin, glycol stearate, isopropyl myristate, mineral oil, potassium hydroxide, purified water, stearyl heptanoate

Questions? 1-800-9NATURE / natureway.com

^{††}There are no valid studies using current scientific methods confirming this product's efficacy. These indications are based solely on traditional homeopathic principles.

TAMPER EVIDENT. Safety sealed with inner seal. Do not use if tube seal is broken or missing.
©2023 Distributed by Boericke & Tafel[®], a division of Nature's Way Brands, LLC, Green Bay, WI 54311 USA • Product of Mexico

Florasone[®] cream temporarily relieves the itch and inflammation from eczema, rashes, dry skin and skin allergies.^{††} It contains 10% of *Cardiospermum halicacabum* tincture which has been used for centuries to treat skin disorders.^{††}



621250064-07

Topical Cream
NET WT 1 OZ (28 g)

ITCHING^{††} • ECZEMA^{††} • INFLAMMATION^{††} • RASHES^{††}

TEMPORARILY RELIEVES

Florasone[®]



NDC 53499-0390-4

NET WT 1 OZ (28 g)
Eczema Cream^{††}
ITCHES & RASHES^{††}
Florasone[®]

ITCHING^{††} • ECZEMA^{††} • INFLAMMATION^{††} • RASHES^{††}

Non-greasy

Florasone[®]

Cardiospermum
Cream

Alternative for Eczema^{††}
Temporary Relief for
Itches & Rashes^{††}
Cortisone Free



Add image transcription here...

FLORASONE CREAM

cardiospermum halicacabum flowering top cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68466-0003
Route of Administration	TOPICAL, TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CARDIOSPERMUM HALICACABUM FLOWERING TOP (UNII: MZ P2508BRR) (CARDIOSPERMUM HALICACABUM FLOWERING TOP - UNII:MZ P2508BRR)	CARDIOSPERMUM HALICACABUM FLOWERING TOP	1 [hp_X] in 28 g

Inactive Ingredients

Ingredient Name	Strength
BENZYL ALCOHOL (UNII: LKG8494WBH)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
GLYCOL STEARATE (UNII: 0324G66D0E)	
GLYCERIN (UNII: PDC6A3C0OX)	
ISOPROPYL MYRISTATE (UNII: ORE8K4LNJS)	
MINERAL OIL (UNII: T5L8T28FGP)	
POTASSIUM HYDROXIDE (UNII: WZH3C48M4T)	
WATER (UNII: 059QF0K00R)	
STEARYL HEPTANOATE (UNII: 2M4UGL1NCN)	
ALCOHOL (UNII: 3K9958V90M)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68466-0003-4	1 in 1 CARTON	01/01/2006	
1		28 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		01/01/2006	

Labeler - Schwabe Mexico, S.A. de C.V. (812805901)

Establishment

Name	Address	ID/FEI	Business Operations
Schwabe Mexico, S.A. de C.V.		812805901	manufacture(68466-0003)