

OXYGEN- oxygen gas
Technical Gas Products, Inc.

Oxygen Label

OXYGEN, COMPRESSED USP

UN1072

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other applications, Rx required. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Keep out of reach of children. Federal law requires that this container be refilled with oxygen USP only by establishments registered as a drug manufacturer in accordance with the Federal Food, Drug and Cosmetic Act.

PRODUCED BY AIR LIQUEFACTION

DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. Obtain, read and follow all safety instructions before use. Keep away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Close valve after each use and when empty. Use only with equipment rated for cylinder pressure. Do not open valve until connected to equipment prepared for use. Use only with equipment of compatible materials of construction. Open valve slowly. Use only with equipment cleaned for oxygen service. Protect from sunlight when ambient temperature exceeds 52 C (125 F). Read and follow the Safety Data Sheet (SDS) before use.

CAS NO: 7782-44-7

Contents Size

113 Liters M4

165 Liters M6

255 Liters C

425 Liters D

680 Liters E

6900 Liters H

Liters Other

NO SMOKING

NO VAPING

DO NOT REMOVE THIS PRODUCT LABEL.

O2 SAFE SOLUTIONS

Your Partner in Respiratory Care
 O2 Safe Solutions
 Technical Gas Products
 101 N Plains Industrial Rd, Bldg 1B
 Wallingford, CT 06492
 1-800-847-0745

**OXYGEN, COMPRESSED
 USP
 UN1072**



WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx required. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Keep out of reach of children. Federal law requires that this container be refilled with oxygen USP only by establishments registered as a drug manufacturer in accordance with the Federal Food, Drug and Cosmetic Act.

PRODUCED BY AIR LIQUEFACTION

DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE. MAY EXPLODE IF HEATED. Obtain, read and follow all safety instructions before use. Keep away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Close valve after each use and when empty. Use only with equipment rated for cylinder pressure. Do not open valve until connected to equipment prepared for use. Use only equipment of compatible materials of construction. Open valve slowly. Use only with equipment cleaned for oxygen service. Protect from sunlight when ambient temperature exceeds 52°C (125°F). Read and follow the Safety Data Sheet (SDS) before use.

**CAS NO:
 7782-44-7**

Contents	Size
113 Liters	<input type="checkbox"/> M4
165 Liters	<input type="checkbox"/> M6
255 Liters	<input type="checkbox"/> C
425 Liters	<input type="checkbox"/> D
680 Liters	<input type="checkbox"/> E
6900 Liters	<input type="checkbox"/> H
_____ Liters	<input type="checkbox"/> Other

**NO SMOKING
 NO VAPING**

**DO NOT REMOVE
 THIS PRODUCT LABEL.**

O2 Safe Solutions
 Technical Gas Products
 101 N Plains Industrial Rd, Bldg 1B
 Wallingford, CT 06492
1-800-847-0745
 Label # 4.2 R2



REFRIGERATED LIQUID

OXYGEN, REFRIGERATED LIQUID USP

UN1073

31 Liter

41 Liter

CONTENTS: Other

WARNING: For emergency use when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx required. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Keep out of reach of children. Federal law requires that this container be refilled with oxygen USP only by establishments registered as a drug manufacturer in accordance with the Federal Food, Drug, and Cosmetic Act.

Produced by Air Liquefaction.

DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS REFRIGERATED GAS;

MAY CAUSE CRYOGENIC BURNS OR INJURY. COMBUSTIBLES IN CONTACT WITH OXIDIZING REFRIGERATED LIQUIDS MAY EXPLODE ON IGNITION OR IMPACT. Obtain, read and follow all safety instructions before use. Keep away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves and either face shield or eye protection. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Close valve after each use and when empty. Use only with equipment rated for cylinder pressure. Do not open valve until connected to equipment prepared for use. Use only with equipment of compatible materials of construction. Open valve slowly. Use only with equipment cleaned for oxygen service. Always keep container in upright position. DO NOT change or force fit connections. Avoid spills. Do not walk on or roll equipment over spills. Read and follow the Safety Data Sheet (SDS) before use.

CAS: 7782-44-7

FIRST AID: IF ON SKIN: Immediately thaw frosted parts with lukewarm water. Do not rub affected area. Get medical help.

DO NOT REMOVE THIS PRODUCT LABEL

NO SMOKING

NO VAPING

O2 SAFE SOLUTIONS

Your Partner in Respiratory Care

O2 Safe Solutions

Technical Gas Products

101 N Plains Industrial Rd, Bldg 1B

Wallingford, CT 06492

1-800-847-0745

REFRIGERATED LIQUID

**OXYGEN,
REFRIGERATED
LIQUID USP
UN1073**



31 Liter
 41 Liter
Other _____

CONTENTS: _____

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, R **required**. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Keep out of reach of children. Federal law requires that this container be refilled with oxygen USP only by establishments registered as a drug manufacturer in accordance with the Federal Food, Drug, and Cosmetic Act.

Produced by Air Liquefaction.

DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. COMBUSTIBLES IN CONTACT WITH OXIDIZING REFRIGERATED LIQUIDS MAY EXPLODE ON IGNITION OR IMPACT. Obtain, read and follow all safety instructions before use. Keep away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves and either face shield or eye protection. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Close valve after each use and when empty. Use only with equipment rated for cylinder pressure. Do not open valve until connected to equipment prepared for use. Use only equipment of compatible materials of construction. Open valve slowly. Use only with equipment cleaned for oxygen service. Always keep container in upright position. DO NOT change or force fit connections. Avoid spills. Do not walk on or roll equipment over spills. Read and follow the Safety Data Sheet (SDS) before use.
CAS: 7782-44-7

FIRST AID: IF ON SKIN: Immediately thaw frosted parts with lukewarm water. Do not rub affected area. Get medical help.



DO NOT REMOVE THIS PRODUCT LABEL



O2 Safe Solutions
Technical Gas Products
101 N Plains Industrial Rd,
Bldg 1B
Wallingford, CT 06492
1-800-847-0745
Label # 4.3 R3



OXYGEN

oxygen gas

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:65010-002(NDC:11054-009)
Route of Administration	RESPIRATORY (INHALATION)		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	992 mL in 1 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:65010-002-01	31 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/1993	

2	NDC:65010-002-02	41 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/1993	
3	NDC:65010-002-03	45 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/1993	
4	NDC:65010-002-04	400 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/1993	
5	NDC:65010-002-05	425 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/1993	
6	NDC:65010-002-06	600 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/1993	
7	NDC:65010-002-07	113 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1993	
8	NDC:65010-002-08	165 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1993	
9	NDC:65010-002-09	255 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1993	
10	NDC:65010-002-10	425 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1993	
11	NDC:65010-002-11	680 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1993	
12	NDC:65010-002-12	6900 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1993	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA206023	01/01/1993	

Labeler - Technical Gas Products, Inc. (039279323)

Establishment

Name	Address	ID/FEI	Business Operations
Technical Gas Products, Inc.		017284347	repack(65010-002)

Establishment

Name	Address	ID/FEI	Business Operations
Technical Gas Products, Inc.		019105992	repack(65010-002)

Establishment

Name	Address	ID/FEI	Business Operations
Technical Gas Products, Inc.		022917832	repack(65010-002)

Establishment

Name	Address	ID/FEI	Business Operations
Technical Gas Products, Inc.		039279323	repack(65010-002)

Establishment

Name	Address	ID/FEI	Business Operations
Technical Gas Products, Inc.		040257804	repack(65010-002)

Establishment

Name	Address	ID/FEI	Business Operations
Technical Gas Products, Inc.		079264127	repack(65010-002)

Establishment

Name	Address	ID/FEI	Business Operations
TECHNICAL GAS PRODUCTS, INC		081083853	repack(65010-002)

Establishment

Name	Address	ID/FEI	Business Operations
Technical Gas Products, Inc.		790261478	repack(65010-002)

Establishment

Name	Address	ID/FEI	Business Operations
Technical Gas Products, Inc.		965346203	repack(65010-002)

Revised: 10/2025

Technical Gas Products, Inc.