DENTEMP CANKER COVER- canker cover tablet, extended release DOC Brands

Dentemp Canker Cover 4ct

Active Ingredient (per each tablet)

Menthol 2.5 mg

Purpose

Ora pain reliever

Indications

for the temporary relief of pain associated with Canker Sores

Warnings

Do not use this product for more than 7 days unless directed by a dentist or doctor. Stop use and ask a dentist or doctor if • sore mouth symptoms do not improve in 7 days • irritation, pain or redness worsens • swelling, rash or fever develops.

Do not exceed recommended dosage.

If pregnant or breastfeeding or taking prescription drugs, ask a health care professional before use.

Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

• adults and children 5 years of age and older, apply up to 3 tablets a day, as needed. Place the tablet on a clean, dry finger with the white side up. Place the white side on the sore and hold in place for 10 seconds. If sore is difficult to reach (in the fold between the cheek and gum or near the teeth or lip) break the tablet along the score and use half. Some discomfort may occur during the first few minutes, but will quickly subside, followed by hours of soothing relief. Within 30 minutes, the tablet forms a clear, gel-like bandage that seals and protects the sore for hours before dissolving. Do not remove the tablet before it dissolves. In case of discomfort, the tablet may be removed by gently peeling the tablet from the sides while washing with warm water. Do not use any instrument to remove the tablet. • children under 5 years, ask a doctor.

Other information

store in a cool, dry place.

Inactive ingredients

annatto, carbomer homopolymer type a, citrus oil, hydroxypropyl cellulose, magnesium chloride, povidone K30, povidone K90, silicon dioxide, xylitol

Questions or comments?

833-362-2763 or consumeraffairs@doc-brands.com

PROPRIETARY MEDICATED TECHNOLOGY **NEW!**

Dual Layer Design:
Medicated Layer Promotes Healing
Bioadhesive Layer Forms Protective Barrier

Helps Heal as Fast as 1 day:

- **Canker Sores**
- **Mouth Sores**
- **∅** Oral Ulcers
- **Irritation from Braces**

Dentemp

Canker Cover

MEDICATED

Oral Pain Reliever

- CLINICALLY PROVEN*
- Helps Heal as Fast as 1 Day
 Relieves Pain & Heals Sores



*Clinical on File
U.S. Pat. No. 7,943,169
www.dentemp.com
©2022 Manuf. for DOC Brands, Inc.
Wayne, PA 19087 USA
Made in USA | 212.007









Application







cellulose, magnesium chloride, povidone K30, povidone K90, silicon dioxide, xylitol

Other Information store in a cool, dry place.

Directions - adults and children 5 years of age and older, apply up to 3 tablets a day, as needed. Place the white sideded. Place the tablet on a clean, dry finger with the white side on the sore and hold in place for 10 seconds. If sore is difficult to reach fin the fold between the cheek and gum or near the teeth or lip) break the tablet along the score and use half. Some discomfort may occur during the first law minutes, but will quickly usubside, followed by hours of soothing neight Wilnin 30 minutes, the tablet forms a clear, gell-like bandage that seals and protects the sore for hours before dissolving. Do not by gently peeling the tablet forms a clear, by gently peeling the tablet from the sides while washing with warm water. On use any instrument to removed the subsection of the sides with warm water. Do not use the protecting the tablet from the sides while washing with warm water. On use

If pregnant or breastfeeding or taking prescription drugs, ask a health care professional before use. Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Do not exceed recommended dosage.

Warnings Do not use this product for more than 7 days unless directed by a dentist or doctor. Stop use and ask a dentist or doctor if \cdot sore mouth symptoms do not improve in 7

Indications for the temporary relief of pain associated with canker sores.

Oral pain reliever

Menthol 2.5 mg...

Purpose

Active ingredient (per each tablet)

Drug Facts

DENTEMP CANKER COVER

NO sucrose,

preservatives

glucose, lactose or

Less than

1 calorie

canker cover tablet, extended release

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:73653-212

Route of Administration ORAL, TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	2.5 mg

Inactive Ingredients		
Ingredient Name	Strength	
MAGNESIUM CHLORIDE (UNII: 02F3473H9O)		
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)		
ANNATTO (UNII: 6PQP1V1B6O)		
CARBOMER HOMOPOLYMER TYPE A (UNII: F68VH75CJC)		
CITRUS LIMON FRUIT OIL (UNII: 0HNC1J1YED)		
HYDROXYPROPYL CELLULOSE, UNSPECIFIED (UNII: 9XZ 8H6N6OH)		
POVIDONE K30 (UNII: U725QWY32X)		
POVIDONE K90 (UNII: RDH86HJV5Z)		
XYLITOL (UNII: VCQ006KQ1E)		

Product Characteristics				
Color	pink (ONE SIDE PINK, ONE SIDE WHITE)	Score	no score	
Shape	ROUND	Size	10mm	
Flavor	MINT	Imprint Code		
Contains				

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:73653-212- 04	4 in 1 CARTON	02/02/2023		
1	NDC:73653-212- 01	1 in 1 BLISTER PACK; Type 0: Not a Combination Product			

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M022	02/02/2023	

Revised: 12/2023 DOC Brands