

VICKS ZZZQUIL NIGHT PAIN- diphenhydramine hydrochloride and acetaminophen liquid

The Procter & Gamble Manufacturing Company

Vicks® ZzzQuil™ NIGHT PAIN NIGHTTIME SLEEP-AID PAIN RELIEVER

Drug Facts

Active ingredients (in each 30 mL)

Acetaminophen 1000 mg

Diphenhydramine HCl 50 mg

Purpose

Pain reliever

Nighttime sleep-aid

Uses

- for the temporary relief of occasional minor aches and pains with accompanying sleeplessness.

Warnings

Liver warning: This product contains acetaminophen. Severe

liver damage may occur if you take

- more than 4 doses (30 mL each) in 24 hours, which is the maximum daily amount for this product
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy Alert: Acetaminophen may cause severe skin reactions.

Symptoms may include: • skin reddening • blisters • rash

If a skin reaction occurs, stop use and seek medical help right away

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- for children under 12 years of age
- with any other product containing diphenhydramine, even one used on skin.

Ask a doctor before use if you have

- liver disease

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- difficulty in urination due to enlargement of the prostate gland
- a sodium-restricted diet

Ask a doctor or pharmacist before use if you are

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

When using this product

- avoid alcoholic beverages
- drowsiness will occur
- do not drive a motor vehicle or operate machinery

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- sleeplessness persists continuously for more than 2 weeks.

Insomnia may be a symptom of serious underlying medical illness.

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- take only one dose (30 mL) per day (24 hours)
- only use the dose cup provided

adults & children 12 yrs & over	30 mL at bedtime
children under 12 yrs	do not use

Other information

- **each 30 mL contains:**sodium 93 mg
- store at no greater than 25° C and do not refrigerate

Inactive ingredients

alcohol, citric acid, FD&C Red No. 40, flavors, polysorbate 20, propylene glycol, saccharin sodium, sodium benzoate, sodium chloride, sodium citrate, sorbitol, sucralose, water, xanthan gum.

Questions?

1-877-881-5813

TAMPER EVIDENT: DO NOT USE IF PRINTED SHRINKWRAP SEAL AROUND NECKBAND IS BROKEN OR MISSING.

**DIST. BY PROCTER & GAMBLE,
CINCINNATI, OH 45202**

PRINCIPAL DISPLAY PANEL - 354 ml bottle

VICKS®

ZzzQuil™

NIGHT PAIN

NIGHTTIME SLEEP-AID

PAIN RELIEVER

Diphenhydramine HCl

Acetaminophen

- Fall Asleep Fast
- Max Strength Pain Reliever
- Non-Habit Forming

Black Cherry

Not For Colds

Alcohol 10%

12 FL OZ (354 ml)



Drug Facts (continued)

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- difficulty in urination due to enlargement of the prostate gland
- a sodium-restricted diet

Ask a doctor or pharmacist before use if you are

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

When using this product

- avoid alcoholic beverages
- do not drive a motor vehicle or operate machinery
- drowsiness will occur

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- Sleepiness persists continuously for more than 2 weeks.

Inomnia may be a symptom of serious underlying medical illness. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- take only one dose (30 mL) per day (24 hours)
- only use the dose cup provided

adults & children 12 yrs & over 30 mL at bedtime
 children under 12 yrs do not use

Other information

- each 30 mL dose contains: sodium 93 mg
- store at no greater than 25°C and do not refrigerate

Inactive ingredients alcohol, citric acid, FD&C Red No. 40, flavors, polysorbate 20, propylene glycol, saccharin sodium, sodium benzoate, sodium chloride, sodium citrate, sorbitol, sucralose, water, xanthan gum

Questions? 1-877-881-5813

TAMPER EVIDENT:
DO NOT USE IF PRINTED SHRINKWRAP SEAL
AROUND NECK BAND IS BROKEN OR MISSING
← PEEL BACK FOR DRUG FACTS

Drug Facts

Active ingredient (in each 30 mL)	Purpose
Acetaminophen 1000 mg	Pain reliever
Diphenhydramine HCl 50 mg	Nighttime sleep-aid

Use

- for the temporary relief of occasional minor aches and pains with accompanying sleeplessness.

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4 doses (30 mL each) in 24 hours, which is the maximum daily amount for this product
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy Alert: Acetaminophen may cause severe skin reactions. Symptoms may include: skin redness, blisters, rash. If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- for children under 12 years of age
- with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have

- liver disease

DIST. BY:
PROCTER & GAMBLE,
CINCINNATI, OH 45202

Patents:
www.pg.com/patents
ZzzQuil.com

P&G
www.pg.com
90371693

PLASTIC BOTTLE

2390002833

VICKS ZZZQUIL NIGHT PAIN

diphenhydramine hydrochloride and acetaminophen liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69423-985
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	50 mg in 30 mL
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	1000 mg in 30 mL

Inactive Ingredients

Ingredient Name	Strength
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
ALCOHOL (UNII: 3K9958V90M)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
POLYSORBATE 20 (UNII: 7T1F30V5YH)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	

WATER (UNII: 059QF0KO0R)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	
SORBITOL (UNII: 506T60A25R)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
XANTHAN GUM (UNII: TTV12P4NEE)	

Product Characteristics

Color	red	Score	
Shape		Size	
Flavor	CHERRY	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69423-985-12	354 mL in 1 BOTTLE; Type 0: Not a Combination Product	03/03/2023	
2	NDC:69423-985-02	2 in 1 CARTON	03/03/2023	
2		354 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M010	03/03/2023	

Labeler - The Procter & Gamble Manufacturing Company (004238200)

Revised: 10/2025

The Procter & Gamble Manufacturing Company