

HURRICAINA TOPICAL ANESTHETIC- benzocaine gel
Beutlich Pharmaceuticals, LLC

HurriCaine Gel LV Syringe - Strawberry

Active ingredient

Benzocaine 20%

Purpose

Oral Anesthetic

Uses

for the temporary relief of occasional minor irritation and pain, associated with:

- canker sores
- sore mouth and throat
- minor injury of the mouth and gums
- minor dental procedures
- minor irritation of the mouth and gums caused by dentures or orthodontic appliances

Warnings

Methemoglobinemia warning: Use of this product may cause methemoglobinemia, a serious condition that must be treated promptly because it reduces the amount of oxygen carried in blood. This can occur even if you have used this product before. Stop use and seek immediate medical attention if you or a child in your care develops:

- pale, gray, or blue colored skin (cyanosis)
- headache
- rapid heart rate
- shortness of breath
- dizziness or lightheadedness
- fatigue or lack of energy

Allergy alert: Do not use if you have a history of allergy to local anesthetics such as procaine, butacaine, benzocaine or other "caine" anesthetics.

Sore throat warning: if sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, swelling, nausea, or vomiting, consult a doctor promptly. If sore mouth symptoms do not improve in 7 days, or irritation, pain, or redness persists or worsens, see your dentist or doctor promptly.

Do not use

Do not use:

- if the tray seal is broken or missing
- if cap is missing or damaged
- for teething
- in children under 2 years of age

When using this product

- avoid contact with eyes

Keep out of reach of children.

If more than used for pain is accidentally swallowed, get medical help or contact a Poison Control Center immediately.

Directions**Directions:**

Do not exceed recommended dosage.

- adults and children 2 years of age and older: apply to the affected area. Allow to remain in place at least 1 minute and then spit out. Use up to 4 times daily or as directed by a dentist or doctor.
- children under 12 years of age: should be supervised in the use of the product
- children under 2 years of age: do not use

Other information

- store at 20°-25° C (68°-77° F)

Inactive ingredients

- flavor, polyethylene glycol, sodium saccharin

Questions or comments?

1-800-238-8542

M-F: 8:00 a.m. - 4:30 p.m. ET

Principal Display Panel

Gel Syringe Unit: 0283-0622-43 1.2g in 1 syringe

Gel Syringe Pack of 4: 0283-0622-34 4 x 1.2g in 1 box

EXP. LOT

NDC 0283-0622-43

HURRICAIN[®]
Topical Anesthetic GEL
20% Benzocaine Oral Anesthetic



STRAWBERRY

Do not use if cap is missing or damaged.

1.2 g

HSL5 939 1222

Manufactured for:
 Beutlich[®] Pharmaceuticals, LLC
 Bunnell, FL 32110

NDC 0283-0622-34



STRAWBERRY

20% Benzocaine Oral Anesthetic
Topical Anesthetic GEL

HURRICAIN[®]

HURRICAIN[®]
Topical Anesthetic GEL
20% Benzocaine Oral Anesthetic

Drug Facts

Active ingredient Benzocaine 20% **Purpose** Oral Anesthetic

Uses for the temporary relief of occasional minor irritation and pain, associated with
 ■ canker sores ■ sore mouth and throat
 ■ minor injury of the mouth and gums ■ minor dental procedures
 ■ minor irritation of the mouth and gums caused by dentures or orthodontic appliances

Warnings
Methemoglobinemia warning: Use of this product may cause methemoglobinemia, a serious condition that must be treated promptly because it reduces the amount of oxygen carried in blood. This can occur even if you have used this product before. Stop use and seek immediate medical attention if you or a child in your care develops:
 ■ pale, gray, or blue colored skin (cyanosis)
 ■ headache ■ rapid heart rate ■ shortness of breath
 ■ dizziness or lightheadedness ■ fatigue or lack of energy

Allergy alert: Do not use if you have a history of allergy to local anesthetics such as procaine, butacaine, benzocaine, or other "caine" anesthetics.

Drug Facts (continued)

Warnings (continued)
Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, swelling, nausea, or vomiting, consult a doctor promptly. If sore mouth symptoms do not improve in 7 days, or if irritation, pain, or redness persist or worsens, see your dentist or doctor promptly.

Do not use ■ if cap is missing or damaged
 ■ for teething ■ in children under 2 years of age

When using this product avoid contact with eyes

Keep out of reach of children. If more than used for pain is accidentally swallowed, get medical help or contact a Poison Control Center immediately.

Directions do not exceed recommended dosage
 adults and children 2 years of age and older apply to the affected area. Allow to remain in place at least 1 minute and then spit out. Use up to 4 times daily or as directed by a dentist or doctor.

children under 12 years of age should be supervised in the use of the product
 children under 2 years of age do not use

Drug Facts (continued)

Other information
 store at 20-25 °C (68-77 °F)

Inactive ingredients
 flavor, polyethylene glycol, sodium saccharin

Questions or comments?
 1-800-238-8542
 M-F: 8:00 a.m. – 4:30 p.m. ET

Please retain Drug Facts for future reference.
 HurriCaine[®] is a registered trademark of Beutlich Pharmaceuticals, LLC, 7775 S. US Hwy 1, Suite H, Bunnell, FL 32110. www.beutlich.com

LOT EXP

No UV Coating in this Area



HURRICAIN[®] TOPICAL ANESTHETIC

benzocaine gel

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0283-0622
Route of Administration	DENTAL, ORAL, PERIODONTAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZOCAINE (UNII: U3RSY48JW5) (BENZOCAINE - UNII:U3RSY48JW5)	BENZOCAINE	200 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
POLYETHYLENE GLYCOL 3350 (UNII: G2M7P15E5P)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	STRAWBERRY	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0283-0622-34	4 in 1 BOX	12/15/2022	
1	NDC:0283-0622-43	1.2 g in 1 SYRINGE, PLASTIC; Type 2: Prefilled Drug Delivery Device/System (syringe, patch, etc.)		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M022	12/15/2022	

Labeler - Beutlich Pharmaceuticals, LLC (005209325)**Registrant** - Beutlich Pharmaceuticals, LLC (005209325)**Establishment**

Name	Address	ID/FEI	Business Operations
Dental Technologies, Inc.		148312838	manufacture(0283-0622)

Revised: 11/2023

Beutlich Pharmaceuticals, LLC