

**TRIPLE ANTIBIOTIC- bacitracin zinc, neomycin sulfate, and polymyxin b sulfate ointment**  
**AmerisourceBergen**

-----  
**Triple Antibiotic**

**Drug Facts**

<b>Active ingredients (in each gram)</b>	<b>Purpose</b>
Bacitracin zinc USP 400 units	First aid antibiotic
Neomycin sulfate USP 3.5 mg	First aid antibiotic
Polymyxin B sulfate USP 5,000 units	First aid antibiotic

**Uses**

first aid to help prevent infection in minor:

- cuts
- scrapes
- burns

**Warnings**

**For external use only.**

**Do not use**

- if you are allergic to any of the ingredients
- in the eyes
- over large areas of the body

**Ask a doctor before use if you have**

- deep or puncture wounds
- animal bites
- serious burns

**Stop use and ask a doctor if**

- you need to use longer than 1 week
- condition persists or gets worse
- rash or other allergic reaction develops

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- clean the affected area
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

### **Other information**

- store at 20° to 25°C (68° to 77°F)
- see carton or tube crimp for lot number and expiration date

### **Inactive ingredients**

cocoa butter, cottonseed oil, olive oil, sodium pyruvate, vitamin E, white petrolatum

### **Questions?**

Call **1-866-923-4914**

Distributed By AmerisourceBergen  
1300 Morris Drive, Chesterbrook, PA 19087

### **PRINCIPAL DISPLAY PANEL - 14.2 g Tube Carton**

**Compare to the active ingredients in Neosporin<sup>®</sup>\***  
**NDC 46122-414-05**

**Rx**  
**GOOD**  
**NEIGHBOR**  
**PHARMACY<sup>®</sup>**

### **Triple Antibiotic Ointment**

**Bacitracin Zinc USP • Neomycin Sulfate USP • Polymyxin B Sulfate USP**

### ***First Aid Antibiotic Ointment***

NET WT ½ oz (14.2 g)



Compare to the active ingredients in Neosporin<sup>®</sup>\*

NDC 46122-414-06

# Triple Antibiotic Ointment

Bacitracin Zinc USP • Neomycin Sulfate USP • Polymyxin B Sulfate USP

## First Aid Antibiotic Ointment

Helps Prevent Infection in  
Minor Cuts, Scrapes, and Burns.



NDC 46122-414-06

# Triple Antibiotic Ointment

Bacitracin Zinc USP • Neomycin Sulfate USP • Polymyxin B Sulfate USP

## First Aid Antibiotic Ointment



Compare to the active ingredients in Neosporin<sup>®</sup>\*

NDC 46122-414-06

# Triple Antibiotic Ointment

Bacitracin Zinc USP • Neomycin Sulfate USP • Polymyxin B Sulfate USP

## First Aid Antibiotic Ointment

NET WT 1/2 oz (14.2 g)



Distributed By AmerisourceBergen  
1300 Morris Drive, Chesterbrook, PA 19087  
Questions or Concerns? [www.mygnp.com](http://www.mygnp.com)  
Made in Canada

ABC# 10173737



0 87701 42937 8

LPK-8466-0  
0317-0  
9

T27  
B51.3  
ENG19.06

NO VARNISH/NO AQ  
NO COPY/NO COLOR  
THIS FLAP FOR LOT #  
AND EXP DATE PRINT

\*This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Neosporin<sup>®</sup>

<b>Drug Facts (continued)</b> Keep out of reach of children. If swallowed, get medical help or contact Poison Control Center right away.	<b>Active ingredients (in each gram) Purpose</b> Bacitracin zinc USP 400 units.....First aid antibiotic Neomycin sulfate USP 3.5 mg.....First aid antibiotic Polymyxin B sulfate USP 5,000 units.....First aid antibiotic
<b>Directions</b> • clean the affected area • apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily • may be covered with a sterile bandage	<b>Uses</b> first aid to help prevent infection in minor: • cuts • scrapes • burns
<b>Other information</b> • store at 20° to 25°C (68° to 77°F) • see carton or tube crimp for lot number and expiration date	<b>Warnings</b> For external use only. Do not use • if you are allergic to any of the ingredients • in the eyes • over large areas of the body Ask a doctor before use if you have • deep or puncture wounds • animal bites • serious burns
<b>Inactive ingredients</b> coconut butter, cottonseed oil, olive oil, sodium pyruvate, vitamin E, white petrolatum	<b>Stop use and ask a doctor if</b> • you need to use longer than 1 week • condition persists or gets worse • rash or other allergic reaction develops
<b>Questions?</b> Call 1-866-923-4914	

bacitracin zinc, neomycin sulfate, and polymyxin b sulfate ointment

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:46122-414
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>BACITRACIN ZINC</b> (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	400 [iU] in 1 g
<b>NEOMYCIN SULFATE</b> (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN SULFATE	3.5 mg in 1 g
<b>POLYMYXIN B SULFATE</b> (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ.07J96K)	POLYMYXIN B	5000 [iU] in 1 g

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>COCOA BUTTER</b> (UNII: 512OYT1CRR)	
<b>COTTONSEED OIL</b> (UNII: H3E878020N)	
<b>OLIVE OIL</b> (UNII: 6UYK2W1W1E)	
<b>SODIUM PYRUVATE</b> (UNII: POD38AIF08)	
<b>.ALPHA.-TOCOPHEROL</b> (UNII: H4N855PNZ1)	
<b>PETROLATUM</b> (UNII: 4T6H12BN9U)	

## Packaging

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:46122-414-05	1 in 1 CARTON	04/04/2017	
1		14.2 g in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:46122-414-03	1 in 1 CARTON	04/04/2017	
2		28.4 g in 1 TUBE; Type 0: Not a Combination Product		

## Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC Monograph Drug	M004	12/15/2015	

**Labeler** - AmerisourceBergen (007914906)

**Establishment**

Name	Address	ID/FEI	Business Operations
Sun Pharma Canada Inc.		243339023	manufacture(46122-414)

Revised: 7/2025

AmerisourceBergen