

**POMADA DE LA CAMPANA TRIPLE ANTIBIOTIC PAIN RELIEF- bacitracin, neomycin sulfate, polymyxin b sulfate, pramoxine hydrochloride cream  
Genomma Lab USA, Inc.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

<b>Active Ingredients</b>	<b>Purpose</b>
Bacitracin 500 units per gm----- Antibiotic	First Aid
Neomycin 3.5 mg per gm----- Antibiotic	First Aid
Polymyxin B 10,000 units per gm----- Antibiotic	First Aid
Pramoxine Hydrochloride 10mg----- Antibiotic	First Aid

**Uses**

First aid to help prevent infection in and temporarily relieve pain due to minor:

Cuts, Scrapes, Burns

**For external use only**

Allergy Alert: Do not use if allergic to any of the ingredients

**Do not use**

in or near the eyes or nose

on large areas of the body

**Ask a doctor before use if you have**

deep or puncture wounds

animal bites

serious burns

do not use longer than 1 week

**Stop use and ask a doctor if**

condition lasts or gets worse

symptoms last more than 7 days or clear up and occur again within a few days

a rash or other allergic reaction occurs

**Keep out of reach of children**

If swallowed get medical help or contact a Poison Control Center immediately.

**Directions**

**Adults and children 2 years and older:**

clean affected area

apply a small amount (equal to the surface area of the tip of a finger) on the area 1 to 3 times daily.

May be covered with a sterile bandage

**Children 2 years and under:** Ask a doctor

**Other information**

Store at controlled room temperature at 68°-77° (20°-25°)

**Inactive Ingredient**



Liquid paraffin, methylparaben, polyoxyl 40 stearate, propylparaben, white petrolatum

**Distributed by:**

Genomma lab USA Inc.,

Houston, TX, 77027

Made in Korea



**POMADA DE LA CAMPANA**  
**ORIGINAL OINTMENT**  
**First Aid Antibiotic + Pain Relieving Ointment**  
**Antibiótico de Primeros Auxilios + Pomada que Alivia el Dolor**

**NET WT. 0.5 oz (14.17 g)**



**Questions or comments? ¿Preguntas o comentarios? 1 877 99 GENOM (43666)**

Distributed by / Distribuido por: Genomma Lab USA Inc., Houston, TX, 77027

Made in: Korea / Hecho en: Corea



**Directions**  
 Adults and children 2 years and older: ■ clean affected area  
 ■ apply a small amount (equal to the surface area of the tip of a finger) on  
 the area 1 to 3 times daily. ■ May be covered with a sterile bandage  
 Children 2 years and under: ask a doctor  
**Other information** Store at controlled room temperature  
 68°-77°F (20°-25°C)  
**Inactive ingredients** liquid paraffin, methylparaben, polyoxy-  
 40 stearate, propylparaben, white petrolatum

**Información adicional** Almacenar a 20-25°C (68-77°F)  
 ■ la cantidad igual a la superficie de la punta de  
 el área afectada ■ aplique una pequeña cantidad de  
 oyes adultos y niños de 2 años de edad y mayores:  
 ■ limpie el área afectada con un algodón  
 ■ aplique una pequeña cantidad de  
 pomada 1 a 3 veces al día. ■ puede  
 cubrirse con un vendaje estéril. Niños menores de 2 años:  
 consulte a un médico.  
 ■ la cantidad igual a la superficie de la punta de  
 el área afectada ■ aplique una pequeña cantidad de  
 oyes adultos y niños de 2 años de edad y mayores:  
 ■ limpie el área afectada con un algodón  
 ■ aplique una pequeña cantidad de  
 pomada 1 a 3 veces al día. ■ puede  
 cubrirse con un vendaje estéril. Niños menores de 2 años:  
 consulte a un médico.

**Drug Facts**

**Active ingredients**  
 Bacitracin 500 units per gm.....First Aid Antibiotic  
 Neomycin 3.5 mg per gm.....First Aid Antibiotic  
 Polymyxin B 10,000 units per gm.....First Aid Antibiotic  
 Pramoxine Hydrochloride 10 mg per gm.....Pain Reliever

**Uses**  
 First aid to help prevent infection in and temporarily relieve pain due to minor: ■ cuts ■ scrapes ■ burns

**Warnings**  
 For external use only

**Allergy Alert:** Do not use if allergic to any of the ingredients

**Do not use** ■ in or near the eyes or nose ■ on large areas of the body

**Ask a doctor before use if you have**  
 ■ deep or puncture wounds ■ animal bites ■ serious burns

**When using this product** do not use longer than 1 week

**Stop use and ask a doctor if** ■ condition lasts or gets worse ■ symptoms last more than 7 days or clear up and occur again within a few days ■ a rash or other allergic reaction occurs

**Keep out of reach of children.** If swallowed get medical help or contact a Poison Control Center immediately.

**Acción del Medicamento**

**Propósito**  
 500 unidades por gm.....Antibiótico de primeros auxilios  
 1,000 unidades por gm.....Antibiótico de primeros auxilios  
 de Pramoxina 10 mg por gm.....Alivio del dolor

**Primeros auxilios** para prevenir la infección; y alivio  
 de dolor o malestar en pequeñas:  
 ■ raspaduras ■ quemaduras

**Usos**  
 El dolor o malestar en pequeñas:  
 ■ raspaduras ■ quemaduras

**Advertencias**  
 No utilice si existe alergia a los ingredientes ■ en los ojos ■ sobre áreas grandes a un médico antes de usar si presenta ■ heridas o punción ■ mordeduras de animales ■ quemaduras

**Si su uso y pregunta a un médico si** ■ necesita usar durante más de 1 semana, o desaparecen y vuelven a entrar de unos días ■ si se presenta salpullido u otras

**fuera del alcance de los niños.** Si se ingiere, busque ayuda médica o póngase en contacto con un Centro de Control

## POMADA DE LA CAMPANA TRIPLE ANTIBIOTIC PAIN RELIEF

bacitracin, neomycin sulfate, polymyxin b sulfate, pramoxine hydrochloride cream

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:50066-013
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>BACITRACIN</b> (UNII: 58H6RWO52I) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	500 [USPU] in 1 g
<b>NEOMYCIN SULFATE</b> (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN	3.5 mg in 1 g
<b>POLYMYXIN B SULFATE</b> (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)	POLYMYXIN B	10000 [USPU] in 1 g
<b>PRAMOXINE HYDROCHLORIDE</b> (UNII: 88AYB867L5) (PRAMOXINE - UNII:068X84E056)	PRAMOXINE HYDROCHLORIDE	10 mg in 1 g

### Inactive Ingredients

Ingredient Name	Strength
<b>PARAFFIN</b> (UNII: I9O0E3H2ZE)	
<b>METHYL PARABEN</b> (UNII: A2I8C7HI9T)	
<b>POLYOXYL 40 STEARATE</b> (UNII: 13A4J4NH9I)	
<b>PROPYL PARABEN</b> (UNII: Z8IX2SC1OH)	
<b>PETROLATUM</b> (UNII: 4T6H12BN9U)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50066-013-14	1 in 1 CARTON	10/27/2016	
1		14 g in 1 TUBE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333B	06/30/2014	

**Labeler** - Genomma Lab USA, Inc. (832323534)

Revised: 10/2016

Genomma Lab USA, Inc.