# ISOPROPYL ALCOHOL - is opropyl alcohol liquid MWI/Vet One

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

-----

### **ISOPROPYL ALCOHOL 70%**

# **Antiseptic and Rubbing Compound**

For veterinary use only.

Keep out of reach of children.

### **ACTIVE INGREDIENT:**

Isopropyl Alcohol ...... 70%

## **INACTIVE INGREDIENT:**

Water ......q.s.

### **INDICATIONS**

Pre-diluted solution for use by veterinarians and artificial inseminators as a bactericide, antiseptic disinfectant and rubefacient.

## **DIRECTIONS**

Use full strength as a topical antiseptic or for disinfection of instruments. Scrub hands and arms with soap and water, rinse with water, then scrub with alcohol solution. May be used for temporary relief of minor muscular aches or pain due to over-exertion and fatigue. Apply directly to affected area, wet thoroughly and massage briskly to stimulate circulation.

### TAKE TIME READ LABEL DIRECTIONS

### **WARNING**

For external use only. If taken internally, serious gastric disturbance will result.

Avoid contact with eyes. In case of eye contact, flush thoroughly with water. Call a physician.

MAY BE FATAL IF SWALLOWED

In case of Ingestion, call Poison Control at 1-800-222-1222

**FLAMMABLE** 

Do not use near heat or open flame.

### **STORAGE**

Store at controlled room temperature between 15°-30°C (59°-86°F).

Keep container tightly closed when not in use.



disinfection of instruments. Scrub hands and arms with soap and water, rinse with water, then scrub with alcohol solution. May be used for temporary relief of minor muscular aches or pain due to over-exertion and fatigue. Apply directly to affected area, wet thoroughly and massage briskly to stimulate circulation.





# **Antiseptic and Rubbing Compound**

For veterinary use only. Keep out of reach of children.

V1 501044

Net Contents: 32 fl oz (946 mL)

WARNING: For external use only. If taken internally, serious gastric disturbance will result. Avoid contact with eyes. In case of eye contact, flush thoroughly with water. Call a

#### MAY BE FATAL IF SWALLOWED

In case of Ingestion, call Poison Control at 1-800-222-1222.

FLAMMABLE: Do no use near heat or open flame.

STORAGE: Store at controlled room temperature between 15°-30°C (59°-86°F). Keep container tightly closed when not in use.

TAKE TIME OBSERVE LABEL

Lot#:

Exp. Date:

# ISOPROPYL ALCOHOL

isopropyl alcohol liquid

### **Product Information**

Product Type OTC ANIMAL DRUG Item Code (Source) NDC:13985-012

Route of Administration TOPICAL

# **Active Ingredient/Active Moiety**

**Ingredient Name Basis of Strength** Strength ISOPROPYL ALCOHOL (UNII: ND2M416302) (ISOPROPYL ALCOHOL -ISOPROPYL 662.2 mL UNII:ND2M416302) ALCOHOL in 946 mL

### **Inactive Ingredients**

**Ingredient Name** Strength

WATER (UNII: 059QF0KO0R) 283.8 mL in 946 mL

## **Packaging**

ı	# Item Code	Package Description	Marketing Start Date	Marketing End Date
ı	1 NDC:13985-012-89	946 mL in 1 JUG		

# **Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		0 1/0 1/20 10	

# Labeler - MWI/Vet One (019926120)

Revised: 10/2014 MWI/Vet One