

5407 SUNSCREEN- avobenzene, homosalate, octocrylene, octisalate lotion
Innovation Specialties

5407 Sunscreen

Drug Facts

Active Ingredients

Avobenzene 3%, Homosalate 10%, Octocrylene 10%, Octisalate 5%

Purpose:

Sunscreen

Uses

•helps prevent sunburn •if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of Reach of Children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

•Apply liberally 15 minutes exposure. •reapply: •after 40 minutes of swimming or sweating •immediately after towel drying •at least every 2 hours.

Sun Protection Measure. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 higher and other sun protection measures including: •limit time in the sun, especially from 10 a.m.-2 p.m. •wear long-sleeve shirts, pants, hats and sunglasses •children under 6 months: Ask a doctor.

Inactive ingredients

Water, Glycerin, Caprylic/Capric Triglyceride, Potassium Cetyl Phosphate, Cetearyl Alcohol, Dimethicone, Caprylyl Glycol, Phenoxyethanol, Glyceryl Stearate,

VP/Hexadecene Copolymer, Bisabolol, Carbomer, Fragrance, Triethanolamine, Disodium EDTA

Other information

- Protect this product from excessive heat and direct sun

Questions or Comments?

Call:1-855-755-5346

Broad Spectrum SPF30 Sunscreen Lotion

Made in China
For Innovation Line
Culver City, CA 90230

Packaging

**Broad Spectrum SPF30
Sunscreen Lotion** (NetWt 1FL OZ/30ML)

Drug Facts	Active Ingredients
Avobenzone 3%, Homosalate 10%, Octocrylene 10%, Octisalate 5%	Purpose: Sunscreen

Peel here for continued drug facts ▼

Drug Facts (continued)

Uses •helps prevent sunburn •if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin

aging caused by the sun.

Warnings
For external use only

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of Reach of Children. If

swallowed, get medical help or contact a Poison Control Center right away.

Directions

•Apply liberally 15 minutes exposure.
•reapply: •after 40 minutes of swimming or sweating •immediately after towel drying •at least every 2 hours.

Sun Protection Measure.

Spending time in the sun increases your risk of skin cancer and early skin ▼

Drug Facts (continued)

aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 higher and other sun protection measures including: •limit

time in the sun, especially from 10 a.m -2 p.m. •wear long-sleeve shirts, pants, hats and sunglasses •children under 6 months: Ask a doctor.

Inactive ingredients

Water, Glycerin, Caprylic/Capric Triglyceride, Potassium Cetyl Phosphate, Cetearyl Alcohol, Dimethicone, Caprylyl Glycol, Phenoxyethanol, Glyceryl Stearate, VP/Hexadecene Copolymer, Bisabolol, Carbomer, Fragrance,

Triethanolamine, Disodium EDTA

Other Information

•Protect this product from excessive heat and direct sun

1FL OZ (30ML) Product # 5407
Made in China
For Innovation Line
Culver City, CA 90230
Questions or Comments?
Call: 1-855-755-5346

5407 SUNSCREEN

avobenzone, homosalate, octocrylene, octisalate lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:76138-223	
Route of Administration	TOPICAL			
Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)		AVOBENZONE	3 g in 100 mL	
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)		HOMOSALATE	10 g in 100 mL	
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)		OCTOCRYLENE	10 g in 100 mL	
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)		OCTISALATE	5 g in 100 mL	
Inactive Ingredients				
Ingredient Name			Strength	
WATER (UNII: 059QF0KO0R)				
GLYCERIN (UNII: PDC6A3C0OX)				
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)				
POTASSIUM CETYL PHOSPHATE (UNII: 03KCY6P7UT)				
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)				
DIMETHICONE (UNII: 92RU3N3Y1O)				
CAPRYLYL GLYCOL (UNII: 00YIU5438U)				
PHENOXYETHANOL (UNII: HIE492ZZ3T)				
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)				
VINYLPIRROLIDONE/HEXADECENE COPOLYMER (UNII: KFR5QEN0N9)				
LEVOMENOL (UNII: 24WE03BX2T)				
CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE (UNII: 0A5MM307FC)				
TROLAMINE (UNII: 9O3K93S3TK)				
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:76138-223-01	30 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	10/31/2023	
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M020	10/31/2023		

Labeler - Innovation Specialties (030837314)