

CONIUM MACULATUM KIT REFILL - conium maculatum flowering top pellet
Washington Homeopathic Products

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

DRUG FACTS

ACTIVE INGREDIENTS

CONIUM MACULATUM 30C

USES

To relieve the symptoms of lightheadedness.

KEEP OUT OF REACH OF CHILDREN

Keep this and all medicines out of reach of children.

INDICATIONS

Indications:

CONIUM MACULATUM Lightheadedness

STOP USE AND ASK DOCTOR

If symptoms persist/worsen or if pregnant/nursing, stop use and consult your practitioner.

DIRECTIONS

Adults: Dissolve 3 to 5 under the tongue three times a day or as directed by Lic. Practitioner. Take at greater intervals as condition subsides.

Children: Dissolve 3 to 5 under the tongue three times a day or as directed by Lic. Practitioner. Take at greater intervals as condition subsides.

INACTIVE INGREDIENTS

Sucrose/Lactose

PRINCIPAL DISPLAY PANEL



1/2
DRAM


CONTENTS:
**HOMEOPATHIC
MEDICINE**

DIRECTIONS: (Adults or Children): Dissolve 3 to 5 under the tongue three times a day or as directed by Lic. Practitioner. Take at greater intervals as condition subsides.

WARNING: If symptoms persist/worsen or if pregnant/nursing, consult your practitioner. Use according to standard Homeopathic indications. Keep out of reach of children. Est. # 1123568

MADE IN ACCORDANCE WITH THE H.P.U.S.

DO NOT USE IF SEAL IS BROKEN.



Washington Homeopathic Products, Inc.

260 J.R. Hawvermale Way, Berkeley Springs, WV 25411

Enter section text here

CONIUM MACULATUM KIT REFILL

conium maculatum flowering top pellet

Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:68428-139

Route of Administration ORAL

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|--------------------------------|-----------|
| CONIUM MACULATUM FLOWERING TOP (UNII: Q28R5GF371) (CONIUM MACULATUM FLOWERING TOP - UNII:Q28R5GF371) | CONIUM MACULATUM FLOWERING TOP | 30 [hp_C] |

Inactive Ingredients

| Ingredient Name | Strength |
|----------------------------|----------|
| SUCROSE (UNII: C151H8M554) | |
| LACTOSE (UNII: J2B2A4N98G) | |

Product Characteristics

| | | | |
|----------|---------------|--------------|--|
| Color | white (white) | Score | |
| Shape | | Size | |
| Flavor | | Imprint Code | |
| Contains | | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|----------------------|----------------------|--------------------|
| 1 | NDC:68428-139-01 | 750 in 1 VIAL, GLASS | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|------------------------|--|----------------------|--------------------|
| unapproved homeopathic | | 10/09/2009 | |

Labeler - Washington Homeopathic Products (084929389)

Establishment

| Name | Address | ID/FEI | Business Operations |
|---------------------------------|---------|-----------|---------------------|
| Washington Homeopathic Products | | 084929389 | manufacture |

Revised: 1/2011

Washington Homeopathic Products