

**CVS CHILDRENS COLD AND ALLERGY- brompheniramine maleate,
phenylephrine hcl liquid
CVS PHARMACY, INC.**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

**Children's Dimetapp Cold & Allergy Brompheniramine maleate and
Phenylephrine HCl**

DRUG FACTS

Active Ingredients (in each 10 mL)

Brompheniramine maleate, USP 2 mg

Phenylephrine HCl, USP 5 mg

PURPOSES

Antihistamine

Nasal Decongestant

USES

- temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies
- temporarily relieves these symptoms due to hay fever (allergic rhinitis):
 - runny nose
 - sneezing
 - itchy, watery eyes
 - itching of the nose or throat
- temporarily restores freer breathing through the nose

WARNINGS

Do not use

- to sedate a child or to make a child sleepy
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this

product.

Ask a doctor before use if you have

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland
- glaucoma
- a breathing problem such as emphysema, asthma, or chronic bronchitis

Ask a doctor or pharmacist before use if you are

- taking any other oral nasal decongestant or stimulant
- taking sedatives or tranquilizers

When using this product

- **do not use more than directed**
- drowsiness may occur
- avoid alcoholic beverages
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

Stop use and ask a doctor if

- you get nervous, dizzy, or sleepless
- symptoms do not get better within 7 days or are accompanied by fever

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away at 1-800-222-1222.

DIRECTIONS

- do not take more than 6 doses in any 24-hour period
- measure only with dosage cup provided
- keep dosage cup with product
- ml = milliliter

age	Dose
adults and children 12 years and over	20 ml every 4 hours
children 6 to under 12 years	10 ml every 4 hours

OTHER INFORMATION

- **each 10 ml contains:** sodium 6 mg
- store at room temperature

INACTIVE INGREDIENTS

anhydrous citric acid, FD&C Blue No. 1, FD&C Red No. 40, flavor, glycerin, propylene glycol, propyl gallate, purified water, sodium benzoate, sodium citrate, sorbitol liquid, sucralose

Questions or comments?

1-866-467-2748

PRINCIPAL DISPLAY PANEL - 118 ml Bottle Label

Compare to the active ingredients in Children's Dimetapp® Cold & Allergy*

NDC# 69842-639-04

Children's Cold & Allergy

Brompheniramine Maleate USP (Antihistamine)
Phenylephrine HCl USP (Nasal Decongestant)

- **Stuffy Nose**
- **Runny Nose**
- **Sneezing**
- **Itchy, Watery Eyes**

Alcohol-Free • Sugar Free

Ages 6 Years and Over

Grape Flavor

Naturally and Artificially Flavored

4 FL OZ (118 ml)

IMPORTANT: Keep this carton for future reference on full labeling.

Distributed by:

CVS Pharmacy, Inc.

One CVS Drive, Woonsocket, RI 02895

© 2020 CVS/pharmacy

CVS.com 1-800-SHOP CVS

V12431

CVS Quality

Money Back Guaranteed

*This product is not manufactured or distributed by Pfizer, the distributor of Children's Dimetapp® Cold & Allergy.



TAMPER EVIDENT: DO NOT USE IF PRINTED SEAL UNDER CAP IS TORN OR MISSING

Drug Facts

Active ingredients (in each 10 ml) **Purposes**
Brompheniramine Maleate, USP 2 mg.....Antihistamine
Phenylephrine HCl, USP 5 mg.....Nasal Decongestant

Uses

- temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies
- temporarily relieves these symptoms due to hay fever (allergic rhinitis):
 - runny nose
 - sneezing
 - itchy, watery eyes
 - itching of the nose or throat
- temporarily restores freer breathing through the nose.

Warnings

- Do not use**
- to sedate a child or to make a child sleepy
 - if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland
- glaucoma
- a breathing problem such as emphysema, asthma, or chronic bronchitis.

Ask a doctor or pharmacist before use if you are

- taking any other oral nasal decongestant or stimulant
- taking sedatives or tranquilizers

When using this product

- do not use more than directed
- drowsiness may occur
- avoid alcoholic beverages
- alcohol, sedatives and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

Stop use and ask a doctor if

- you get nervous, dizzy, or sleepless
- symptoms do not get better within 7 days or are accompanied by fever

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away at 1-800-222-1222.

Drug Facts (continued)

Directions

- do not take more than 6 doses in any 24-hour period
- measure only with dosage cup provided
- keep dosage cup with product
- ml = milliliter

age	dose
adults and children 12 years and over	20 ml every 4 hours
children 6 to under 12 years	10 ml every 4 hours
children under 6 years	do not use.

Other information

- each 10 ml contains: sodium 6 mg
- store at room temperature.

Inactive ingredients citric acid, FD&C Blue No. 1, FD&C Red No. 40, flavors, glycerin, propylene glycol, propyl gallate, purified water, sodium benzoate, sodium citrate, sorbitol liquid, sucralose.

Questions or comments? 1-866-467-2748

CVS Health® Children's Cold & Allergy grape flavor offers relief from nasal congestion, stuffy nose, sneezing, runny nose, itchy, watery eyes, and itchy nose and throat to get through the day.

CVS Health.

Grape Flavor

Children's Cold & Allergy Liquid

CVS Health.

Compare to the active ingredients in Children's Dimetapp® Cold & Allergy*

Grape Flavor

Children's Cold & Allergy

BROMPHENIRAMINE MALEATE, USP
Antihistamine
PHENYLEPHRINE HCl, USP
Nasal decongestant

Liquid

Relieves:
Nasal congestion; Stuffy nose; Runny nose; Sneezing; Itchy, watery eyes; Itchy nose & throat

Alcohol free

Actual Bottle Size on Side Panel



Grape Flavor For Ages 6 Years & Over

4 FL OZ (118 mL)

IMPORTANT: Keep this carton for future reference on full labeling.

Package Contains One Bottle

Actual Size

*CVS Health® Children's Cold & Allergy is not manufactured or distributed by Pfizer, distributor of Children's Dimetapp® Cold & Allergy.

Distributed by: CVS Pharmacy, Inc. One CVS Drive, Woonsocket, RI 02895 © 2020 CVS/pharmacy CVS.com® 1-800-SHOP CVS V-12431

CVS Quality Money Back Guarantee

#477078



Lot:

Exp:

CVS CHILDRENS COLD AND ALLERGY

brompheniramine maleate, phenylephrine hcl liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69842-639
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BROMPHENIRAMINE MALEATE (UNII: IXA7C9ZN03) (BROMPHENIRAMINE - UNII:H57G17P2FN)	BROMPHENIRAMINE MALEATE	2 mg in 10 mL
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg in 10 mL

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PROPYL GALLATE (UNII: 8D45NN7V92)	
WATER (UNII: 059QF0KO0R)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)	
SORBITOL (UNII: 506T60A25R)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	

Product Characteristics

Color	PURPLE (purple liquid)	Score	
Shape		Size	
Flavor	GRAPE	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69842-639-04	1 in 1 CARTON	03/30/2020	
1		118 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	03/30/2020	

Labeler - CVS PHARMACY, INC. (062312574)

Revised: 9/2023

CVS PHARMACY, INC.