ALCOHOL PREP PAD- is opropyl alcohol liquid Global Healthcare

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Alcohol Prep Pad (6.5cm x 3cm)

Alcohol Prep Pad (6.5cm x 3cm)

Active Ingredient

Isopropyl Alcohol, 70% v/v

Purpose

Antiseptic

Use

For preparation of skin prior to injection

Warnings

• For external use only. Flammable, keep away from the fire or flame.

Do not use

*with electro cautery procedures * in the eyes.

Stop Use

if irritation or redness develop. If your condition persists for more than 72 hours, consult a doctor.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Wipe injection site vigorously and discard after single use.

Inactive ingredient

purifed water

NDC No.: 42947-XXXXX

Alcohol Prep Pad

One Prep Pad (6.5cm x 3cm)

Saturated with 70% Isopropyl Alcohol

STERILE G Sterile if unopened or undamaged.

Antiseptic for preparation of the skin prior to an injection For External Use Only Discard After Use

2 Single use 1 piece/uniadd Item # 25P-003

LATEX - FREE SIN - LATEX

ghc Global Healthcare

Manufactured in PRC for: Global Healthcare - USA Alpharetta, GA 30009 www.globalhealthcare.net

Alcohol Prep Pad (6.5cm x 3cm) 1 Pad (59294-000-00)

NDC No.: 42947-XXXXX

Alcohol Prep Pad

One Prep Pad (6.5cm x 3cm)
Saturated with 70% Isopropyl Alcohol



Antiseptic for preparation of the skin prior to an injection For External Use Only
Discard After Use



✓ LATEX · FREE✓ SIN · LATEX



1 piece/unidad

Item # 25P-003



Global Healthcare – USA Alpharetta, GA 30009 www.globalhealthcare.net

Drug Facts

Active Ingredient Purpose

Isopropyl Alcohol, 70% v/v.....Antiseptic

Use For preparation of skin prior to injection

Warnings For external use only.

Flammable, keep away from the fire or flame.

Do not use *with electrocautery procedures *in the eyes. Stop Use if irritation or redness develop. If your condition persists for more than 72 hours, consult a doctor. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions Wipe injection site vigorously and discard after single use.

Inactive ingredient purifed water

TEAR HERE

ALCOHOL PREP PAD

isopropyl alcohol liquid

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:59294-000

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name Basis of Strength Strength

ISOPROPYL ALCOHOL (UNII: ND2M416302) (ISOPROPYL ALCOHOL - UNII: ND2M416302) | ISOPROPYL ALCOHOL | 70 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
THY FECTION NAME	SITEHOLII

WATER (UNII: 059QF0KO0R)

Packaging						
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:59294-000-00	1 in 1 PACKET	07/11/2013			
1		0.4 g in 1 PATCH; Type 0: Not a Combination Product				

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
OTC monograph not final	part333A	07/11/2013			

Labeler - Global Healthcare (884718776)

Establishment					
Name	Address	ID/FEI	Business Operations		
Wuxi Medical Instrument Factory		421292863	manufacture(59294-000)		

Revised: 1/2020 Global Healthcare