EQUALINE HEARTBURN PREVENTION- famotidine tablet, film coated United Natural Foods, Inc. dba UNFI

SuperValu Inc. Heartburn Prevention Drug Facts

Active ingredient (in each tablet)

Famotidine 20 mg

Purpose

Acid reducer

Uses

- relieves heartburn associated with acid indigestion and sour stomach
- prevents heartburn associated with acid indigestion and sour stomach brought on by eating or drinking certain food and beverages

Warnings

Allergy alert: Do not use if you are allergic to famotidine or other acid reducers

Do not use

- if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor.
- with other acid reducers

Ask a doctor before use if you have

- had heartburn over 3 months. This may be a sign of a more serious condition.
- heartburn with lightheadedness, sweating, or dizziness
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent chest pain
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain
- kidney disease

Ask a doctor or pharmacist before use if you are

taking a prescription drug. Acid reducers may interact with certain prescription drugs.

Stop use and ask a doctor if

- your heartburn continues or worsens
- you need to take this product for more than 14 days

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- adults and children 12 years and over:
- to **relieve** symptoms, swallow 1 tablet with a glass of water. Do not chew.
- to prevent symptoms, swallow 1 tablet with a glass of water at any time from 10 to 60 minutes before eating food or drinking beverages that cause heartburn
- do not use more than 2 tablets in 24 hours
- children under 12 years: ask a doctor

Other information

- read the directions and warnings before use
- keep the carton. It contains important information.
- store at 20°-25°C (68°-77°F)
- · protect from moisture

Inactive ingredients

carnauba wax, colloidal silicon dioxide, croscarmellose sodium, lactose monohydrate, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, talc, and titanium dioxide

Questions or comments?

1-855-423-2630

Principal Display Panel

EQUALINE[®]

compare to Maximum Strength Pepcid® AC active ingredient

maximum strength

heartburn prevention

famotidine tablets, 20mg (acid reducer)

just one tablet prevents & relieves heartburn due to acid indigestion

SEE NEW WARNINGS 25 tablets

actual size



OPEN OTHER

194A7 EL

Drug Facts

Active ingredient (ineach tablet)

Pur pose

Famotidine 20 mg

Uses

■ relievesh eartburn associated with acid indig estion and aou ratomach

due to acid indigestion

SEE NEW WARNINGS

25 tablets

■ prevents heartburn associated with acid indip estion and sourstomech brought on by eating ordrinking certain food and beverages

Warnings

All ergy a lert: Do not use if you are alergic to fa mot il ine or other acid red ucers

- if you have to uble or pain swallowing food, wo miting with blood, or bloody or black stools. These may be sign sof a serious con dition. Seeyour doctor.
- with othe racid reducers
- Ask a doctor before use ifyo u have had hearfourn over 3 m onths. This may be a sign of a move seriouscon dition.
- hearthuin with lighthe adedness, sweating, or
- chest pain or shoulderp ain with shortness of breath; sweating; pain spreading to arms, neck or shoulders, or ligh thead edness
- requent chest pain
- frequent wheezing, particularly with heart burn
 unexplained weight loss
- nausea or vormiting stormach pain kidn eydisease

Drug Facts (continued)

Aska doc tor or pharmacist be fore us e if you are taking a.p.escription drug. Acid reduce is may interact with certain prescription drugs.

Stop use and as kad octor if

- your heartburn continues or worser
- you ne ed to take this product for more than 14 days

If pre gn an to rib rea st-feeding, ask ah ealth profe asional

Keep out of reach of children. In case of overdose, get me dicalhe þor contact a Poison Control Centerright away. (1-800-2 22-122 2)

Directions

- ■adults and children 12 years and over:
- ■tore lieve symptoms, swallow 1 tablet with aglass of water. Do not chew.
- ■top reventsymptoms,swallow 1 tab b t with a glass of waterat any time from 10 to 60 minutes be fore eating food ordrinking beverages that cause healtburn indo not usernore than 2 tablets in 24 hours
- ■child en under 12 years ask a doctor

Otherinformation

- ■read the directions and warnings before use ■ke ep the carton. It contains important information.
- stoe at 20°-25°C (68°-77 °F)
- ■p ptect from moisture

Inactive ingredients carnauba wax, co loida l slicon dioxide, on starmelbse sodium, lactose mo nohydrate, magnesium stearate, microcrystaline cellulose, polyet hylen eg lysol, poly vin yl alcohol, talc, tita nium d bxide

eartburn prevention

famotidine tablets, 20mg • (acid reducer)

TAB

CONVENIENT RECLOSING

Drug Facts (continued)

Questions or comments ? 1-855-423-2630

GLUTEN FREE



*This product is not men ufactured or distributed by Johnson & Johnson Obn aumer Inc., distributorof Maximum Strength Pepcid® AC.

Distributed by UNFI Providence, Ří 0 2908 USA



100% Quality Like it or let usmake tright
That's our quality promise.
855-423-26 30



EQUALINE HEARTBURN PREVENTION

famotidine tablet, film coated

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:41163-001

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength

FAMOTIDINE (UNII: 5QZO15J2Z8) (FAMOTIDINE - UNII:5QZO15J2Z8) **FAMOTIDINE** 20 mg

Inactive Ingredients

Ingredient Name	Strength
CARNAUBA WAX (UNII: R12CBM0EIZ)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)	
TALC (UNII: 7SEV7J4R1U)	

Product Characteristics

TITANIUM DIOXIDE (UNII: 15FIX9V2JP)

Color	WHITE	Score	no score
Shape	ROUND	Size	8mm
Flavor		Imprint Code	L194
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41163-001- 51	8 in 1 CARTON	12/05/2014	12/31/2020
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		

2	NDC:41163-001- 02	25 in 1 CARTON	12/17/2014
2		1 in 1 BLISTER PACK; Type 0: Not a Combination Product	
3	NDC:41163-001- 71	1 in 1 CARTON	12/17/2014
3		50 in 1 BOTTLE; Type 0: Not a Combination Product	

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
ANDA	ANDA077351	12/05/2014		

Labeler - United Natural Foods, Inc. dba UNFI (943556183)

Revised: 8/2023 United Natural Foods, Inc. dba UNFI