

**DAYQUIL SEVERE PLUS VAPOCOOL COLD AND FLU- acetaminophen, dextromethorphan hydrobromide, guaifenesin, and phenylephrine tablet, coated**

**Lil' Drug Store Products, Inc.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**DAYQUIL SEVERE PLUS VAPOCOOL COLD AND FLU- acetaminophen, dextromethorphan hydrobromide, guaifenesin, and phenylephrine**

**Drug Facts**

**Active Ingredient in each caplet**

Acetaminophen 325 mg

Dextromethorphan HBr 10 mg

Guaifenesin 200 mg

Phenylephrine HCl 5 mg

***Purpose***

Pain reliever/Fever reducer

Cough suppressant

Expectorant

Nasal decongestant

**Uses**

temporarily relieves common cold/flu symptoms:

- nasal congestion
- sinus congestion & pressure
- cough due to minor throat & bronchial irritation
- minor aches & pains
- headache
- fever
- sore throat
- reduces swelling of nasal passages
- temporarily restores freer breathing through the nose
- promotes nasal and/or sinus drainage
- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial

passageways of bothersome mucus and make coughs more productive.

## **Warnings**

### **Liver warning**

This product contains acetaminophen. Severe liver damage may occur if you take

- more than 8 caplets in 24 hours, which is the maximum daily amount for this product
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

### **Allergy Alert**

Acetaminophen may cause severe skin reactions. Symptoms may include:

- Skin reddening
- Blisters
- Rash

If a skin reaction occurs, stop use and seek medical help right away.

### **Sore throat warning**

If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

### **Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

### **Ask a doctor before use if you have**

- liver disease
- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to enlarged prostate gland
- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema

### **Ask a doctor or pharmacist before**

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.

When using this product, do not use more than directed.

**Stop use and ask a doctor if**

- you get nervous, dizzy or sleepless
- pain, nasal congestion, or cough gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back or occurs with rash or headache that lasts.

These could be signs of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- take only as directed
- do not exceed 4 doses per 24 hrs

---

adults & children 12 yrs & over	2 caplets with water every 4 hrs
children 4 to under 12 yrs	ask a doctor
children under 4 yrs	do not use

---

**Other Information**

- **each caplet contains:** sodium 4 mg
- do not exceed 25°C

**Inactive Ingredients**

croscarmellose sodium, crospovidone, FD&C Yellow No. 6 Aluminum Lake, flavor, maltodextrin, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone, pregelatinized starch, silicon dioxide, stearic acid, sucralose, talc, titanium dioxide

**Questions?**

**1-800-362-1683**

Manufactured for Procter & Gamble, Cincinnati, OH 45202  
www.vicks.com Patents: www.pg.com/patents

Product repackaged with permission of manufacturer by:

Lil' Drug Store Products, Inc., Cedar Rapids, IA 52404 65802C-CVP-06-18

Distributed by: Consumer Value Products, Inc., Temple, TX 76502

www.CVPproducts.com

**CVP 4 Caplet Pouch Carton**

**DayQuil™**

**SEVERE+**

**VICKS® VapoCOOL™**

**COLD & FLU**

**Acetaminophen, Phenylephrine HCl,**

Dextromethorphan HBr, Guaifenesin

**Minor Aches & Pains, Fever**

**Nasal/Sinus Congestion & Sinus Pressure**

**Cough**

**Chest Congestion**

[caplet image]

**Non-Drowsy**

**4**

**Coated Caplets**

**CVP**

**HEALTH**



## DAYQUIL SEVERE PLUS VAPOCOOL COLD AND FLU

acetaminophen, dextromethorphan hydrobromide, guaifenesin, and phenylephrine tablet, coated

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:29485-6580
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>GUAIFENESIN</b> (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	200 mg
<b>PHENYLEPHRINE HYDROCHLORIDE</b> (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RT19KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg
<b>ACETAMINOPHEN</b> (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>CROSCARMELLOSE SODIUM</b> (UNII: M28OL1HH48)	

<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)
<b>POVIDONE, UNSPECIFIED</b> (UNII: FZ989GH94E)
<b>FD&amp;C YELLOW NO. 6</b> (UNII: H77VEI93A8)
<b>SUCRALOSE</b> (UNII: 96K6UQ3ZD4)
<b>MALTODEXTRIN</b> (UNII: 7CVR7L4A2D)
<b>CROSPVIDONE (15 MPAS AT 5%)</b> (UNII: 68401960MK)
<b>POLYVINYL ALCOHOL, UNSPECIFIED</b> (UNII: 532B59J990)
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)
<b>TALC</b> (UNII: 7SEV7J4R1U)

### Product Characteristics

<b>Color</b>	orange	<b>Score</b>	no score
<b>Shape</b>	OVAL	<b>Size</b>	19mm
<b>Flavor</b>		<b>Imprint Code</b>	DQ
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:29485-6580-4	4 in 1 CARTON	08/25/2017	11/23/2025
1		2 in 1 POUCH; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	M012	08/25/2017	11/23/2025

**Labeler** - Lil' Drug Store Products, Inc. (093103646)

Revised: 7/2023

Lil' Drug Store Products, Inc.