

**PHYTOVET CK ANTISEPTIC MOUSSE- chlorhexidine gluconate, ketoconazole, phytosphingosine salicyloyl liquid**  
**Henry Schein Animal Health**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

-----  
**PHYTOVET CK ANTISEPTIC MOUSSE**

**Active Ingredients:** chlorhexidine gluconate 2%, ketoconazole 1%, phytosphingosine salicyloyl 0.05%.

**Inactive Ingredients:** water, propylene glycol, glycerin, polysorbate 20, lactic acid, fragrance, methylisothiazolinone.

**Properties:** PhytoVet CK Antiseptic Mousse is a formulation designed to manage skin infections without bathing. It is soap-free, rubbing alcohol-free and moisturizing. PhytoVet CK Antiseptic Mousse also contains phytosphingosine, a pro-ceramide to help support a healthy skin barrier.

**Indications:** For use on dogs and cats only. For the management of skin infections that are responsive to chlorhexidine and ketoconazole.

**Directions for Use:** Shake well before use.

For localized application: Apply on dry hair. Brush the hair coat. Dispense 1 or 2 pumps in the hand and then apply on the targeted area. Massage into the skin until fully penetrated. Do not rinse. Let air dry. Once dry, brush the hair coat again.

For whole body application: Apply on dry hair. Brush the hair coat. Dispense 1 or 2 pumps in the hand and then apply on the skin and hair. Massage into the skin until fully penetrated. Repeat as many times as necessary to cover the whole body, avoiding areas around the eyes and mouth. Do not rinse. Let air dry. Once dry, brush the hair coat again.

Dosage:

Under 11 lbs: 1 pump per 2 lbs

11-88 lbs: 1 pump per 4 lbs

Over 88 lbs: 1 pump per 6 lbs

Dosage may be doubled for long-haired breeds.

Apply every 3 days for 2 to 3 weeks or as directed by your veterinarian.

**Cautions:** For external use on dogs and cats only. Avoid contact with eyes. In case of contact with eyes, rinse thoroughly and consult your veterinarian. If skin irritation occurs or increases, discontinue use and consult with your veterinarian. May be used as part of a management plan as recommended by your veterinarian.

**Storage:** Store at room temperature. Do not freeze.

**Questions?** (855) 724-3461

Distributed by:

Henry Schein Animal Health

Dublin, OH 43017

www.henryscheinvet.com

**PRINCIPAL DISPLAY PANEL - 6.8 fl oz (200 mL)**

HENRY SCHEIN®

ANIMAL HEALTH

NDC 11695-7195-1

**PHYTOVET CK**

**ANTISEPTIC MOUSSE**

**Chlorhexidine Gluconate 2%, Ketoconazole 1%,**

**Phytosphingosine Salicyloyl 0.05%**

Antiseptic mousse for dogs and cats

6.8 fl oz (200 mL)

FOR ANIMAL USE ONLY

**KEEP OUT OF REACH OF CHILDREN**

**SHAKE WELL BEFORE USE**

  
ANIMAL HEALTH

NDC: 11695-7195-1

**PHYTOVET CK**  
**ANTISEPTIC MOUSSE**

**Chlorhexidine Gluconate 2%, Ketoconazole 1%,  
Phytosphingosine Salicyloyl 0.05%**

Antiseptic mousse for dogs and cats

6.8 fl oz (200 mL)

FOR ANIMAL USE ONLY  
**KEEP OUT OF THE REACH OF CHILDREN**

**SHAKE WELL BEFORE USE**



**Active Ingredients:** chlorhexidine gluconate 2%, ketoconazole 1%, phytosphingosine salicyloyl 0.05%.

**Inactive Ingredients:** water, propylene glycol, glycerin, polysorbate 20, lactic acid, fragrance, methylisothiazolinone.

**Properties:** PhytoVet CK Antiseptic Mousse is a formulation designed to manage skin infections without bathing. It is soap-free, rubbing alcohol-free and moisturizing. PhytoVet CK Antiseptic Mousse also contains phytosphingosine, a pro-ceramide to help support a healthy skin barrier.

**Indications:** For use on dogs and cats only. For the management of skin infections that are responsive to chlorhexidine and ketoconazole.

**Directions for Use:** Shake well before use.

**For localized application:** Apply on dry hair. Brush the hair coat. Dispense 1 or 2 pumps in the hand and then apply on the targeted area. Massage into the skin until fully penetrated. Do not rinse. Let air dry. Once dry, brush the hair coat again.

**For whole body application:** Apply on dry hair. Brush the hair coat. Dispense 1 or 2 pumps in the hand and then apply on the skin and hair. Massage into the skin until fully penetrated. Repeat as many times as necessary to cover the whole body, avoiding areas around the eyes and mouth. Do not rinse. Let air dry. Once dry, brush the hair coat again.

**Dosage:**

Under 11 lbs: 1 pump per 2 lbs

11 - 88 lbs: 1 pump per 4 lbs

Over 88 lbs: 1 pump per 6 lbs

Dosage may be doubled for long-haired breeds.

Apply every 3 days for 2 to 3 weeks or as directed by your veterinarian.

**Cautions:** For external use on dogs and cats only. Avoid contact with the eyes. In case of contact with eyes, rinse thoroughly and consult your veterinarian. If skin irritation occurs or increases, discontinue use and consult with your veterinarian. May be used as part of a management plan as recommended by your veterinarian.

**Storage:** Store at room temperature. Do not freeze.

**Questions?** (855) 724-3461

**Reorder #048710**

AH-048710-01

Rev: 0517



Distributed by:  
Henry Schein Animal Health  
Dublin, OH 43017  
[www.henryscheinvet.com](http://www.henryscheinvet.com)

F392100-US 18-L1-v1

**PHYTOVET CK ANTISEPTIC MOUSSE**

chlorhexidine gluconate, ketoconazole, phytosphingosine salicyloyl liquid

**Product Information**

<b>Product Type</b>	OTC ANIMAL DRUG	<b>Item Code (Source)</b>	NDC:11695-7195
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>CHLORHEXIDINE GLUCONATE</b> (UNII: MOR84MUD8E) (CHLORHEXIDINE - UNII:R4KO0DY52L)	CHLORHEXIDINE GLUCONATE	20 mg in 1 mL
<b>KETOCONAZOLE</b> (UNII: R9400W927I) (KETOCONAZOLE - UNII:R9400W927I)	KETOCONAZOLE	10 mg in 1 mL
<b>SALICYLOYL PHYTOSPHINGOSINE</b> (UNII: U891J4JCNH) (SALICYLOYL PHYTOSPHINGOSINE - UNII:U891J4JCNH)	SALICYLOYL PHYTOSPHINGOSINE	0.5 mg in 1 mL

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>LACTIC ACID</b> (UNII: 33X04XA5AT)	
<b>POLYSORBATE 20</b> (UNII: 7T1F30V5YH)	
<b>METHYLISOTHIAZOLINONE</b> (UNII: 229D0E1QFA)	

**Packaging**

#	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:11695-7195-1	200 mL in 1 BOTTLE, PLASTIC		

**Marketing Information**

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
unapproved drug other		08/15/2017	

**Labeler** - Henry Schein Animal Health (603750329)**Registrant** - Ceva Sante Animale (261126049)

Revised: 8/2017

Henry Schein Animal Health