

**FIRST AID ANTISEPTIC PAIN RELIEVING CREAM- benzalkonium chloride,
lidocaine hydrochloride liquid
Hubei Fanjian Medical Product Co.,Ltd**

First Aid Antiseptic Pain Relieving Cream

Drug Facts

Active ingredients

Benzalkonium chloride 0.13%

Lidocaine hydrochloride 0.5%

Purpose

first aid antiseptic

pain reliever

Uses

first aid to help decrease the risk of infection in minor

- cuts • scrapes • burns • for the temporary relief of pain

Warnings

For external use only

Do not use

- in the eyes
- over large areas of the body
- in large quantities, particularly over raw surfaces or blistered areas

Ask a doctor before use if you have

- deep or puncture wounds • serious burns • animal bites

Stop use and ask a doctor if

- condition persists or gets worse
- you need to use this product for more than 1 week

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- adults and children two years of age and older
- clean the affected area apply a small amount of this product on the area 1 to 3 times daily
- may be covered with a sterile bandage
- children under 2 years of age: consult a doctor

Other information

- Store at room temperature

Inactive ingredients

Glycerin monostearate, glycerol, purified water

Package Labeling:

First Aid Antiseptic Pain Relieving Cream

For the temporary relief
of pain associated
with minor burns.



FAN JIAN



MANUFACTURED BY
HUBEI FANJIAN MEDICAL
PRODUCTS CO., LTD
NO. 2 YINGBIN AVENUE,
TUANFENG COUNTY ECONOMIC
DEVELOPMENT ZONE,
HUANGGANG CITY, HUBEI
PROVINCE (8TH FLOOR,
CAPITAL BUILDING)
MADE IN CHINA



LOT: EXP:

Net Wt. 0.03 oz (0.9 g)

Drug Facts

Active ingredients	Purpose
Benzalkonium chloride 0.13%	first aid antiseptic
Lidocaine hydrochloride 0.5%	pain reliever

Uses first aid to help decrease the risk of infection in minor
 cuts scrapes burns
 for the temporary relief of pain

Warnings

For external use only

Do not use

- in the eyes
- over large areas of the body
- in large quantities, particularly over raw surfaces or blistered areas

Ask a doctor before use if you have

- deep or puncture wounds serious burns
- animal bites

Stop use and ask a doctor if

- condition persists or gets worse
- you need to use this product for more than 1 week

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- adults and children two years of age and older
 - clean the affected area
 - apply a small amount of this product on the area 1 to 3 times daily
 - may be covered with a sterile bandage
- children under 2 years of age: consult a doctor

Other information

- Store at room temperature

Inactive ingredients

Glycerin monostearate, glycerol, purified water

FIRST AID ANTISEPTIC PAIN RELIEVING CREAM

benzalkonium chloride, lidocaine hydrochloride liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:83165-004
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	1.3 mg in 1 g
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	5 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
GLYCERIN (UNII: PDC6A3C0OX)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83165-004-00	1 in 1 PACKAGE	01/01/2023	
1		0.9 g in 1 PATCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	505G(a)(3)	01/01/2023	

Labeler - Hubei Fanjian Medical Product Co.,Ltd (846385590)

Establishment

Name	Address	ID/FEI	Business Operations
Hubei Fanjian Medical Product Co.,Ltd		846385590	manufacture(83165-004)

Revised: 11/2023

Hubei Fanjian Medical Product Co.,Ltd