FIRST AID ANTIBIOTIC- bacitracin zinc, neomycin sulfate, polymyxin b sulfate liquid

Hubei Fanjian Medical Product Co., Ltd

First Aid Antibiotic Ointment

Drug Facts

Active ingredients (in each gram)

Bacitracin zinc (bacitracin 400 units)

Neomycin sulfate (neomycin 3.5 mg)

Polymyxin B sulfate (polymyxin B 5,000 units)

Purpose

First aid antibiotic

Uses

first aid to help decrease the risk of infection in minor

cutsscrapesburns

Warnings

For external use only

Do not use

- for more than 1 week unless directed by a doctor
- in the eyes
- over large areas of the body

Ask a doctor before use if you have

• deep or puncture wounds • serious burns • animal bites

Stop use and ask a doctor if

- condition persists or gets worse
- rash or other allergic reaction develops

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- clean the affected area
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

Other information

• Store at room temperature

Inactive ingredients

Mineral oil, petrolatum, purified water

Package Labeling:

First Aid Antibiotic Ointment

Bacitracin Zinc, Neomycin Sulfate, Polymyxin B Sulfate

First aid to help prevent infection in minor cuts. scrapes, and burns



FAN JIAN



MANUFACTURED BY

HUBEI FANJIAN MEDICAL PRODUCTS CO. .LTD NO. 2 YINGBIN AVENUE. TUANFENG COUNTY ECONOMIC DEVELOPMENT ZONE. HUANGGANG CITY. **HUBEI PROVINCE** (8TH FLOOR, CAPITAL BUILDING)

MADE IN CHINA LOT: EXP:

Net Wt. 0.03 oz (0.9 g)

Drug Facts

Active ingredients (in each gram) Purpose

Bacitracin zinc (bacitracin 400 units) Neomycin sulfate (neomycin 3.5 mg) First aid antibiotic Polymyxin B sulfate (polymyxin B 5,000 units)

Use first aid to help decrease the risk of infection in minor

■ cuts ■ scrapes ■ burns

Warnings

For external use only

Do not use

- for more than 1 week unless directed by a doctor
- in the eyes
- over large areas of the body

Ask a doctor before use if you have

- deep or puncture wounds serious burns
- animal bites

Stop use and ask a doctor if

- condition persists or gets worse
- rash or other allergic reaction develops

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- clean the affected area
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3
- may be covered with a sterile bandage

Other information

Store at room temperature

Inactive ingredients

Mineral oil, petrolatum, purified water

FIRST AID ANTIBIOTIC

bacitracin zinc, neomycin sulfate, polymyxin b sulfate liquid

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:83165-005

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name Basis of Strength Strength

BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RW052I)	BACITRACIN	400 U in 1 g
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:116QD7X297)	NEOMYCIN	3.5 mg in 1 g
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)	POLYMYXIN B	5000 U in 1 g

Inactive Ingredients	
Ingredient Name	Strength
MINERAL OIL (UNII: T5L8T28FGP)	
PETROLATUM (UNII: 4T6H12BN9U)	
WATER (UNII: 059QF0KO0R)	

P	Packaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83165-005- 00	1 in 1 PACKAGE	01/01/2023	
1		0.9 g in 1 PATCH; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M004	01/01/2023	

Labeler - Hubei Fanjian Medical Product Co.,Ltd (846385590)

Establishment			
Name	Address	ID/FEI	Business Operations
Hubei Faniian Medical Product CoLtd		846385590	manufacture(83165-005)

Revised: 11/2023 Hubei Fanjian Medical Product Co.,Ltd