

LBEL SOLUTIONS PRO-HIALURON BASE SERUM CON ACIDO HIALURONICO FPS 20 SERUM FOUNDATION WITH HYALURONIC ACID SPF 20 CHAMPAGNE 170-N-octinoxate, zinc oxide emulsion
LBEL SOLUTIONS PRO-HIALURON BASE SERUM CON ACIDO HIALURONICO FPS 20 SERUM FOUNDATION WITH HYALURONIC ACID SPF 20 CAPUCCINO 310-C-octinoxate, zinc oxide emulsion
LBEL SOLUTIONS PRO-HIALURON BASE SERUM CON ACIDO HIALURONICO FPS 20 SERUM FOUNDATION WITH HYALURONIC ACID SPF 20 LATTE 180-F-octinoxate, zinc oxide emulsion
LBEL SOLUTIONS PRO-HIALURON BASE SERUM CON ACIDO HIALURONICO FPS 20 SERUM FOUNDATION WITH HYALURONIC ACID SPF 20 BEIGE 220-C-octinoxate, zinc oxide emulsion
LBEL SOLUTIONS PRO-HIALURON BASE SERUM CON ACIDO HIALURONICO FPS 20 SERUM FOUNDATION WITH HYALURONIC ACID SPF 20 ALMENDRA 230-N-octinoxate, zinc oxide emulsion
BEL STAR SA

LBEL SOLUTIONS PRO-HIALURON BASE SERUM CON ACIDO HIALURONICO FPS 20
SERUM FOUNDATION WITH HYALURONIC ACID SPF 20

Drug Facts

Active ingredients

Octinoxate 5.00%

Zinc oxide 4.20%

Purpose

Sunscreen

Uses

- Helps prevent sunburn.

Warnings

- **Skin Cancer/Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.
- **For external use only.**

Do not use

on damaged or broken skin.

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

rash occurs.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally and evenly 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water resistant sunscreen if swimming or sweating.
- Children under 6 months of age: Ask a doctor

Other information

Protect the product in this container from excessive heat and direct sun.

Inactive ingredients

Water, Dimethicone, Isododecane, Peg-10 Dimethicone, Trimethylsiloxysilicate, Propylene Glycol, Mica, Dimethicone/vinyl Dimethicone Crosspolymer, Peg/ppg-18/18 Dimethicone, Polysilicone-11, Glycerin, Lecithin, Sodium Chloride, Phenoxyethanol, Silica, Silica Dimethyl Silylate, Backhousia Citriodora Leaf Extract, Maltodextrin, Caprylyl Glycol, Distearidimonium Hectorite, Hydroxyethyl Urea, Peg-8 Caprylic/capric Glycerides, Chlorphenesin, Tocopheryl Acetate, Lactobacillus Ferment, Octyldodeceth-25, Perfluorohexylethyl Triethoxysilane, Sodium Hyaluronate, Decylene Glycol.

May Contain: Titanium Dioxide, Iron Oxides, Triethoxycaprylylsilane.

Company Information

U.S.A. & PUERTO RICO: Dist. by Ventura Corp, Ltd., San Juan, Puerto Rico 00926, Made in Colombia.

www.lbel.com

Package Label CHAMPAGNE 170-N

1.5% Hyaluronic Complex*

*Hyaluronic complex contiene: ácido hialurónico, extracto de mirto de limón y glicerina.

*Hyaluronic complex contains: hyaluronic acid, lemon myrtle extract and glycerin.

Drug Facts

Active Ingredients	Purpose
Octinoxate 5.00%.....	Sunscreen
Zinc oxide 4.20%.....	Sunscreen

Uses:

- Helps prevent sunburn.

Warnings: ■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging. ■ **For external use only.** ■ **Do not use** on damaged or broken skin. ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor** if rash occurs. ■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions: ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor

Other information: ■ Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients: Water, Dimethicone, Isododecane, Peg-10 Dimethicone, Trimethylsiloxyethylsilicate, Propylene Glycol, Mica, Dimethicone/Vinyl Dimethicone Crosspolymer, Peg/ppg-18/18 Dimethicone, Polysilicone-11, Glycerin, Lecithin, Sodium Chloride, Phenoxyethanol, Silica, Silica Dimethyl Silylate, Backhousia Citriodora Leaf Extract, Maltodextrin, Caprylyl Glycol, Distearidimonium Hectorite, Hydroxyethyl Urea, Peg-8 Caprylic/capric Glycerides, Chlorphenesin, Tocopheryl Acetate, Lactobacillus Ferment, Octyldodeceth-25, Perfluorohexylethyl Triethoxysilane, Sodium Hyaluronate, Decylene Glycol.

May Contain: Titanium Dioxide, Iron Oxides, Triethoxycaprylylsilane.

U.S.A. & PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia.

www.lbel.com

TONE: CHAMPAGNE 170-N

L'BEL

SOLUTIONS
PRO - HIALURON

BASE SÉRUM
CON ÁCIDO HIALURÓNICO
FPS 20

SERUM FOUNDATION
WITH HYALURONIC ACID
SPF 20

1.01 fl.oz | 30 ml



1.5% Hyaluronic Complex*
*Hyaluronic complex contiene: ácido hialurónico,
extracto de mirto de limón y glicerina.
*Hyaluronic complex contains: hyaluronic acid,
lemon myrtle extract and glycerin.

Drug Facts

Active Ingredients	Purpose
Octinoxate 5.00%.....	Sunscreen
Zinc oxide 4.20%.....	Sunscreen

Uses:

■ Helps prevent sunburn.

Warnings: ■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. ■ **For external use only.** ■ **Do not use** on damaged or broken skin. ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor** if rash occurs. ■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions: ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor

Other information: ■ Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients: Water, Dimethicone, Isododecane, Peg-10 Dimethicone, Trimethylsiloxysilicate, Propylene Glycol, Mica, Dimethicone/vinyl Dimethicone Crosspolymer, Peg/ppg-18/18 Dimethicone, Polysilicone-11, Glycerin, Lecithin, Sodium Chloride, Phenoxethanol, Silica, Silica Dimethyl Silylate, Backhousia Citriodora Leaf Extract, Maltodextrin, Caprylyl Glycol, Distearidimonium Hectorite, Hydroxyethyl Urea, Peg-8 Caprylic/capric Glycerides, Chlorphenesin, Tocopheryl Acetate, Lactobacillus Ferment, Octyldodeceth-25, Perfluorohexylethyl Triethoxysilane, Sodium Hyaluronate, Decylene Glycol.

May Contain: Titanium Dioxide, Iron Oxides, Triethoxycaprylsilane.

U.S.A. & PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan,
Puerto Rico 00926. Made in Colombia.

www.lbel.com

tone: CAPUCCINO 310-C

L'BEL

SOLUTIONS PRO - HIALURON

BASE SÉRUM
CON ÁCIDO HIALURÓNICO
FPS 20

SERUM FOUNDATION
WITH HYALURONIC ACID
SPF 20

1.01 fl.oz | 30 ml

1.5% Hyaluronic Complex*

*Hyaluronic complex contiene: ácido hialurónico, extracto de mirto de limón y glicerina.

*Hyaluronic complex contains: hyaluronic acid, lemon myrtle extract and glycerin.

Drug Facts

Active Ingredients	Purpose
Octinoxate 5.00%.....	Sunscreen
Zinc oxide 4.20%.....	Sunscreen

Uses:

■ Helps prevent sunburn.

Warnings: ■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging. ■ **For external use only.** ■ **Do not use** on damaged or broken skin. ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor** if rash occurs. ■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions: ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor

Other information: ■ Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients: Water, Dimethicone, Isododecane, Peg-10 Dimethicone, Trimethylsiloxysilicate, Propylene Glycol, Mica, Dimethicone/Vinyl Dimethicone Crosspolymer, Peg/ppg-18/18 Dimethicone, Polysilicone-11, Glycerin, Lecithin, Sodium Chloride, Phenoxyethanol, Silica, Silica Dimethyl Silylate, Backhousia Citriodora Leaf Extract, Maltodextrin, Caprylyl Glycol, Distearidimonium Hectorite, Hydroxyethyl Urea, Peg-8 Caprylic/capric Glycolides, Chlorphenesin, Tocopheryl Acetate, Lactobacillus Ferment, Octyldodeceth-25, Perfluorohexylethyl Triethoxysilane, Sodium Hyaluronate, Decylene Glycol.

May Contain: Titanium Dioxide, Iron Oxides, Triethoxycaprylsilane.

U.S.A. & PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia.

www.lbel.com

TONE: LATTE 180-F

L'BEL


SOLUTIONS PRO - HIALURON

BASE SÉRUM
CON ÁCIDO HIALURÓNICO
FPS 20

SERUM FOUNDATION
WITH HYALURONIC ACID
SPF 20

1.01 fl.oz | 30 ml

Package Label BEIGE 220-C



1.5% Hyaluronic Complex*
*Hyaluronic complex contiene: ácido hialurónico,
extracto de mirto de limón y glicerina.
*Hyaluronic complex contains: hyaluronic acid,
lemon myrtle extract and glycerin.

Drug Facts

Active Ingredients	Purpose
Octinoxate 5.00%	Sunscreen
Zinc oxide 4.20%	Sunscreen

Uses:

■ Helps prevent sunburn.

Warnings: ■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. ■ **For external use only.** ■ **Do not use** on damaged or broken skin. ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor** if rash occurs. ■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions: ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor

Other information: ■ Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients: Water, Dimethicone, Isododecane, Peg-10 Dimethicone, Trimethylsiloxyethylsilicate, Propylene Glycol, Mica, Dimethicone/vinyl Dimethicone Crosspolymer, Peg/ppg-18/18 Dimethicone, Polysilicone-11, Glycerin, Lecithin, Sodium Chloride, Phenoxethanol, Silica, Silica Dimethyl Silylate, Backhousia Citriodora Leaf Extract, Maltodextrin, Caprylyl Glycol, Distearidimonium Hectorite, Hydroxyethyl Urea, Peg-8 Caprylic/capric Glycerides, Chlorphenesin, Tocopheryl Acetate, Lactobacillus Ferment, Octyldodeceth-25, Perfluorohexylethyl Triethoxysilane, Sodium Hyaluronate, Dacylene Glycol.

May Contain: Titanium Dioxide, Iron Oxides, Triethoxycaprylsilane.

U.S.A. & PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia.

www.lbel.com

TONE: BEIGE 220-C

L'BEL


SOLUTIONS
PRO - HIALURON

BASE SÉRUM
CON ÁCIDO HIALURÓNICO
FPS 20

SERUM FOUNDATION
WITH HYALURONIC ACID
SPF 20

1.01 fl.oz | 30 ml

Package Label ALMENDRA 230-N



1.5% Hyaluronic Complex*
*Hyaluronic complex contiene: ácido hialurónico,
extracto de mirto de limón y glicerina.
*Hyaluronic complex contains: hyaluronic acid,
lemon myrtle extract and glycerin.

Drug Facts

Active Ingredients	Purpose
Octinoxate 5.00%.....	Sunscreen
Zinc oxide 4.20%.....	Sunscreen

Uses:

■ Helps prevent sunburn.

Warnings: ■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. ■ **For external use only.** ■ **Do not use** on damaged or broken skin. ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor** if rash occurs. ■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions: ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor

Other information: ■ Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients: Water, Dimethicone, Isododecane, Peg-10 Dimethicone, Trimethylsiloxysilicate, Propylene Glycol, Mica, Dimethicone/Vinyl Dimethicone Crosspolymer, Peg/ppg-18/18 Dimethicone, Polysilicone-11, Glycerin, Lecithin, Sodium Chloride, Phenoxethanol, Silica, Silica Dimethyl Silylate, Backhousia Citriodora Leaf Extract, Maltodextrin, Caprylyl Glycol, Distearidimonium Hectorite, Hydroxyethyl Urea, Peg-8 Caprylic/capric Glycerides, Chlorphenesin, Tocopheryl Acetate, Lactobacillus Ferment, Octyldodeceth-25, Perfluorohexylethyl Triethoxysilane, Sodium Hyaluronate, Decylene Glycol.

May Contain: Titanium Dioxide, Iron Oxides, Triethoxycaprylsilane.

U.S.A. & PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan,
Puerto Rico 00926. Made in Colombia.

www.lbel.com

TONE: ALMENDRA 230-N

L'BEL

SOLUTIONS
PRO - HIALURON

BASE SÉRUM
CON ÁCIDO HIALURÓNICO
FPS 20

SERUM FOUNDATION
WITH HYALURONIC ACID
SPF 20

1.01 fl.oz | 30 ml

LBEL SOLUTIONS PRO-HIALURON BASE SERUM CON ACIDO
HIALURONICO FPS 20 SERUM FOUNDATION WITH HYALURONIC
ACID SPF 20 CHAMPAGNE 170-N

octinoxate, zinc oxide emulsion

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14141-321
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	50 mg in 1 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	42 mg in 1 mL

Inactive Ingredients	
Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNO)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
BACKHOUSIA CITRIODORA LEAF (UNII: FKN73KG747)	
PEG-8 CAPRYLIC/CAPRIC GLYCERIDES (UNII: 00BT03FSO2)	
PERFLUOROOCTYL TRIETHOXYSILANE (UNII: 814P46684U)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
HYDROXYETHYL UREA (UNII: MBQ7DDQ7AR)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
LIMOSILACTOBACILLUS FERMENTUM (UNII: 2C1F12C6AP)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
GLYCERIN (UNII: PDC6A3C0OX)	
OCTYLDODECETH-25 (UNII: F8934HEL3M)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
DECYLENE GLYCOL (UNII: S57M60MI88)	
FERROSOFERRIC OXIDE (UNII: XM0M87F357)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
PEG-10 DIMETHICONE (220 CST) (UNII: 287GF3Y3WC)	
ISODODECANE (UNII: A8289P68Y2)	
TRIMETHYLSILOXYSILICATE (M/Q 0.8-1.0) (UNII: 25LXE464L2)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
MICA (UNII: V8A1AW0880)	

PEG/PPG-18/18 DIMETHICONE (UNII: 9H0A07T794)				
CAPRYLYL GLYCOL (UNII: 00YIU5438U)				
ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)				
HYALURONATE SODIUM (UNII: YSE9PPT4TH)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14141-321-01	1 in 1 BOX	02/20/2023	
1		30 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug		M020	02/20/2023	

LBEL SOLUTIONS PRO-HIALURON BASE SERUM CON ACIDO HIALURONICO FPS 20 SERUM FOUNDATION WITH HYALURONIC ACID SPF 20 CAPUCCINO 310-C

octinoxate, zinc oxide emulsion

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14141-322
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)		OCTINOXATE	50 mg in 1 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)		ZINC OXIDE	42 mg in 1 mL
Inactive Ingredients			
Ingredient Name			Strength
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)			
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)			
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)			
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNQ)			
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)			
BACKHOUSIA CITRIODORA LEAF (UNII: FKN73KG747)			
PEG-8 CAPRYLIC/CAPRIC GLYCERIDES (UNII: 00BT03FSO2)			
PERFLUOROCTYL TRIETHOXYSILANE (UNII: 814P46684U)			

SODIUM CHLORIDE (UNII: 451W47IQ8X)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
HYDROXYETHYL UREA (UNII: MBQ7DDQ7AR)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
LIMOSILACTOBACILLUS FERMENTUM (UNII: 2C1F12C6AP)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
GLYCERIN (UNII: PDC6A3C0OX)	
OCTYLDODECETH-25 (UNII: F8934HEL3M)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
DECYLENE GLYCOL (UNII: S57M60MI88)	
FERROSOFERRIC OXIDE (UNII: XM0M87F357)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
PEG-10 DIMETHICONE (220 CST) (UNII: 287GF3Y3WC)	
ISODODECANE (UNII: A8289P68Y2)	
TRIMETHYLSILOXYSILICATE (M/Q 0.8-1.0) (UNII: 25LXE464L2)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
MICA (UNII: V8A1AW0880)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
WATER (UNII: 059QF0KO0R)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14141-322-01	1 in 1 BOX	02/20/2023	
1		30 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	02/20/2023	

LBEL SOLUTIONS PRO-HIALURON BASE SERUM CON ACIDO HIALURONICO FPS 20 SERUM FOUNDATION WITH HYALURONIC ACID SPF 20 LATTE 180-F
 octinoxate, zinc oxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14141-323
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)		OCTINOXATE	50 mg in 1 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)		ZINC OXIDE	42 mg in 1 mL
Inactive Ingredients			
Ingredient Name			Strength
WATER (UNII: 059QF0KO0R)			
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)			
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)			
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)			
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)			
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNQ)			
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)			
BACKHOUSIA CITRIODORA LEAF (UNII: FKN73KG747)			
PEG-8 CAPRYLIC/CAPRIC GLYCERIDES (UNII: 00BT03FSO2)			
PERFLUOROCTYL TRIETHOXSILANE (UNII: 814P46684U)			
SODIUM CHLORIDE (UNII: 451W47IQ8X)			
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)			
PHENOXYETHANOL (UNII: HIE492ZZ3T)			
HYDROXYETHYL UREA (UNII: MBQ7DDQ7AR)			
CHLORPHENESIN (UNII: I670DAL4SZ)			
LIMOSILACTOBACILLUS FERMENTUM (UNII: 2C1F12C6AP)			
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)			
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)			
FERRIC OXIDE RED (UNII: 1K09F3G675)			
GLYCERIN (UNII: PDC6A3C0OX)			
OCTYLDODECETH-25 (UNII: F8934HEL3M)			
MALTODEXTRIN (UNII: 7CVR7L4A2D)			
DECYLENE GLYCOL (UNII: S57M60MI88)			
FERROSOFERRIC OXIDE (UNII: XM0M87F357)			
DIMETHICONE (UNII: 92RU3N3Y1O)			
PEG-10 DIMETHICONE (220 CST) (UNII: 287GF3Y3WC)			
ISODODECANE (UNII: A8289P68Y2)			
TRIMETHYLSILOXSILICATE (M/Q 0.8-1.0) (UNII: 25LXE464L2)			
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)			
MICA (UNII: V8A1AW0880)			
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)			
CAPRYLYL GLYCOL (UNII: 00YIU5438U)			
ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)			
HYALURONATE SODIUM (UNII: YSE9PPT4TH)			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14141-323-01	1 in 1 BOX	02/20/2023	
1		30 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	02/20/2023	

LBEL SOLUTIONS PRO-HIALURON BASE SERUM CON ACIDO HIALURONICO FPS 20 SERUM FOUNDATION WITH HYALURONIC ACID SPF 20 BEIGE 220-C

octinoxate, zinc oxide emulsion

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14141-324
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	50 mg in 1 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	42 mg in 1 mL

Inactive Ingredients	
Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNO)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
BACKHOUSIA CITRIODORA LEAF (UNII: FKN73KG747)	
PEG-8 CAPRYLIC/CAPRIC GLYCERIDES (UNII: 00BT03FSO2)	
PERFLUOROOCTYL TRIETHOXYSILANE (UNII: 814P46684U)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
HYDROXYETHYL UREA (UNII: MBQ7DDQ7AR)	
CHLORPHENESIN (UNII: I670DAL4SZ)	

LIMOSILACTOBACILLUS FERMENTUM (UNII: 2C1F12C6AP)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
GLYCERIN (UNII: PDC6A3C0OX)	
OCTYLDODECETH-25 (UNII: F8934HEL3M)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
DECYLENE GLYCOL (UNII: S57M60MI88)	
FERROSO FERRIC OXIDE (UNII: XM0M87F357)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
PEG-10 DIMETHICONE (220 CST) (UNII: 287GF3Y3WC)	
ISODODECANE (UNII: A8289P68Y2)	
TRIMETHYLSILOXYSILICATE (M/Q 0.8-1.0) (UNII: 25LXE464L2)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
MICA (UNII: V8A1AW0880)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14141-324-01	1 in 1 BOX	02/20/2023	
1		30 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	02/20/2023	

LBEL SOLUTIONS PRO-HIALURON BASE SERUM CON ACIDO HIALURONICO FPS 20 SERUM FOUNDATION WITH HYALURONIC ACID SPF 20 ALMENDRA 230-N

octinoxate, zinc oxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14141-325
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	50 mg in 1 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	42 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNZ)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
BACKHOUSIA CITRIODORA LEAF (UNII: FKN73KG747)	
PEG-8 CAPRYLIC/CAPRIC GLYCERIDES (UNII: 00BT03FSO2)	
PERFLUOROOCTYL TRIETHOXYSILANE (UNII: 814P46684U)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
HYDROXYETHYL UREA (UNII: MBQ7DDQ7AR)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
LIMOSILACTOBACILLUS FERMENTUM (UNII: 2C1F12C6AP)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
GLYCERIN (UNII: PDC6A3C0OX)	
OCTYLDODECETH-25 (UNII: F8934HEL3M)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
DECYLENE GLYCOL (UNII: S57M60MI88)	
FERROSOFERRIC OXIDE (UNII: XM0M87F357)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
PEG-10 DIMETHICONE (220 CST) (UNII: 287GF3Y3WC)	
ISODODECANE (UNII: A8289P68Y2)	
TRIMETHYLSILOXYSILICATE (M/Q 0.8-1.0) (UNII: 25LXE464L2)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
MICA (UNII: V8A1AW0880)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14141-325-01	1 in 1 BOX	02/20/2023	
1		30 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	02/20/2023	

Labeler - BEL STAR SA (880160197)

Revised: 6/2025

BEL STAR SA