

**REAL TIME PAIN RELIEF MAXX TOPICAL ANALGESIC- menthol lotion  
REAL TIME PRODUCTS, INC**

-----  
**Real Time Pain Relief Maxx Topical Analgesic Lotion**

***Drug Facts***

***Active Ingredient***

Menthol 1.5%

***Purpose***

Topical Analgesic

***Uses:***

Temporarily relieves minor pain associated with: Arthritis

- Simple Backache
- Muscle Strains
- Sprains
- Bruises
- Cramps

***Warnings:***

**For external use only**

***When using this product:***

Use only as directed

- Avoid contact with eyes or mucous membrane
- Do not apply to wounds or damaged skin
- Do not bandage tightly

***Stop use and ask doctor if:***

Condition worsens

- Symptoms persist for more than 7 days or clear up and occur again within a few days
- Redness is present
- Irritation develops

***Keep out of reach of children.***

If swallowed, get medical help or contact a Poison Control Center right away.

**Directions:**

Adults and Children over 2 years: Apply to affected area. Massage into painful area until thoroughly absorbed into skin. Repeat as necessary, but no more than 4 times daily.  
Children 2 years or younger: ask a doctor.

**Other Ingredients:**

Aloe Barbadosis (Aloe Vera Gel) Juice, Aqua (Deionized Water), Arnica Montana Flower Extract, C13-14 Isoparaffin, Calendula Officinalis Extract, Caprylyl Glycol, Capsaicin, Centaurea Cyanus (Cornflower) Extract, Chamomilla Matricaria (Chamomile) Extract, Chondroitin Sulfate, Coriandrum Sativum (Coriander) Oil, Emu Oil, Glucosamine Sulfate, Glycerin, Hamamelis Virginiana (Witch Hazel) Distillate, Hypericum Perforatum (St. John Wort), Laureth-7, Mentha Piperita (Peppermint) Oil, Methylsulfonylmethane (MSM), Phenoxyethanol, Polyacrylamide, Salix Alba (Willow) Bark Extract, SD-Alcohol 40B, Sorbitol, Tilia Cordata (Linden) Bark Extract.

**Questions?**

877-787-7180

**Package Labeling: 88ml**



# MAXX PAIN RELIEF

Provides Temporary Relief from:  
Arthritis, Simple Backache, Muscle Strains,  
Sprains, Bruises, Cramps.



**Topical Analgesic Lotion**  
3 fl. oz. / 88 mL

## Drug Facts

Active Ingredient	Purpose
Menthol 1.5%.....	Topical Analgesic

### Uses:

Temporarily relieves minor pain associated with:  
Arthritis ■ Simple Backache ■ Muscle Strains ■  
Sprains ■ Bruises ■ Cramps

### Warnings:

For external use only

### When using this product:

Use only as directed ■ Avoid contact with eyes or  
mucous membranes ■ Do not apply to wounds or  
damaged skin ■ Do not bandage tightly

### Stop use and ask doctor if:

Condition worsens ■ Symptoms persist for more than  
7 days or clear up and occur again within a few days  
■ Redness is present ■ Irritation develops

### Keep out of reach of children.

If swallowed, get medical help or contact a Poison  
Control Center right away.

### Directions:

Adults and Children over 2 years: Apply to affected  
area. Massage into painful area until thoroughly  
absorbed into skin. Repeat as necessary, but no more  
than 4 times daily. Children 2 years or younger: ask  
a doctor.

**Other Ingredients:** Aloe Barbadensis (Aloe Vera Gel) Juice, Aqua (Deionized Water), Arnica Montana Flower Extract, C13-14 Isoparaffin, Calendula Officinalis (Extract, Caprylyl Glycol, Capsaicin, Centaurea Cyanus (Cornflower) Extract, Chamomilla Matricaria (Chamomile) Extract, Chondroitin Sulfate, Coriandrum Sativum (Coriander) Oil, Emu Oil, Glucosamine Sulfate, Glycerin, Hamamelis Virginiana (Witch Hazel) Distillate, Hypericum Perforatum (St. John's Wort), Laureth-7, Mentha Piperita (Peppermint) Oil, Methylsulfonylethane (MSM), Phenoxyethanol, Polyacrylamide, Salix Alba (Willow) Bark Extract, SD-Alcohol 40B, Sorbitol, Tilia Cordata (Linden) Bark Extract.

Questions? 877-787-7180

Distributed by:  
Real Time Products Inc  
Edmond, OK 73003  
www.RTPR.com



9953225

8 10042 76041 7

Package Labeling: 120ml









Provides Temporary Relief from: Arthritis, Simple Backache, Muscle Strains, Sprains, Bruises, Cramps.



Topical Analgesic Lotion

7 fl. oz. / 210 mL

Drug Facts

Active Ingredient Purpose
Menthol 1.5%..... Topical Analgesic

Uses:
Temporarily relieves minor pain associated with: Arthritis Simple Backache Muscle Strains Sprains Bruises Cramps

Warnings:
For external use only

When using this product:
Use only as directed Avoid contact with eyes or mucous membranes Do not apply to wounds or damaged skin Do not bandage tightly

Stop use and ask doctor if:
Condition worsens Symptoms persist for more than 7 days or clear up and occur again within a few days Redness is present Irritation develops

Keep out of reach of children.
If swallowed, get medical help or contact a Poison Control Center right away.

Directions:
Adults and Children over 2 years: Apply to affected area. Massage into painful area until thoroughly absorbed into skin. Repeat as necessary, but no more than 4 times daily. Children 2 years or younger: ask a doctor.

Other Ingredients: Aloe Barbadosensis (Aloe Vera Gel) Juice, Aqua (Deionized Water), Arnica Montana Flower Extract, C13-14 Isoparaffin, Calendula Officinalis (Extract, Caprylyl Glycol, Capsaicin, Centaurea Cyanus (Cornflower) Extract, Chamomilla Matricaria (Chamomile) Extract, Chondroitin Sulfate, Coriandrum Sativum (Coriander) Oil, Emu Oil, Glucosamine Sulfate, Glycerin, Hamamelis Virginiana (Witch Hazel) Distillate, Hypericum Perforatum (St. John's Wort), Laureth-7, Mentha Piperita (Peppermint) Oil, Methylsulfonylmethane (MSM), Phenoxyethanol, Polyacrylamide, Salix Alba (Willow) Bark Extract, SD-Alcohol 40B, Sorbitol, Tilia Cordata (Linden) Bark Extract.

Questions? 877-787-7180

Distributed by: Real Time Products Inc
Edmond, OK 73003
www.RTPR.com



8 10042 76045 5
9953025

Package Labeling: 354ml





# MAXX PAIN RELIEF

**Provides Temporary Relief from:**  
Arthritis, Simple Backache, Muscle Strains,  
Sprains, Bruises, Cramps.



**Topical Analgesic Lotion**  
16 fl. oz. / 473 mL

## Drug Facts

Active Ingredient	Purpose
Menthol 1.5%.....	Topical Analgesic

**Uses:**  
Temporarily relieves minor pain associated with:  
Arthritis ■ Simple Backache ■ Muscle Strains ■  
Sprains ■ Bruises ■ Cramps

**Warnings:**  
For external use only

**When using this product:**  
Use only as directed ■ Avoid contact with eyes or  
mucous membranes ■ Do not apply to wounds or  
damaged skin ■ Do not bandage tightly

**Stop use and ask doctor if:**  
Condition worsens ■ Symptoms persist for more than  
7 days or clear up and occur again within a few days  
■ Redness is present ■ Irritation develops

**Keep out of reach of children.**  
If swallowed, get medical help or contact a Poison  
Control Center right away.

**Directions:**  
Adults and Children over 2 years: Apply to affected  
area. Massage into painful area until thoroughly  
absorbed into skin. Repeat as necessary, but no more  
than 4 times daily. Children 2 years or younger: ask  
a doctor.

**Other Ingredients:** Aloe Barbadosensis (Aloe Vera Gel) Juice,  
Aqua (Deionized Water), Arnica Montana Flower Extract,  
C13-14 Isoparaffin, Calendula Officinalis (Extract, Caprylyl  
Glycol, Capsaicin, Centaurea Cyanus (Cornflower) Extract,  
Chamomilla Matricaria (Chamomile) Extract, Chondroitin  
Sulfate, Coriandrum Sativum (Coriander) Oil, Emu Oil,  
Glucosamine Sulfate, Glycerin, Hamamelis Virginiana (Witch  
Hazel) Distillate, Hypericum Perforatum (St. John's Wort),  
Laureth-7, Mentha Piperita (Peppermint) Oil, Methylsulfonyl-  
methane (MSM), Phenoxyethanol, Polyacrylamide, Salix Alba  
(Willow) Bark Extract, SD-Alcohol 40B, Sorbitol, Tilia Cordata  
(Linden) Bark Extract.

Questions? 877-787-7180

Distributed by: Real Time Products Inc  
Edmond, OK 73003  
www.RTPR.com



## REAL TIME PAIN RELIEF MAXX TOPICAL ANALGESIC

menthol lotion

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:84573-517
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	15 mg in 1 mL



<b>Inactive Ingredients</b>	
<b>Ingredient Name</b>	<b>Strength</b>
<b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>ARNICA MONTANA FLOWER</b> (UNII: OZ0E5Y15PZ)	
<b>C13-14 ISOPARAFFIN</b> (UNII: E4F12ROE70)	
<b>CALENDULA OFFICINALIS FLOWER</b> (UNII: P0M7O4Y7YD)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>CAPSAICIN</b> (UNII: S07O44R1ZM)	
<b>CHAMOMILE</b> (UNII: FGL3685T2X)	
<b>CORIANDER</b> (UNII: 1OV56052IK)	
<b>EMU OIL</b> (UNII: 344821WD61)	
<b>GLUCOSAMINE SULFATE</b> (UNII: 1FW7WLR731)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>WITCH HAZEL</b> (UNII: 101I4J0U34)	
<b>HYPERICUM PERFORATUM WHOLE</b> (UNII: XK4IUX8MNB)	
<b>LAURETH-7</b> (UNII: Z95S6G8201)	
<b>PEPPERMINT OIL</b> (UNII: AV092KU4JH)	
<b>DIMETHYL SULFONE</b> (UNII: 9H4PO4Z4FT)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>SALIX ALBA BARK</b> (UNII: 205MXS71H7)	
<b>SORBITOL</b> (UNII: 506T60A25R)	
<b>LEVOISOMETHADONE</b> (UNII: F16TLI77RN)	

<b>Packaging</b>				
<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:84573-517-03	88 mL in 1 TUBE; Type 0: Not a Combination Product	07/12/2024	
2	NDC:84573-517-04	120 mL in 1 TUBE; Type 0: Not a Combination Product	07/12/2024	
3	NDC:84573-517-05	147.8 mL in 1 TUBE; Type 0: Not a Combination Product	07/12/2024	
4	NDC:84573-517-07	210 mL in 1 TUBE; Type 0: Not a Combination Product	07/12/2024	
5	NDC:84573-517-12	354 mL in 1 TUBE; Type 0: Not a Combination Product	07/12/2024	
6	NDC:84573-517-16	473 mL in 1 TUBE; Type 0: Not a Combination Product	07/12/2024	

<b>Marketing Information</b>			
<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC Monograph Drug	M017	07/12/2024	

**Labeler** - REAL TIME PRODUCTS, INC (117624292)

