

REAL TIME PAIN RELIEF MAXX TOPICAL ANALGESIC- menthol lotion
REAL TIME PRODUCTS, INC

Real Time Pain Relief Maxx Topical Analgesic Lotion

Drug Facts

Active Ingredient

Menthol 1.5%

Purpose

Topical Analgesic

Uses:

Temporarily relieves minor pain associated with: Arthritis

- Simple Backache
- Muscle Strains
- Sprains
- Bruises
- Cramps

Warnings:

For external use only

When using this product:

Use only as directed

- Avoid contact with eyes or mucous membrane
- Do not apply to wounds or damaged skin
- Do not bandage tightly

Stop use and ask doctor if:

Condition worsens

- Symptoms persist for more than 7 days or clear up and occur again within a few days
- Redness is present
- Irritation develops

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions:

Adults and Children over 2 years: Apply to affected area. Massage into painful area until thoroughly absorbed into skin. Repeat as necessary, but no more than 4 times daily.

Children 2 years or younger: ask a doctor.

Other Ingredients:

Aloe Barbadensis (Aloe Vera Gel) Juice, Aqua (Deionized Water), Arnica Montana Flower Extract, C13-14 Isoparaffin, Calendula Officinalis Extract, Caprylyl Glycol, Capsaicin, Centaurea Cyanus (Cornflower) Extract, Chamomilla Matricaria (Chamomile) Extract, Chondroitin Sulfate, Coriandrum Sativum (Coriander) Oil, Emu Oil, Glucosamine Sulfate, Glycerin, Hamamelis Virginiana (Witch Hazel) Distillate, Hypericum Perforatum (St. John Wort), Laureth-7, Mentha Piperita (Peppermint) Oil, Methylsulfonylmethane (MSM), Phenoxyethanol, Polyacrylamide, Salix Alba (Willow) Bark Extract, SD-Alcohol 40B, Sorbitol, Tilia Cordata (Linden) Bark Extract.

Questions?

877-787-7180

Package Labeling: 88ml



MAXX
PAIN RELIEF

Provides Temporary Relief from:
Arthritis, Simple Backache, Muscle Strains,
Sprains, Bruises, Cramps.



Topical Analgesic Lotion
3 fl. oz. / 88 mL

Drug Facts

Active Ingredient

Menthol 1.5%.....Topical Analgesic

Purpose

Uses:

Temporarily relieves minor pain associated with:
Arthritis ■ Simple Backache ■ Muscle Strains ■
Sprains ■ Bruises ■ Cramps

Warnings:

For external use only

When using this product:

Use only as directed ■ Avoid contact with eyes or
mucous membranes ■ Do not apply to wounds or
damaged skin ■ Do not bandage tightly

Stop use and ask doctor if:

Condition worsens ■ Symptoms persist for more than
7 days or clear up and occur again within a few days
■ Redness is present ■ Irritation develops

Keep out of reach of children.

If swallowed, get medical help or contact a Poison
Control Center right away.

Directions:

Adults and Children over 2 years: Apply to affected
area. Massage into painful area until thoroughly
absorbed into skin. Repeat as necessary, but no more
than 4 times daily. Children 2 years or younger: ask
a doctor.

Other Ingredients: Aloe Barbadensis (Aloe Vera Gel) Juice, Aqua
(Deionized Water), Arnica Montana Flower Extract, C13-14
Isoparaffin, Calendula Officinalis (Extract, Caprylyl Glycol,
Capsaicin, Centaurea Cyanus (Cornflower) Extract, Chamomilla
Matricaria (Chamomile) Extract, Chondroitin Sulfate, Coriandrum
Sativum (Coriander) Oil, Emu Oil, Glucosamine Sulfate, Glycerin,
Hamamelis Virginiana (Witch Hazel) Distillate, Hypericum
Perforatum (St. John's Wort), Laureth-7, Mentha Piperita
(Peppermint) Oil, Methylsulfonylmethane (MSM), Phenoxyethanol,
Polyacrylamide, Salix Alba (Willow) Bark Extract, SD-Alcohol 40B,
Sorbitol, Tilia Cordata (Linden) Bark Extract.

Questions? 877-787-7180

Distributed by:
Real Time Products Inc
Edmond, OK 73003
www.RTPR.com



9953225

8 10042 76041 7

Package Labeling: 120ml



MAXX
PAIN RELIEF

Provides Temporary Relief from:
Arthritis, Simple Backache, Muscle Strains,
Sprains, Bruises, Cramps.



Topical Analgesic Lotion
4 fl oz. / 120 mL

Drug Facts

Active Ingredient	Purpose
Menthol 1.5%.....	Topical Analgesic

Uses:

Temporarily relieves minor pain associated with:
Arthritis ■ Simple Backache ■ Muscle Strains ■
Sprains ■ Bruises ■ Cramps

Warnings:

For external use only

When using this product:

Use only as directed ■ Avoid contact with eyes or
mucous membranes ■ Do not apply to wounds or
damaged skin ■ Do not bandage tightly

Stop use and ask doctor if:

Condition worsens ■ Symptoms persist for more than
7 days or clear up and occur again within a few days
■ Redness is present ■ Irritation develops

Keep out of reach of children.

If swallowed, get medical help or contact a Poison
Control Center right away.

Directions:

Adults and Children over 2 years: Apply to affected
area. Massage into painful area until thoroughly
absorbed into skin. Repeat as necessary, but no more
than 4 times daily. Children 2 years or younger: ask
a doctor.

Other Ingredients: Aloe Barbadensis (Aloe Vera Gel) Juice, Aqua
(Deionized Water), Arnica Montana Flower Extract, C13-14
Isoparaffin, Calendula Officinalis (Extract, Caprylyl Glycol,
Capsaicin, Centaurea Cyanus (Cornflower) Extract, Chamomilla
Matricaria (Chamomile) Extract, Chondroitin Sulfate, Coriandrum
Sativum (Coriander) Oil, Emu Oil, Glucosamine Sulfate, Glycerin,
Hamamelis Virginiana (Witch Hazel) Distillate, Hypericum
Perforatum (St. John's Wort), Laureth-7, Mentha Piperita
(Peppermint) Oil, Methylsulfonylmethane (MSM), Phenoxyethanol,
Polyacrylamide, Salix Alba (Willow) Bark Extract, SD-Alcohol 40B,
Sorbitol, Tilia Cordata (Linden) Bark Extract.

Questions? 877-787-7180

Distributed by:
Real Time Products Inc
Edmond, OK 73003
www.RTPR.com



9953139

8 10042 76069 1

Package Labeling: 147.8ml



MAXX
PAIN RELIEF

Provides Temporary Relief from:
Arthritis, Simple Backache, Muscle Strains,
Sprains, Bruises, Cramps.



Topical Analgesic Lotion

5 fl. oz. / 147.8 mL

Drug Facts

Active Ingredient	Purpose
Menthol 1.5%.....	Topical Analgesic

Uses:

Temporarily relieves minor pain associated with:
Arthritis ■ Simple Backache ■ Muscle Strains ■
Sprains ■ Bruises ■ Cramps

Warnings:

For external use only

When using this product:

Use only as directed ■ Avoid contact with eyes or
mucous membranes ■ Do not apply to wounds or
damaged skin ■ Do not bandage tightly

Stop use and ask doctor if:

Condition worsens ■ Symptoms persist for more than
7 days or clear up and occur again within a few days
■ Redness is present ■ Irritation develops

Keep out of reach of children.

If swallowed, get medical help or contact a Poison
Control Center right away.

Directions:

Adults and Children over 2 years: Apply to affected
area. Massage into painful area until thoroughly
absorbed into skin. Repeat as necessary, but no more
than 4 times daily. Children 2 years or younger: ask
a doctor.

Other Ingredients: Aloe Barbadensis (Aloe Vera Gel) Juice, Aqua
(Deionized Water), Arnica Montana Flower Extract, C13-14
Isoparaffin, Calendula Officinalis (Extract, Caprylyl Glycol,
Capsaicin, Centaurea Cyanus (Cornflower) Extract, Chamomilla
Matricaria (Chamomile) Extract, Chondroitin Sulfate, Coriandrum
Sativum (Coriander) Oil, Emu Oil, Glucosamine Sulfate, Glycerin,
Hamamelis Virginiana (Witch Hazel) Distillate, Hypericum
Perforatum (St. John's Wort), Laureth-7, Mentha Piperita
(Peppermint) Oil, Methylsulfonylmethane (MSM), Phenoxyethanol,
Polyacrylamide, Salix Alba (Willow) Bark Extract, SD-Alcohol 40B,
Sorbitol, Tilia Cordata (Linden) Bark Extract.

Questions? 877-787-7180

Distributed by: Real Time Products Inc
Edmond, OK 73003
www.RTPR.com



Package Labeling: 210ml



MAXX
PAIN RELIEF

Provides Temporary Relief from:
Arthritis, Simple Backache, Muscle Strains,
Sprains, Bruises, Cramps.



Topical Analgesic Lotion

7 fl. oz. / 210 mL

Drug Facts

Active Ingredient	Purpose
Menthol 1.5%.....	Topical Analgesic

Uses:

Temporarily relieves minor pain associated with:
Arthritis ■ Simple Backache ■ Muscle Strains ■
Sprains ■ Bruises ■ Cramps

Warnings:

For external use only

When using this product:

Use only as directed ■ Avoid contact with eyes or
mucous membranes ■ Do not apply to wounds or
damaged skin ■ Do not bandage tightly

Stop use and ask doctor if:

Condition worsens ■ Symptoms persist for more than
7 days or clear up and occur again within a few days
■ Redness is present ■ Irritation develops

Keep out of reach of children.

If swallowed, get medical help or contact a Poison
Control Center right away.

Directions:

Adults and Children over 2 years: Apply to affected
area. Massage into painful area until thoroughly
absorbed into skin. Repeat as necessary, but no more
than 4 times daily. Children 2 years or younger: ask
a doctor.

Other Ingredients: Aloe Barbadensis (Aloe Vera Gel) Juice, Aqua
(Deionized Water), Arnica Montana Flower Extract, C13-14 Isoparaffin,
Calendula Officinalis (Extract, Caprylyl Glycol, Capsaicin, Centaurea
Cyanus (Cornflower) Extract, Chamomilla Matricaria (Chamomile)
Extract, Chondroitin Sulfate, Coriandrum Sativum (Coriander) Oil, Emu
Oil, Glucosamine Sulfate, Glycerin, Hamamelis Virginiana (Witch
Hazel) Distillate, Hypericum Perforatum (St. John's Wort), Laureth-7,
Mentha Piperita (Peppermint) Oil, Methylsulfonylmethane (MSM),
Phenoxyethanol, Polyacrylamide, Salix Alba (Willow) Bark Extract,
SD-Alcohol 40B, Sorbitol, Tilia Cordata (Linden) Bark Extract.

Questions? 877-787-7180

Distributed by: Real Time Products Inc
Edmond, OK 73003
www.RTPR.com



Package Labeling: 354ml



MAXX
PAIN RELIEF

Provides Temporary Relief from:
Arthritis, Simple Backache, Muscle Strains,
Sprains, Bruises, Cramps.



Topical Analgesic Lotion

12 fl. oz. / 354 mL

Drug Facts

Active Ingredient	Purpose
Menthol 1.5%.....	Topical Analgesic

Uses:

Temporarily relieves minor pain associated with:
Arthritis ■ Simple Backache ■ Muscle Strains ■
Sprains ■ Bruises ■ Cramps

Warnings:

For external use only

When using this product:

Use only as directed ■ Avoid contact with eyes or
mucous membranes ■ Do not apply to wounds or
damaged skin ■ Do not bandage tightly

Stop use and ask doctor if:

Condition worsens ■ Symptoms persist for more than
7 days or clear up and occur again within a few days
■ Redness is present ■ Irritation develops

Keep out of reach of children.

If swallowed, get medical help or contact a Poison
Control Center right away.

Directions:

Adults and Children over 2 years: Apply to affected
area. Massage into painful area until thoroughly
absorbed into skin. Repeat as necessary, but no more
than 4 times daily. Children 2 years or younger: ask
a doctor.

Other Ingredients: Aloe Barbadensis (Aloe Vera Gel) Juice, Aqua
(Deionized Water), Arnica Montana Flower Extract, C13-14 Isoparaffin,
Calendula Officinalis (Extract, Caprylyl Glycol, Capsaicin, Centaurea
Cyanus (Cornflower) Extract, Chamomilla Matricaria (Chamomile)
Extract, Chondroitin Sulfate, Coriandrum Sativum (Coriander) Oil, Emu
Oil, Glucosamine Sulfate, Glycerin, Hamamelis Virginiana (Witch
Hazel) Distillate, Hypericum Perforatum (St. John's Wort), Laureth-7,
Mentha Piperita (Peppermint) Oil, Methylsulfonylmethane (MSM),
Phenoxyethanol, Polyacrylamide, Salix Alba (Willow) Bark Extract,
SD-Alcohol 40B, Sorbitol, Tilia Cordata (Linden) Bark Extract.

Questions? 877-787-7180

Distributed by: Real Time Products Inc
Edmond, OK 73003
www.RTPR.com



Package Labeling: 473ml



MAXX
PAIN RELIEF

Provides Temporary Relief from:
Arthritis, Simple Backache, Muscle Strains,
Sprains, Bruises, Cramps.



Topical Analgesic Lotion
16 fl. oz. / 473 mL

Drug Facts

Active Ingredient	Purpose
Menthol 1.5%.....	Topical Analgesic

Uses:

Temporarily relieves minor pain associated with:
Arthritis ■ Simple Backache ■ Muscle Strains ■
Sprains ■ Bruises ■ Cramps

Warnings:

For external use only

When using this product:

Use only as directed ■ Avoid contact with eyes or
mucous membranes ■ Do not apply to wounds or
damaged skin ■ Do not bandage tightly

Stop use and ask doctor if:

Condition worsens ■ Symptoms persist for more than
7 days or clear up and occur again within a few days
■ Redness is present ■ Irritation develops

Keep out of reach of children.

If swallowed, get medical help or contact a Poison
Control Center right away.

Directions:

Adults and Children over 2 years: Apply to affected
area. Massage into painful area until thoroughly
absorbed into skin. Repeat as necessary, but no more
than 4 times daily. Children 2 years or younger: ask
a doctor.


Other Ingredients: Aloe Barbadensis (Aloe Vera Gel) Juice,
Aqua (Deionized Water), Arnica Montana Flower Extract,
C13-14 Isoparaffin, Calendula Officinalis (Extract, Caprylyl
Glycol, Capsaicin, Centaurea Cyanus (Cornflower) Extract,
Chamomilla Matricaria (Chamomile) Extract, Chondroitin
Sulfate, Coriandrum Sativum (Coriander) Oil, Emu Oil,
Glucosamine Sulfate, Glycerin, Hamamelis Virginiana (Witch
Hazel) Distillate, Hypericum Perforatum (St. John's Wort),
Laureth-7, Mentha Piperita (Peppermint) Oil, Methylsulfonyl-
methane (MSM), Phenoxyethanol, Polyacrylamide, Salix Alba
(Willow) Bark Extract, SD-Alcohol 40B, Sorbitol, Tilia Cordata
(Linden) Bark Extract.

Questions? 877-787-7180

Distributed by: Real Time Products Inc
Edmond, OK 73003
www.RTPR.com



Package Labeling: 1893ml



REAL TIME PAIN RELIEF MAXX TOPICAL ANALGESIC

menthol lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:84573-517
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	15 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
WATER (UNII: 059QF0KO0R)	
ARNICA MONTANA FLOWER (UNII: OZ0E5Y15PZ)	
C13-14 ISOPARAFFIN (UNII: E4F12ROE70)	
CALENDULA OFFICINALIS FLOWER (UNII: P0M7O4Y7YD)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
CAPSAICIN (UNII: S07O44R1ZM)	
CHAMOMILE (UNII: FGL3685T2X)	
CORIANDER (UNII: 1OV56052IK)	
EMU OIL (UNII: 344821WD61)	
GLUCOSAMINE SULFATE (UNII: 1FW7WLR731)	
GLYCERIN (UNII: PDC6A3C0OX)	
WITCH HAZEL (UNII: 101I4J0U34)	
HYPERICUM PERFORATUM WHOLE (UNII: XK4IUX8MNB)	

LAURETH-7 (UNII: Z95S6G8201)				
PEPPERMINT OIL (UNII: AV092KU4JH)				
DIMETHYL SULFONE (UNII: 9H4PO4Z4FT)				
PHENOXYETHANOL (UNII: HIE492ZZ3T)				
SALIX ALBA BARK (UNII: 205MXS71H7)				
SORBITOL (UNII: 506T60A25R)				
LEVOISOMETHADONE (UNII: F16TLI77RN)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84573-517-03	88 mL in 1 TUBE; Type 0: Not a Combination Product	07/12/2024	
2	NDC:84573-517-04	120 mL in 1 TUBE; Type 0: Not a Combination Product	07/12/2024	
3	NDC:84573-517-05	147.8 mL in 1 TUBE; Type 0: Not a Combination Product	07/12/2024	
4	NDC:84573-517-07	210 mL in 1 TUBE; Type 0: Not a Combination Product	07/12/2024	
5	NDC:84573-517-12	354 mL in 1 TUBE; Type 0: Not a Combination Product	07/12/2024	
6	NDC:84573-517-16	473 mL in 1 TUBE; Type 0: Not a Combination Product	07/12/2024	
7	NDC:84573-517-64	1893 mL in 1 BOTTLE; Type 0: Not a Combination Product	08/16/2024	
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug		M017	07/12/2024	

Labeler - REAL TIME PRODUCTS, INC (117624292)

Revised: 8/2024

REAL TIME PRODUCTS, INC