CHILDRENS ACETAMINOPHEN- acetaminophen tablet, chewable United Natural Foods, Inc. dba UNFI

Equaline 44-449-children

Active ingredient (in each chewable tablet)

Acetaminophen 160 mg

Purpose

Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
 - headache
 - sore throat
 - flu
 - toothache
 - the common cold
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if your child takes

- more than 5 doses in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if your child is allergic to acetaminophen or any of the inactive ingredients in this

Ask a doctor before use if your child has

liver disease.

Ask a doctor or pharmacist before use if your child is

taking the blood thinning drug warfarin.

When using this product

do not exceed recommended dosage.

Stop use and ask a doctor if

- pain gets worse or lasts more than 5 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- this product does not contain directions or complete warnings for adult use
- do not give more than directed
- find the right dose on chart below. If possible, use weight to dose; otherwise, use age.
- chew or crush tablets completely before swallowing; do not swallow tablets whole
- repeat dose every 4 hours while symptoms last
- do not give more than 5 times in 24 hours
- do not give for more than 5 days unless directed by a doctor

Weight (lb)	Age (yr)	Dose (chewable tablets)*
Under 24	Under 2	Ask a doctor
24-35	2-3	1 tablet
36-47	4-5	1 1/2 tablets
48-59	6-8	2 tablets
60-71	9-10	2 1/2 tablets
72-95	11	3 tablets

Other information

- TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN
- avoid high humidity
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

Inactive ingredients

citric acid, crospovidone, D&C red #27 aluminum lake, D&C red #30 aluminum lake, dextrates hydrated, ethylcellulose, FD&C blue #1 aluminum lake, flavors, magnesium stearate, mannitol, polyethylene, stearic acid, sucralose

Questions or comments?

1-855-423-2630

Principal Display Panel

EQUALINE®

compare to Children's Tylenol®

active ingredient** NDC 41163-494-08

children's

acetaminophen

160 mg, chewable tablets pain reliever/fever reducer

for ages 2-11

grape flavor

- aspirin free
- ibuprofen free

CHEW OR CRUSH TABLETS COMPLETELY BEFORE SWALLOWING. DO NOT SWALLOW TABLETS WHOLE.

24 chewable tablets

actual size

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

100% Quality GUARANTEED

Like it or let us make it right. **That's our quality promise.**855-423-2630
supervaluprivatebrands.com **DISTRIBUTED BY UNFI PROVIDENCE, RI 02908 USA**

**This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Children's Tylenol[®].

50844 REV0522D44908

EQUALINE®

children's

acetaminophen

160 mg, chewable tablets

pain reliever/fever reducer

24 chewable tablets

EQUALINE®

compare to Children's Tylenol® NDC 41163-494-08

children's

acetaminophen

160 mg, chewable tablets

pain reliever/fever reducer

for ages 2-11 grape flavor

- aspirin free
- ibuprofen free

CHEW OR CRUSH TABLETS COMPLETELY BEFORE SWALLOWING. DO NOT SWALLOW TABLETS WHOLE.

2 TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING 42584 41163 O

**This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Children's Tylenol®. 50844 REV0522D44908

Like it or let us make it right.

That's our quality promise.
855-423-2630 PROVIDENCE, RI 02908 USA DISTRIBUTED BY UNFI

100% Quality Guaranteed

Drug Facts (continued)

B-0019E-449-08-RR REV0522D44908

luestions or comments? 1-855-423-2630

No print/No varnish

ot & Exp date

Inactive ingredients cinic acid, crospovidone, D&C red #27 aluminum lake, D&C red #30 aluminum lake, dextrates hydrated, ethylosellulose, FD&C blue #1 aluminum lake, flavors, magnesium stearate, mannitol, polyethylene, steario acid, sucralose

24 chewable tablets

include:

Warnings

 temporarily reduces fever due to: ■ toothache headache sore throat the common n cold

 more than 5 doses in 24 hours, which is occur if your child takes Liver warning: This product contains acetaminophen. Severe liver damage may the maximum daily amount

recommended dosage

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may with other drugs containing acetaminopher

If a skin reaction occurs, stop use and seek medical help right away. ■skin reddening ■blisters ■ rash Sore throat warning: If sore throat is severe,

rash, nausea, or vomiting, consult a doctor persists for more than 2 days, is accompanied or followed by fever, headache, overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not new symptoms occur
 redness or swelling is present
 These could be signs of a serious Keep out of reach of children. In case of notice any signs or symptoms

Drug Facts

(in each chewable tablet) Active ingredient

Purpose

 temporarily relieves minor aches and pairs if your child is allergic to acetaminophen or any of the inactive ingredients in this

Uses

Ask a doctor before use if your child has

Ask a doctor or pharmacist before use if your child is taking the blood thinning

When using this product do not exceed

Weight (lb) Under 24 directed by a doctor 24-35 Under 2 Age (yr) (chewable tablets) Ask a doctor 0000

Drug Facts continued

Do not use
■ with any other drug containing
acetaminophen (prescription or ask a doctor or pharmacist nonprescription). If you are not sure whether a drug contains acetaminophen

> do not give more than directed find the right dose on chart below. If for adult use contain directions or complete warnings

Directions Drug Facts

 this product does not (continued)

 repeat dose every 4 hours while symptoms chew or crush tablets completely before swallowing; do not swallow tablets whole use age. possible, use weight to dose; otherwise

■ do not give more than 5 times in 24 hours
■ do not give for more than 5 days unless

or as directed by a doctor 9.50 89 5 2-3

36-47 48-59 72-95 2 1/2 tablets 1/2 tablets 2 tablets 3 tablets tablet

■ fever gets worse or lasts more than 3 pain gets worse or lasts more than 5 Stop use and ask a doctor if

days

OR BROKEN ■ avoid high humidity
■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F) ■ see end Other information

TAMPER EVIDENT: DO NOT USE IF OUTER
PACKAGE IS OPENED OR BLISTER IS TORN

flap for expiration date and lot number

Equaline 44-449

CHILDRENS ACETAMINOPHEN

acetaminophen tablet, chewable

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:41163-494

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength

ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII: 36209ITL9D) ACETAMINOPHEN 160 mg

Inactive Ingredients

3 ** * * *	
Ingredient Name	Strength
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
CROSPOVIDONE, UNSPECIFIED (UNII: 2S7830E561)	
D&C RED NO. 27 ALUMINUM LAKE (UNII: ZK64F7XSTX)	
D&C RED NO. 30 ALUMINUM LAKE (UNII: GE75M6YV5W)	
DEXTROSE MONOHYDRATE (UNII: LX22YL083G)	
ETHYLCELLULOSE, UNSPECIFIED (UNII: 7Z8S9VYZ4B)	
FD&C BLUE NO. 1 ALUMINUM LAKE (UNII: J9EQA3S2JM)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MANNITOL (UNII: 30WL53L36A)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

Product Characteristics

SUCRALOSE (UNII: 96K6UQ3ZD4)

Color	purple	Score	2 pieces
Shape	ROUND	Size	16mm
Flavor	GRAPE	Imprint Code	44;449
Contains			

Contains

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41163-494- 08	4 in 1 CARTON	01/28/2005	
1		6 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	01/28/2005	

Labeler - United Natural Foods, Inc. dba UNFI (943556183)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	pack(41163-494)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(41163-494) , pack(41163-494)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	pack(41163-494)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(41163-494)

Revised: 6/2024 United Natural Foods, Inc. dba UNFI