

**DM COUGH AND CONGESTION RELIEF ADULT NON-DROWSY SUGAR FREE-
dextromethorphan hydrobromide, guaifenesin liquid
Dolgenercorp, Inc. (DOLLAR GENERAL & REXALL)**

Drug Facts

Active Ingredients (in each 10 mL)

Dextromethorphan HBr 10 mg
Guaifenesin 100 mg

Purpose

Cough suppressant
Expectorant

Uses

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
- helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes

Warnings

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Do not use

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis or emphysema

Stop use and ask a doctor if

cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided. Do not use any other dosing device.
- keep dosing cup with product
- mL = milliliter
- this adult product is not intended for use in children under 12 years of age
- children under 12 years: do not use

Other Information

- each 10 mL contains: potassium 5 mg
- store between 20-25°C (68-77°F). Do not refrigerate.

Inactive Ingredients

acesulfame potassium, citric acid, flavors, glycerin, methylparaben, polyethylene glycol, povidone, propylene glycol, purified water, saccharin sodium, sodium benzoate

Questions or comments?

Call toll free 1-866-4-REXALL

Principal Display Panel

Adult

NON-DROWSY SUGAR FREE

DM Cough & Congestion Relief

DEXTROMETHORPHAN HBr (Cough Suppressant)

GUAIFENESIN (Expectorant)

GLUTEN FREE

- Diabetics formula
- Relieves mucus & chest congestion
- Alcohol free

FL OZ (mL)

Dosage cup included

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL AROUND BOTTLE OR UNDER CAP IS BROKEN OR MISSING.

Visit us at: Rexall.com

PACKAGED FOR DOLGENCORP, LLC

100 MISSION RIDGE

GOODLETTSVILLE, TN 37072 USA

Package Label

<p>Drug Facts (continued)</p> <p>Inactive ingredients: acesulfame potassium, citric acid, flavor, glycerin, methylparaben, polyethylene glycol, povidone, propylene glycol, purified water, saccharin sodium, sodium benzoate</p> <p>Questions or comments? Call toll free 1-866-4-REXALL</p> <p>TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL AROUND BOTTLE OR UNDER CAP IS BROKEN OR MISSING.</p>  <p>Dosage cup included</p> <p>Visit us at: Rexall.com or call 1-866-4-REXALL</p> <p>PACKAGED FOR DOLGENCORP, LLC 100 MISSION RIDGE GOODLETTSVILLE, TN 37072 USA</p> <p>PARENTS: Learn about teen medicine abuse www.StopMedicineAbuse.org</p>	<p>Since 1903 Rexall</p> <p>Adult NON-DROWSY SUGAR FREE</p> <p>DM Cough & Congestion Relief  GLUTEN FREE</p> <p>DEXTROMETHORPHAN HBr (Cough Suppressant) GUAIFENESIN (Expectorant)</p> <ul style="list-style-type: none"> • Diabetics formula • Relieves mucus & chest congestion • Alcohol free <p>4 FL OZ (118 mL)</p>	<p>Since 1903 Rexall</p> <p>Adult NON-DROWSY SUGAR FREE</p> <p>DM Cough & Congestion Relief  GLUTEN FREE</p> <p>DEXTROMETHORPHAN HBr (Cough Suppressant) GUAIFENESIN (Expectorant)</p> <ul style="list-style-type: none"> • Diabetics formula • Relieves mucus & chest congestion • Alcohol free <p>4 FL OZ (118 mL)</p>	<p>Drug Facts</p> <table border="1"> <thead> <tr> <th>Active ingredients (in each 10 mL)</th> <th>Purposes</th> </tr> </thead> <tbody> <tr> <td>Dextromethorphan HBr 10 mg.....</td> <td>Cough suppressant</td> </tr> <tr> <td>Guaifenesin 100 mg.....</td> <td>Expectorant</td> </tr> </tbody> </table> <p>Uses</p> <ul style="list-style-type: none"> ■ temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold ■ helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes <p>Warnings</p> <p>Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.</p> <p>Ask a doctor before use if you have</p> <ul style="list-style-type: none"> ■ cough that occurs with too much phlegm (mucus) ■ cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis or emphysema <p>Stop use and ask a doctor if cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.</p> <p>If pregnant or breast-feeding, ask a health professional before use.</p> <p>Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.</p> <p>Directions</p> <ul style="list-style-type: none"> ■ do not take more than 6 doses in any 24-hour period ■ measure only with dosing cup provided. Do not use any other dosing device. ■ keep dosing cup with product ■ mL = milliliter ■ this adult product is not intended for use in children under 12 years of age ■ adults and children 12 years and over: 10 mL every 4 hours ■ children under 12 years: do not use <p>Other information</p> <ul style="list-style-type: none"> ■ each 10 mL contains: potassium 5 mg ■ store between 20-25°C (68-77°F). Do not refrigerate. 	Active ingredients (in each 10 mL)	Purposes	Dextromethorphan HBr 10 mg.....	Cough suppressant	Guaifenesin 100 mg.....	Expectorant
Active ingredients (in each 10 mL)	Purposes								
Dextromethorphan HBr 10 mg.....	Cough suppressant								
Guaifenesin 100 mg.....	Expectorant								
<p>AO468 PLD-D324B FC003510</p>  <p>7 15256 74404 1</p>	<p>Rexall DM Cough & Congestion Relief</p>								

DM COUGH AND CONGESTION RELIEF ADULT NON-DROWSY SUGAR FREE

dextromethorphan hydrobromide, guaifenesin liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55910-584
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg in 10 mL
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	100 mg in 10 mL

Inactive Ingredients

Ingredient Name	Strength
ACESULFAME POTASSIUM (UNII: 23OV73Q5G9)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
GLYCERIN (UNII: PDC6A3C0OX)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POVIDONE (UNII: FZ989GH94E)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55910-584-04	1 in 1 BOX	04/30/2016	04/30/2024
1		118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	04/30/2016	04/30/2024

Labeler - Dolgencorp, Inc. (DOLLAR GENERAL & REXALL) (068331990)

Revised: 3/2024

Dolgencorp, Inc. (DOLLAR GENERAL & REXALL)