

OXYGEN- oxygen gas
Arkansas Welding Supply, Inc.

oxygen


OXYGEN, COMPRESSED USP UN1072

AWI SUPPLY 230 Valley Street Hot Springs, AR 71901 501-321-9922

OXYGEN 2

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Produced by Air Liquefaction. DANGER: MAY CAUSE OR INTENSIFY FIRE; OXYDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire; Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 C (125 F). Read and follow the Safety Data Sheet (SDS) before use.

CAS: 7782-44-7 DO NOT REMOVE THIS PRODUCT LABEL



AWI SUPPLY OXYGEN PRODUCED BY AIR-LIQUEFACTION PROCESS MEETS USP REQUIREMENTS

FACILITY___ UNIT NO. ___ TESTER NO. ___ QUANTITY___ CU.FT.

LOT NO. ___ PURITY___ IDENTITY___ ___ ODOR WITNESS___

DATE___ OPERATOR___

ARKANSES WELDING AND INDUSTRIAL SUPPLY, INC. CERTIFIES THE OXYGEN PRODUCT DELIVERED MEETS AND EXCEEEDS PURITY SPECIFICATIONS FOR USP PRODUCT AS DEFINED BY THE FOOD AND DRUG ADMINISTRATION.

THIS TAG MUST BE REMOVED ONLY BY EMPLOYEE RESPONSIBLE FOR REFILLING



OXYGEN

PRODUCED BY AIR-LIQUEFACTION PROCESS
MEETS USP REQUIREMENTS

FACILITY _____

UNIT NO. _____

TESTER NO. _____

QUANTITY _____ CU. FT.

LOT NO. _____

PURITY _____

IDENTITY _____

_____ ODOR

WITNESS _____

DATE _____

OPERATOR _____

ARKANSAS WELDING AND INDUSTRIAL SUPPLY, INC. CERTIFIES
THE OXYGEN PRODUCT DELIVERED MEETS AND EXCEEDS PURITY
SPECIFICATIONS FOR USP PRODUCT AS DEFINED BY THE FOOD
AND DRUG ADMINISTRATION.

**THIS TAG MUST BE REMOVED ONLY BY
EMPLOYEE RESPONSIBLE FOR REFILLING**

OXYGEN, COMPRESSED USP

UN1072

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Produced by Air Liquefaction. **DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED.** Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 C (125 F). Read and follow the Safety Data Sheet (SDS) before use. CAS: 7782-44-7 DO NOT REMOVE THIS PRODUCT LABEL.

AWI SUPPLY

230 Valley St.

Hot Springs, AR 71901

888-999-9353



OXYGEN

oxygen gas

Product Information

Product Type	PRESCRIPTION ANIMAL DRUG	Item Code (Source)	NDC:65603-011
Route of Administration	RESPIRATORY (INHALATION)		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Oxygen (UNII: S88TT14065) (Oxygen - UNII:S88TT14065)	Oxygen	992 mL in 1 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:65603-011-01	105 L in 1 CYLINDER		
2	NDC:65603-011-02	150 L in 1 CYLINDER		
3	NDC:65603-011-03	209 L in 1 CYLINDER		
4	NDC:65603-011-04	248 L in 1 CYLINDER		
5	NDC:65603-011-05	420 L in 1 CYLINDER		
6	NDC:65603-011-06	690 L in 1 CYLINDER		
7	NDC:65603-011-07	1724 L in 1 CYLINDER		
8	NDC:65603-011-08	3470 L in 1 CYLINDER		
9	NDC:65603-011-09	9600 L in 1 CYLINDER		
10	NDC:65603-011-10	9340 L in 1 CYLINDER		
11	NDC:65603-011-11	180 L in 1 CYLINDER		
12	NDC:65603-011-12	160 L in 1 DEWAR		
13	NDC:65603-011-13	41 L in 1 DEWAR		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NADA	NADA141382	10/20/2001	

Labeler - Arkansas Welding Supply, Inc. (093414308)

Establishment

Name	Address	ID/FEI	Business Operations
Arkansas Welding Supply, Inc.		093414308	manufacture

Establishment

Name	Address	ID/FEI	Business Operations
Arkansas Welding Supply, Inc.		079644098	manufacture