

**MUCUS RELIEF EXTENDED RELEASE- guaifenesin tablet**  
**Redpharm Drug Inc.**

-----  
**Drug Facts**

**Active ingredient (in each extended-release tablet)**

Guaifenesin 600 mg

**Purpose**

Expectorant

**Uses**

Helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and makes coughs more productive.

**Warnings**

**Do not use**

for children under 12 years of age.

**Ask a doctor before use if you have**

- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis or emphysema
- cough accompanied by too much phlegm (mucus)

**Stop use and ask a doctor if**

cough lasts more than 7 days, comes back, or occurs with fever, rash or persistent headache. These could be signs of a serious illness.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Directions**

- do not crush, chew, or break tablet
- take with a full glass of water
- this product can be administered without regard for the timing of meals

- adults and children 12 years of age and over: 1 or 2 tablet every 12 hours. Do not exceed 4 tablets in 24 hours.
- children under 12 years of age: do not use

**Other information**

- store between 20° to 25°C (68° to 77°F)

**Inactive ingredients**

carbomer, colloidal silicon dioxide, FD&C blue #1 aluminum lake, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, povidone, talc

**Questions or comments?**

Call **1-877-753-3935** Monday-Friday 9AM-5PM EST

**Principal Display Panel**

Compare to the active ingredient in Mucinex®\*

Mucus Relief

Guaifenesin 600 mg

Expectorant

12-hour relief

Relieves chest congestion

Thins and loosens mucus

Extended-release tablets

\*This product is not manufactured or distributed by Reckitt Benckiser LLC, distributor of Mucinex®.

**TAMPER EVIDENT: DO NOT USE IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.**

**KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.**

Distributed by:

**Rugby Laboratories**

17177 N Laurel Park Drive, Suite 233

Livonia, MI 48152

[www.rugbylaboratories.com](http://www.rugbylaboratories.com)

**Package Label**

<b>Drug Facts</b>	
<b>Active ingredient</b> (in each extended-release tablet) Guaifenesin 600 mg	<b>Purpose</b> Expectorant
<b>Uses</b> Helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive.	
<b>Warnings</b> Do not use for children under 12 years of age.	
<b>Ask a doctor before use if you have</b> <ul style="list-style-type: none"> <li>■ persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema</li> <li>■ cough accompanied by too much phlegm (mucus)</li> </ul>	
<b>Stop use and ask a doctor if</b> cough lasts more than 7 days, comes back, or occurs with fever, rash or persistent headache. These could be signs of a serious illness.	
if pregnant or breast-feeding, ask a health professional before use. <b>Keep out of reach of children.</b> In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).	
<b>Directions</b> <ul style="list-style-type: none"> <li>■ do not crush, chew, or break tablet</li> <li>■ take with a full glass of water</li> <li>■ this product can be administered without regard for the timing of meals</li> <li>■ adults and children 12 years of age and over: 1 or 2 tablets every 12 hours. Do not exceed 4 tablets in 24 hours.</li> <li>■ children under 12 years of age: do not use</li> </ul>	
<b>Other information</b> <ul style="list-style-type: none"> <li>■ store between 20° to 25°C (68° to 77°F)</li> </ul>	
<b>Inactive ingredients</b> carbomer, colloidal silicon dioxide, FD&C blue #1 aluminum lake, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, povidone, taic	
<b>Questions or comments?</b> Call 1-877-753-3935 Monday-Friday 9AM-5PM EST	

\*This product is not manufactured or distributed by Reckitt Benckiser LLC, distributor of Mucinex®.

Re-order No. 370666  
R-58  
Rev. 08/18

Distributed by:  
**Rugby Laboratories**  
17177 N Laurel Park Drive, Suite 233  
Livonia, MI 48152  
www.rugbylaboratories.com



NDC 0536-1163-61

Compare to the active ingredient in Mucinex\*\*



**100** Extended-release tablets

TAMPER EVIDENT: DO NOT USE IF BLISTER UNIT IS  
TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.  
KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

Lot No.:  
Exp. Date:

## MUCUS RELIEF EXTENDED RELEASE

guaifenesin tablet

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:67296-1467(NDC:0536-1163)
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>GUAIFENESIN</b> (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	600 mg

### Inactive Ingredients

Ingredient Name	Strength

<b>CARBOMER 934</b> (UNII: Z135WF9208)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>FD&amp;C BLUE NO. 1</b> (UNII: H3R47K3TBD)	
<b>HYPROMELLOSE, UNSPECIFIED</b> (UNII: 3NXW29V3WO)	
<b>LACTOSE MONOHYDRATE</b> (UNII: EWQ57Q8I5X)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>CELLULOSE, MICROCRYSTALLINE</b> (UNII: OP1R32D61U)	
<b>POVIDONE</b> (UNII: FZ989GH94E)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	

### Product Characteristics

<b>Color</b>	blue	<b>Score</b>	no score
<b>Shape</b>	OVAL	<b>Size</b>	16mm
<b>Flavor</b>		<b>Imprint Code</b>	AN036
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:67296-1467-7	1 in 1 BOTTLE; Type 0: Not a Combination Product	08/31/2018	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA207342	08/31/2018	

**Labeler** - Redpharm Drug Inc. (828374897)

### Establishment

Name	Address	ID/FEI	Business Operations
Redpharm Drug Inc.		828374897	repack(67296-1467)

Revised: 2/2023

Redpharm Drug Inc.