

OXYGEN- oxygen gas
Fielden Gas Products, Inc.

Oxygen

Product Label OXYGEN COMPRESSED USP

OXYGEN, COMPRESSED USP UN1072 OXYGEN 2

DANGER:

MAY CAUSE OR INTENSIFY FIRE; OXIDIZER, CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED.

Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible material. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52° C (125° F). Read and follow the Safety Data Sheet (SDS) before use.

DO NOT REMOVE THIS PRODUCT LABEL

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications. **Rx only.** Uninterrupted use of high concentrations of oxygen over a long duration without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Produced by Air Liquefaction. © Applied Home Healthcare Equipment 2014

CAS 7782-44-7

Contents	Size
113 Liters	__M4
165 Liters	__M6
255 Liters	__ C
425 Liters	__ D
680 Liters	__ E
7080 Liters	__ H
__ Liters	__ Other

Fielden Gas Products

28300 N Wind Dr

Wright City, MO 63390


877-593-2091

OXYGEN, COMPRESSED USP

UN 1072

DANGER:

MAY CAUSE OR INTENSIFY FIRE; OXIDIZER.
CONTAINS GAS UNDER PRESSURE;
MAY EXPLODE IF HEATED.



Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 °C (125 °F). Read and follow the Safety Data Sheet (SDS) before use.

CAS NO: 7782-44-7

DO NOT REMOVE THIS PRODUCT LABEL.

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **Rx only**. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Produced by Air Liquefaction. ©Applied Home Healthcare Equipment 2014

Contents	Size
113 Liters	<input type="checkbox"/> M4
165 Liters	<input type="checkbox"/> M6
255 Liters	<input type="checkbox"/> C
425 Liters	<input type="checkbox"/> D
680 Liters	<input type="checkbox"/> E
7080 Liters	<input type="checkbox"/> H
____ Liters	<input type="checkbox"/> Other

Fielden Gas Products

28300 N Wind Dr

Wright City, MO 63390

877-593-2091

OXYGEN

oxygen gas

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:53975-001
Route of Administration	RESPIRATORY (INHALATION)		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	99 L in 100 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53975-001-01	690 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2013	
2	NDC:53975-001-02	164.5 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2013	
3	NDC:53975-001-03	420 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2013	
4	NDC:53975-001-04	6900 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2013	
5	NDC:53975-001-05	8510 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2013	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA205865	01/01/2013	

Labeler - Fielden Gas Products, Inc. (078644672)

Registrant - Fielden Gas Products, Inc. (078644672)

Establishment

Name	Address	ID/FEI	Business Operations
Fielden Gas Products, Inc.		078644672	manufacture(53975-001)