

**MEDI-FIRST- bacitracin zinc, neomycin sulfate, polymyxin b sulfate ointment**  
**Orazen Inc**

-----  
**71927-017-01, -03, MEDI-FIRST**  
**Triple Antibiotic Ointment**

***Active ingredients***

(in each gram)

Bacitracin zinc 400 units

Neomycin sulfate equivalent to 3.5 mg of neomycin base

Polymyxin B sulfate 5,000 units

***Purpose***

First Aid antibiotic

First Aid antibiotic

First Aid antibiotic

***Uses***

First aid to help prevent infection in minor cuts, scrapes, and burns

**Warning**

**For external use only.**

**Do not use**

- in the eyes
- internally
- over large areas of the body
- if you are allergic to any of the ingredients
- longer than 1 week unless directed by a doctor

**Ask a doctor before use**

- in case of deep puncture wounds, animal bites or serious burns.

**Stop use and ask a doctor if**

- the condition persists or gets worse
- a rash or other allergic reaction develops

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center immediately.

***Directions***

- clean the affected area
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

***Other information***

- store at room temperature (59°-86°F) (do not freeze)
- tamper evident. Do not use if packet is torn, cut or opened.

***Inactive ingredients***

mineral oil, petrolatum, water

***Questions or comments?***

1-800-634-7680

# Triple Antibiotic Ointment

NET WT. 1/57 oz (0.5 g) Packet

## Active ingredients (in each gram)

Bacitracin zinc 400 units.....	First aid antibiotic
Neomycin sulfate (equivalent to 3.5 mg of neomycin base).....	First aid antibiotic
Polymyxin B sulfate 5000 units .....	First aid antibiotic

## Purposes

Mfg. for Medique Products  
Fort Myers, FL 33967 USA

Store at room temperature (59°-86°F) (do not freeze)

Tamper Evident Sealed Packet

**Uses** First aid to help prevent infection in minor cuts, scrapes, and burns

**Warnings** For external use only. Do not use ■ in the eyes ■ internally ■ over large areas of the body ■ if you are allergic to any of the ingredients ■ longer than 1 week unless directed by a doctor. Ask a doctor before use ■ in case of deep puncture wounds, animal bites or serious burns. Stop use and ask a doctor if ■ the condition persists or gets worse ■ a rash or other allergic reaction develops Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately.

**Directions** ■ clean the affected area ■ apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily ■ may be covered with a sterile bandage.

Retain Carton for Complete Product Information



**MEDI-FIRST®**  
Triple Antibiotic Ointment

**MEDI-FIRST®**  
Triple Antibiotic Ointment

**MEDI-FIRST®**  
Triple Antibiotic Ointment

**MEDI-FIRST®**  
Triple Antibiotic Ointment

**Información del Medicamento**

**Ingredientes activos (cada gramo contiene)** **Propiedades**  
 Bacitracina zinc 400 unidades..... Antibiótico de primera auxilio  
 Sulfato de neomicina (equivalente a 3.5 mg de neomicina base)..... Antibiótico de primera auxilio  
 Sulfato de polimixina B 5000 unidades..... Antibiótico de primera auxilio

**Usos**  
 Primeros auxilios para ayudar a la prevención de infección en pequeñas cortaduras, raspones y quemaduras

**Advertencias**  
 Para uso externo solamente.

No lo use

- en los ojos
- internamente
- en zonas extensas del cuerpo
- si usted es alérgico a cualquiera de los ingredientes contenidos en éste
- más de 1 semana, a menos que el médico lo señale

Consulte con un médico antes de administrarlo

- en caso de lesiones de heridas profundas o penetrantes, mordeduras de animales o quemaduras graves

Suspienda su uso y consulte con el médico si

- persisten o empeoran las molestias
- aparece supuración o cualquier otra reacción alérgica

Evite que cada uno de los medicamentos forme una película de los sitios.

En caso de infección, obtenga ayuda médica o lleve a un centro de control de enfermedades inmediatamente.

**Instrucciones**

- limpie la zona afectada
- aplique pequeñas cantidades de este producto (lo equivalente al área de la punta de un dedo) sobre la zona afectada (de 1 a 3 veces al día)
- puede cubrirse con un vendaje estérilizado

**Otra información**

- almacene a temperatura ambiente (20°-25°C) (no lo congele)
- entonces con indicación evidente. No usar si el paquete está roto, cortado o abierto.

**Ingredientes inactivos:** aceite mineral, petróleo, agua

**¿Tiene alguna pregunta o comentario?** 1-800-634-7680

**Drug Facts**

**Active ingredients (in each gram)** **Purposes**  
 Bacitracin zinc 400 units..... First aid antibiotic  
 Neomycin sulfate (equivalent to 3.5 mg neomycin base)..... First aid antibiotic  
 Polymyxin B sulfate 5000 units..... First aid antibiotic

**Uses**  
 First aid to help prevent infection in minor cuts, scrapes and burns

**Warnings**  
 For external use only.

Do not use

- in the eyes
- internally
- over large areas of the body
- if you are allergic to any of the ingredients
- longer than 1 week unless directed by a doctor

Ask a doctor before use

- in case of deep puncture wounds, animal bites or serious burns

Stop use and ask a doctor if

- the condition persists or gets worse
- if a rash or other allergic reaction develops

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- clean the affected area
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- tamper evident. Do not use if packet is torn, cut or opened.
- may be covered with a sterile bandage

**Other information**

- store at room temperature (20°-25°C) (do not freeze)
- tamper evident. Do not use if packet is torn, cut or opened.

**Inactive ingredient:** mineral oil, petroleum, water

**Questions or comments?** 1-800-634-7680

**MEDI-FIRST®**  
Triple Antibiotic Ointment

**First aid to help prevent infection in minor cuts, scrapes and burns**

Primeros auxilios para ayudar a la prevención de infección en pequeñas cortaduras, raspones y quemaduras

Bacitracin Zinc 400 units / Neomycin Sulfate 3.5 mg / Polymyxin B Sulfate 5000 units  
**First Aid Antibiotic**

Bacitracina-zinc 400 unidades / Sulfato de Neomicina 3.5 mg / Sulfato de Polimixina-B 5000 unidades  
**Antibiótico de primera auxilio**

**MEDI-FIRST®**  
Triple Antibiotic Ointment

**First aid to help prevent infection in minor cuts, scrapes and burns**

Primeros auxilios para ayudar a la prevención de infección en pequeñas cortaduras, raspones y quemaduras

Bacitracin Zinc 400 units / Neomycin Sulfate 3.5 mg / Polymyxin B Sulfate 5000 units  
**First Aid Antibiotic**

Bacitracina-zinc 400 unidades / Sulfato de Neomicina 3.5 mg / Sulfato de Polimixina-B 5000 unidades  
**Antibiótico de primera auxilio**

Conservar la caja para obtener la información completa del producto  
 Product # 22335  
 144 per box

Retain carton for complete product information.  
 Manufactured for  
 Medique Products  
 Fort Myers, FL 33967  
 1-800-634-7680



0.5 g (1/57 oz) Packets  
 144 per box

Product # 22335  
 144 per box

**MEDI-FIRST**  
 bacitracin zinc, neomycin sulfate, polymyxin b sulfate ointment

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:71927-017
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>BACITRACIN ZINC</b> (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	400 [USP'U] in 1 g
<b>NEOMYCIN SULFATE</b> (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN	0.0035 g in 1 g
<b>POLYMYXIN B SULFATE</b> (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ 07J96K)	POLYMYXIN B	5000 [USP'U] in 1 g

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>MINERAL OIL</b> (UNII: T5L8T28FGP)	
<b>PETROLATUM</b> (UNII: 4T6H12BN9U)	
<b>WATER</b> (UNII: 059QF0KO0R)	

## Packaging

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:71927-017-03	144 in 1 BOX	09/03/2025	
1	NDC:71927-017-01	0.5 g in 1 POUCH; Type 0: Not a Combination Product		

## Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC Monograph Drug	M004	09/03/2025	

**Labeler** - Orazen Inc (080916640)

**Registrant** - Nantong Health & Beyond Hygienic Products Inc. (421280161)

## Establishment

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
Nantong Health & Beyond Hygienic Products Inc.		421280161	manufacture(71927-017)