

MEDI-FIRST- bacitracin zinc, neomycin sulfate, polymyxin b sulfate ointment
Orazen Inc

71729-017-01, -04 MEDI-FIRST PLUS
Triple Antibiotic Ointment

Active ingredients

(in each gram)

Bacitracin zinc 400 units

Neomycin sulfate equivalent to 3.5 mg of neomycin base

Polymyxin B sulfate 5,000 units

Purpose

First Aid antibiotic

First Aid antibiotic

First Aid antibiotic

Uses

First aid to help prevent infection in minor cuts, scrapes, and burns

Warning

For external use only.

Do not use

- in the eyes
- internally
- over large areas of the body
- if you are allergic to any of the ingredients
- longer than 1 week unless directed by a doctor

Ask a doctor before use

- in case of deep puncture wounds, animal bites or serious burns.

Stop use and ask a doctor if

- the condition persists or gets worse
- a rash or other allergic reaction develops

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center immediately.

Directions

- clean the affected area
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

Other information

- store at room temperature (59°-86°F) (do not freeze)
- tamper evident. Do not use if packet is torn, cut or opened.

Inactive ingredients

mineral oil, petrolatum, water

Questions or comments?

1-800-634-7680

Triple Antibiotic Ointment

NET WT. 1/57 oz (0.5 g) Packet

Active ingredients (in each gram)

Purposes

Bacitracin zinc 400 units.....	First aid antibiotic
Neomycin sulfate (equivalent to 3.5 mg of neomycin base).....	First aid antibiotic
Polymyxin B sulfate 5000 units	First aid antibiotic

Mfg. for Medique Products
Fort Myers, FL 33967 USA

Store at room temperature (59°-86°F) (do not freeze)


Tamper Evident Sealed Packet

Uses First aid to help prevent infection in minor cuts, scrapes, and burns

Warnings For external use only. Do not use ■ in the eyes ■ internally ■ over large areas of the body ■ if you are allergic to any of the ingredients ■ longer than 1 week unless directed by a doctor. Ask a doctor before use ■ in case of deep puncture wounds, animal bites or serious burns. Stop use and ask a doctor if ■ the condition persists or gets worse ■ a rash or other allergic reaction develops **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center immediately.

Directions ■ clean the affected area ■ apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily ■ may be covered with a sterile bandage.

Retain Carton for Complete Product Information



MEDI-FIRST

bacitracin zinc, neomycin sulfate, polymyxin b sulfate ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:71927-017
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	400 [USP ^U] in 1 g
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN	0.0035 g in 1 g
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)	POLYMYXIN B	5000 [USP ^U] in 1 g

Inactive Ingredients

Ingredient Name	Strength
MINERAL OIL (UNII: T5L8T28FGP)	
PETROLATUM (UNII: 4T6H12BN9U)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:71927-017-04	25 in 1 BOX	09/03/2025	
1	NDC:71927-017-01	0.5 g in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M004	09/03/2025	

Labeler - Orazen Inc (080916640)

Registrant - Nantong Health & Beyond Hygienic Products Inc. (421280161)

Establishment

Name	Address	ID/FEI	Business Operations
Nantong Health & Beyond Hygienic Products Inc.		421280161	manufacture(71927-017)

Revised: 9/2025

Orazen Inc