

COLD SORE FORMULA- dulcamara, glycyrrhiza glabra, ranunculus bulbosus, rhus tox, natrum muriaticum, fagopyrum esculentum, natrum muriaticum, aconitum napellus, cytomegalovirus nosode, herpes simplex i and ii nosode, sepia, epstein barr virus nosode, herpes zoster nosode, adenoviren nosode spray
Nutritional Specialties, Inc.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

DRUG FACTS:

ACTIVE INGREDIENTS:

(in each teaspoon) Aconitum Napellus 15X, 30X, 60X, 200X, Adenoviren Nosode 20C, 30C, 60C, 200C, Cytomegalovirus Nosode 15X, 30X, 60X, 200X, Dulcamara 3X, Epstein-Barr Virus Nosode 15C, 30C, 60C, 200C, Fagopyrum Esculentum 8X, Glycyrrhiza Glabra 3X, Herpes Simplex I and II Nosode 18X, 30X, 60X, 200X, Herpes Zoster Nosode 18C, 30C, 60C, 200C, Natrum Hypochlorosum 12X, Natrum Muriaticum 6X, 30X, Ranunculus Bulbosus 3X, Rhus Tox 5X, Sepia 30X.

PURPOSE:

Aconitum Napellus – Assists in Relieving Pain Associated with Cold Sores,† Adenoviren Nosode - Assists in Relieving Symptoms of Cold Sores,† Cytomegalovirus Nosode - Assists in Relieving Symptoms of Cold Sores,† Dulcamara - Assists in Relieving Symptoms of Cold Sores,† Epstein-Barr Virus Nosode - Assists in Relieving Symptoms of Cold Sores,† Fagopyrum Esculentum – Assists in Relieving the Pustules and Itching Associated with Cold Sores,† Glycyrrhiza Glabra - Assists in Relieving Symptoms of Cold Sores,† Herpes Simplex I and II Nosode - Assists in Relieving Symptoms of Cold Sores,† Herpes Zoster Nosode - Assists in Relieving Symptoms of Cold Sores,† Natrum Hypochlorosum – Assists in Relieving the Itching Associated with Cold Sores,† Natrum Muriaticum – Assists in Relieving Blistering, Dry Cracked Skin and Pustules Associated with Cold Sores,† Ranunculus Bulbosus – Assists in Relieving the Pain, Burning and Itching Associated with Cold Sores,† Rhus Tox – Assists in Relieving Blistering, Dry Cracked Skin and Pustules Associated with Cold Sores,† Sepia – Assists in Relieving Symptoms of Cold Sores.

†Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

USES:

Assists in relieving the symptoms of cold sores including

- blistering, •dry cracked skin, •pustules, and the •pain,
- burning, •itching associated with the same.†

†Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

WARNINGS:

If pregnant or breast-feeding, ask a health professional before use.

In case of overdose, get medical help or contact a Poison Control Center right away.

If condition worsens, seek medical attention.

KEEP OUT OF REACH OF CHILDREN

Do not use if tamper evident seal is broken or missing.

Store in a cool place after opening

KEEP OUT OF REACH OF CHILDREN:

In case of overdose, get medical help or contact a Poison Control Center right away.

DIRECTIONS:

- Adults: Acute 2 to 3 sprays orally every hour, up to 48 hours. Then 2 to 3 sprays three times per day. Chronic and maintenance 1 to 2 sprays four times daily. Can be sprayed directly on afflicted areas in conjunction with oral use. Children under twelve one half adult dosage.
- Do not take within 15 minutes of consuming food, beverage or brushing teeth.
- Consult a physician for use in children under 12 years of age.

INACTIVE INGREDIENTS:

Alcohol USP 20%, Purified Water USP.

QUESTIONS:

**MANUFACTURED EXCLUSIVELY FOR
NUTRITIONAL SPECIALTIES, INC.**

PO BOX 97227

PITTSBURG, PA 15229

www.phpltd.com

PACKAGE LABEL DISPLAY:

Professional

Health Products

HOMEOPATHIC
NDC 83027-0007-1
COLD SORE
FORMULA
2 FL. OZ (60 ml)



HOMEOPATHIC

NDC 83027-0007-1

**COLD SORE
 FORMULA**

C32 (reorder code)

2 FL. OZ. (60 ml) 20% Alcohol

Do not use if tamper evident seal is broken or missing.

Drug Facts

Active ingredients (in each teaspoon) Purposes

Aconitum Napellus 15x, 30x, 60x, 200x.... Assists in Relieving Pain Associated with Cold Sores[†]
 Adenoviren Nosode 20c, 30c, 60c, 200c..... Assists in Relieving Symptoms of Cold Sores[†]
 Cytomegalovirus Nosode 15x, 30x, 60x, 200x..... Assists in Relieving Symptoms of Cold Sores[†]
 Dulcamara 3x..... Assists in Relieving Symptoms of Cold Sores[†]
 Epstein-Barr Virus Nosode 15c, 30c, 60c, 200c..... Assists in Relieving Symptoms of Cold Sores[†]

Drug Facts (continued under label)



MANUFACTURED
 EXCLUSIVELY FOR
 NUTRITIONAL SPECIALTIES, INC.
 PO BOX 97227
 PITTSBURGH, PA 15229
 www.phpltd.com
 rev. 1.3
 6 49818 03032 0

UNVARNISHED AREA

PEEL
 HERE

Drug Facts (continued)

Fagopyrum Esculentum 8x..... Assists in Relieving the Pustules and Itching Associated with Cold Sores[†]
 Glycyrrhiza Glabra 3x..... Assists in Relieving Symptoms of Cold Sores[†]
 Herpes Simplex I & II Nosode 18x, 30x, 60x, 200x.. Assists in Relieving Symptoms of Cold Sores[†]
 Herpes Zoster Nosode 18c, 30c, 60c, 200c..... Assists in Relieving Symptoms of Cold Sores[†]
 Natrum Hypochlorosum 12x..... Assists in Relieving the Itching Associated with Cold Sores[†]
 Natrum Muriaticum 6x, 30x..... Assists in Relieving Blistering, Dry Cracked Skin and Pustules Associated with Cold Sores[†]

Drug Facts (continued)

Ranunculus Bulbosus 3x..... Assists in Relieving the Pain, Burning and Itching Associated with Cold Sores[†]
 Rhus Tox 5x..... Assists in Relieving Blistering, Dry Cracked Skin and Pustules Associated with Cold Sores[†]
 Sepia 30x..... Assists in Relieving Symptoms of Cold Sores[†]

Uses

Assists in relieving the symptoms of cold sores including
 •blistering, •dry cracked skin, •pustules, and the •pain,
 •burning, •itching associated with the same.[†]

TIEDOWN AREA

Drug Facts (continued)

Warnings

If **pregnant or breast-feeding**, ask a health professional before use.
 In case of overdose, get medical help or contact a Poison Control Center right away. If condition worsens, seek medical attention.

KEEP OUT OF REACH OF CHILDREN.

Drug Facts (continued)

beverage or brushing teeth.
 • Consult a physician for use in children under 12 years of age.

Other information

Store in a cool place after opening.

IN AREA

Directions

- Adults: Acute 2 to 3 sprays orally every hour, up to 48 hours. Then 2 to 3 sprays three times per day. Chronic and maintenance 1 to 2 sprays four times daily. Can be sprayed directly on afflicted areas in conjunction with oral use. Children under twelve one half adult dosage.
- Do not take within 15 minutes of consuming food,

Inactive ingredients

Alcohol USP 20%, Purified Water USP.

Questions? 1-800-245-1313

† Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

COLD SORE FORMULA

dulcamara, glycyrrhiza glabra, ranunculus bulbosus, rhus tox, natrum muriaticum, fagopyrum esculentum, natrum muriaticum, aconitum napellus, cytomegalovirus nosode, herpes simplex i and ii nosode, sepia, epstein barr virus nosode, herpes zoster nosode, adenoviren nosode spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:83027-0007
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SOLANUM DULCAMARA TOP (UNII: KPS1B1162N) (SOLANUM DULCAMARA TOP - UNII:KPS1B1162N)	SOLANUM DULCAMARA TOP	3 [hp_X] in 1 mL
GLYCYRRHIZA GLABRA (UNII: 2788Z9758H) (GLYCYRRHIZA GLABRA - UNII:2788Z9758H)	GLYCYRRHIZA GLABRA	3 [hp_X] in 1 mL
RANUNCULUS BULBOSUS WHOLE (UNII: AEQ8NXJ0MB) (RANUNCULUS BULBOSUS - UNII:AEQ8NXJ0MB)	RANUNCULUS BULBOSUS WHOLE	3 [hp_X] in 1 mL
TOXICODENDRON PUBESCENS LEAF (UNII: 6IO182RP7A) (TOXICODENDRON PUBESCENS LEAF - UNII:6IO182RP7A)	TOXICODENDRON PUBESCENS LEAF	5 [hp_X] in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X) (CHLORIDE ION - UNII:Q32ZN48698)	SODIUM CHLORIDE	6 [hp_X] in 1 mL
FAGOPYRUM ESCULENTUM WHOLE (UNII: B10M69172N) (FAGOPYRUM ESCULENTUM - UNII:B10M69172N)	FAGOPYRUM ESCULENTUM WHOLE	8 [hp_X] in 1 mL
SODIUM HYPOCHLORITE (UNII: DY38VHM5OD) (HYPOCHLORITE ION - UNII:T5UM7HB19N)	SODIUM HYPOCHLORITE	12 [hp_X] in 1 mL
ACONITUM NAPELLUS WHOLE (UNII: U0NQ8555JD) (ACONITUM NAPELLUS - UNII:U0NQ8555JD)	ACONITUM NAPELLUS WHOLE	15 [hp_X] in 1 mL
HUMAN HERPESVIRUS 5 (UNII: 7COI029E6K) (HUMAN HERPESVIRUS 5 - UNII:7COI029E6K)	HUMAN HERPESVIRUS 5	15 [hp_X] in 1 mL
HUMAN HERPESVIRUS 1 (UNII: 22G38P19RL) (HUMAN HERPESVIRUS 1 - UNII:22G38P19RL)	HUMAN HERPESVIRUS 1	18 [hp_X] in 1 mL
HUMAN HERPESVIRUS 2 (UNII: 74J6DNH49U) (HUMAN HERPESVIRUS 2 - UNII:74J6DNH49U)	HUMAN HERPESVIRUS 2	18 [hp_X] in 1 mL
SEPIA OFFICINALIS JUICE (UNII: QDL83WN8C2) (SEPIA OFFICINALIS JUICE - UNII:QDL83WN8C2)	SEPIA OFFICINALIS JUICE	30 [hp_X] in 1 mL
HUMAN HERPESVIRUS 4 (UNII: 2A26YW7PNX) (HUMAN HERPESVIRUS 4 - UNII:2A26YW7PNX)	HUMAN HERPESVIRUS 4	15 [hp_C] in 1 mL
HUMAN HERPESVIRUS 3 (UNII: 9885M7D6JP) (HUMAN HERPESVIRUS 3 - UNII:9885M7D6JP)	HUMAN HERPESVIRUS 3	18 [hp_C] in 1 mL
HUMAN ADENOVIRUS E SEROTYPE 4 STRAIN CL-68578 ANTIGEN (UNII: FKD3DUK39I) (HUMAN ADENOVIRUS E SEROTYPE 4 STRAIN CL-68578 - UNII:FKD3DUK39I)	HUMAN ADENOVIRUS E SEROTYPE 4 STRAIN CL-68578 ANTIGEN	20 [hp_C] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
ALCOHOL (UNII: 3K9958V90M)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83027-0007-1	60 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	03/30/2023	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		03/30/2023	

Labeler - Nutritional Specialties, Inc. (032744609)

Revised: 10/2024

Nutritional Specialties, Inc.