

REGENECARE HA- lidocaine hydrochloride gel

BIOMED LABORATORIES

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

REGENECARE HA GEL

Active ingredient

Lidocaine HCl 2%

Purpose

Anesthetic

Uses

For the temporary relief of pain and itching associated with minor burns • sunburns • minor cuts • scrapes • insect bites • minor skin irritations

Warnings

For external use only

- If swallowed, get medical help or contact a Poison Control Center right away
- Avoid contact with the eyes
- If condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days, discontinue use of this product and consult a doctor
- Do not use in large quantities, particularly over raw surfaces or blistered areas

Warning section

Keep out of reach of children

Directions

Adults and children 2 years of age and older: Apply to affected area not more than 3 to 4 times daily.

Children under 2 years of age: Consult a physician prior to use

Other information

Store at room temperature

Avoid freezing and excessive heat



Lidocaine HCl 2%
Topical Anesthetic Hydrogel

FOR THE TEMPORARY RELIEF

of pain and itching associated with minor burns, sunburns, minor cuts, scrapes, insect bites or minor skin irritations.

NET WT. 0.5 OZ. (14g)



REORDER NO. MP00112

Drug Facts	
Active Ingredient Lidocaine HCl 2%	Purpose Anesthetic
Use For the temporary relief of pain and itching associated with minor burns • sunburn • minor cuts • scrapes • insect bites • minor skin irritations	
Warnings For external use only • Keep out of reach of children • If swallowed, get medical help or contact a Poison Control Center right away • Avoid contact with the eyes • If condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days, discontinue use of this product and consult a doctor • Do not use in large quantities, particularly over raw surfaces or blistered areas	
Directions Adults and children 2 years of age and older: Apply to affected area not more than 3 to 4 times daily • Children under 2 years of age: Consult a physician prior to use.	
Other information • Store at room temperature • Avoid freezing and excessive heat	
Inactive Ingredients Aloe vera, barbadensis leaf extract, Benzethonium chloride, Carbomer, Glycerin, Pirocollagen, Sodium hyaluronate, Triethanolamine, Water	



3 66977 11205 5
Manufactured For:
 MPM Medical
 Mesquite, TX 75149
 800-232-5512
 www.mpmimed.com
 R0720

REGENECARE HA

lidocaine hydrochloride gel

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:72846-560
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	2 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
CARBOMER HOMOPOLYMER TYPE C (ALLYL PENTAERYTHRITOL CROSSLINKED) (UNII: 4Q93RCW27E)	
GLYCERIN (UNII: PDC6A3C0OX)	
TROLAMINE (UNII: 903K93S3TK)	

WATER (UNII: 059QF0KO0R)

ALOE VERA LEAF (UNII: ZY81Z83H0X)

BENZETHONIUM CHLORIDE (UNII: PH41D05744)

HYALURONATE SODIUM (UNII: YSE9PPT4TH)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72846-560-01	85 g in 1 TUBE; Type 0: Not a Combination Product	01/05/2007	
2	NDC:72846-560-02	14 g in 1 TUBE; Type 0: Not a Combination Product	01/05/2007	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	01/05/2007	

Labeler - BIOMED LABORATORIES (055329696)

Establishment

Name	Address	ID/FEI	Business Operations
BIOMED LABORATORIES		055329696	manufacture(72846-560)

Revised: 2/2023

BIOMED LABORATORIES