

VET BASICS LIME SULFUR- sulferated lime solution, concentrate

Revival Animal Health

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click [here](#).

Vet Basics® Lime Sulfur Dip is an antimicrobial and antiparasitic concentrated solution. Dilute with water before use.

WARNING:

- Consult a veterinarian before using this product.
- Avoid contact with eyes and mucous membranes.
- If irritation develops, discontinue use and consult a veterinarian.
- May stain light-colored animals and porous surfaces such as countertops, cement, fabrics and skin. Will discolor jewelry.
- Use gloves when applying to animal's skin.
- Use in a well-ventilated area.

Caution: For topical use only on dogs, cats and horses. Do not exceed label dosages, measure carefully. Avoid contact with eyes and mucous membranes.

If eye contact or skin irritation develops, rinse thoroughly with water for 15 minutes, discontinue treatment and consult a veterinarian immediately. If ingestion occurs, rinse mouth and offer large amounts of milk, egg white, or water. **DO NOT INDUCE VOMITING.**

For External Use Only

CAUTION: Must Be Diluted Before Use

Vet Basics® Lime Sulfur Dip is an antimicrobial and antiparasitic preparation. Dilute with water before use.

WARNING:

- Consult a veterinarian before using this product.
- Avoid contact with eyes and mucous membranes.
- If irritation develops, discontinue use and consult a veterinarian.
- May stain light colored animals and porous surfaces such as countertops, cement, fabrics and skin. Will discolor jewelry.
- Use gloves when applying to animal's skin.
- Use in well ventilated area.

Caution: For topical use on dogs, cats and horses. Do not exceed label dosages, measure carefully. Avoid contact with eyes and mucous membranes. If eye contact or skin irritation develops, rinse thoroughly with water for at least 15 minutes, discontinue treatment and consult a veterinarian immediately. If ingestion occurs, rinse mouth and offer large amounts of milk, egg white or water. DO NOT INDUCE VOMITING.

Storage: Store at room temperature (59°-86°F) in a dry place.

For External Use Only

Keep Out of Reach of Children and Pets

VET BASICS®



Lime SULFUR DIP

CONCENTRATED SULFURATED LIME SOLUTION

Active Ingredients:
Sulfurated Lime Solution 97.8%
Inert Ingredients: 2.2%
Total 100%

DIRECTIONS FOR USE

Shake Well Before Use

CAUTION: Must Be Diluted Before Use

Add 4 ounces of **Vet Basics® Lime Sulfur Dip** to one gallon of water. Mix well.

Apply diluted lime sulfur solution directly over the affected areas. Apply as a rinse or dip at 5-7 day intervals. DO NOT RINSE.

Do not allow animal to lick. A protective collar may be used until dry to prevent ingestion. Allow product to remain on animal and air dry. Do not towel dry or use blower to dry animal.

Vet Basics® Lime Sulfur Dip may be used at 8 ounces per gallon of water, if necessary.

DO NOT EXCEED 8 ounces per gallon of water.

The use of any medicated preparation should not be taken lightly.

Note: If a crust forms inside the bottle, immerse the container in warm water for 10-20 minutes and shake well.

Manufactured for:
Revival Animal Health
1700 Albany Place SE
Orange City, IA 51041
www.RevivalAnimal.com
800.786.4751

Rev 0524

■ Formulated for dogs, cats and horses

1 gallon (3.785 liters)



Vet Basics® Lime Sulfur Dip is an antimicrobial and antiparasitic preparation. Dilute with water before use.

WARNING:

- Consult a veterinarian before using this product.
- Avoid contact with eyes and mucous membranes.
- If irritation develops, discontinue use and consult a veterinarian.
- May stain light colored animals and porous surfaces such as countertops, cement, fabrics and skin. Will discolor jewelry.
- Use gloves when applying to animal's skin.
- Use in well ventilated area.

Caution: For topical use on dogs, cats and horses. Do not exceed label dosages, measure carefully. Avoid contact with eyes and mucous membranes. If eye contact or skin irritation develops, rinse thoroughly with water for at least 15 minutes, discontinue treatment and consult a veterinarian immediately. If ingestion occurs, rinse mouth and offer large amounts of milk, egg white or water. DO NOT INDUCE VOMITING.

Storage: Store at room temperature (59°-86°F) in a dry place.

For External Use Only

Keep Out of Reach of Children and Pets

VET BASICS®



Lime SULFUR DIP

CONCENTRATED SULFURATED LIME SOLUTION

Active Ingredients:
Sulfurated Lime Solution 97.8%
Inert Ingredients: 2.2%
Total 100%

DIRECTIONS FOR USE

Shake Well Before Use

CAUTION: Must Be Diluted Before Use

Add 4 ounces of **Vet Basics® Lime Sulfur Dip** to one gallon of water. Mix well.

Apply diluted lime sulfur solution directly over the affected areas. Apply as a rinse or dip at 5-7 day intervals. DO NOT RINSE. **Do not allow animal to lick. A protective collar may be used until dry to prevent ingestion.** Allow product to remain on animal and air dry. Do not towel dry or use blower to dry animal.

Vet Basics® Lime Sulfur Dip may be used at 8 ounces per gallon of water, if necessary.

DO NOT EXCEED 8 ounces per gallon of water.

The use of any medicated preparation should not be taken lightly.

Note: If a crust forms inside the bottle, immerse the container in warm water for 10-20 minutes and shake well.

Manufactured for:
Revival Animal Health
1700 Albany Place SE
Orange City, IA 51041
www.RevivalAnimal.com
800.786.4751

Rev 0524

■ Formulated for dogs, cats and horses

16 fl oz (473.2 mL)



Storage: Store at room temperature (59°-86°F) in a dry place.

Keep Out of Reach of Children and Pets

Active Ingredients:

Sulfurated Lime Solution 97.8%

Inert Ingredients 2.2%

Total 100%

DIRECTIONS FOR USE

Shake Well Before Use

CAUTION: Must Be Diluted Before Use

Add 4 ounces of Vet Basics® Lime Sulfur Dip to one gallon of water. Mix well.

Apply diluted lime sulfur solution directly over the affected areas. Apply as a rinse or dip at 5-7 day intervals. **DO NO RINSE.** Do not allow animal to lick. A protective collar may be used until dry to prevent ingestion. Allow product to remain on animal and air dry. Do not towel dry or use blower to dry animal.

Vet Basics® Lime Sulfur Dip may be used at 8 ounces per gallon of water, if necessary.

Note: If a crust forms inside the bottle, immerse the container in warm water for 10-20 minutes and shake well.

DO NOT EXCEED 8 ounces per gallon of water.

The use of any medicated preparations should not be taken lightly.

Manufactured for:

Revival Animal Health

1700 Albany Place SE

Orange City, IA 51041

800.786.4751

Rev 0524

UPC 817160012183 16 oz

UPC 817160012190 1 gal

Vet Basics® Lime Sulfur Dip

Concentrated Sulfurated Lime Solution

Formulated for dogs, cats and horses

16 fl oz (473.2 mL)

1 gallon (3.785 liters)

Vet Basics® Lime Sulfur Dip is an antimicrobial and antiparasitic preparation. Dilute with water before use.

WARNING:

- Consult a veterinarian before using this product.
- Avoid contact with eyes and mucous membranes.
- If irritation develops, discontinue use and consult a veterinarian.
- May stain light colored animals and porous surfaces such as countertops, cement, fabrics and skin. Will discolor jewelry.
- Use gloves when applying to animal's skin.
- Use in well ventilated area.

Caution: For topical use on dogs, cats and horses. Do not exceed label dosages, measure carefully. Avoid contact with eyes and mucous membranes. If eye contact or skin irritation develops, rinse thoroughly with water for at least 15 minutes, discontinue treatment and consult a veterinarian immediately. If ingestion occurs, rinse mouth and offer large amounts of milk, egg white or water. **DO NOT INDUCE VOMITING.**

Storage: Store at room temperature (59°-86°F) in a dry place.

For External Use Only

Keep Out of Reach of Children and Pets



■ Formulated for dogs, cats and horses

16 fl oz (473.2 mL)

Active Ingredients:
Sulfurated Lime Solution 97.8%
Inert Ingredients: 2.2%
Total 100%

DIRECTIONS FOR USE

Shake Well Before Use

CAUTION: Must Be Diluted Before Use

Add 4 ounces of **Vet Basics® Lime Sulfur Dip** to one gallon of water. Mix well.

Apply diluted lime sulfur solution directly over the affected areas. Apply as a rinse or dip at 5-7 day intervals. **DO NOT RINSE. Do not allow animal to lick. A protective collar may be used until dry to prevent ingestion.** Allow product to remain on animal and air dry. Do not towel dry or use blower to dry animal.

Vet Basics® Lime Sulfur Dip may be used at 8 ounces per gallon of water, if necessary.

DO NOT EXCEED 8 ounces per gallon of water.

The use of any medicated preparation should not be taken lightly.

Note: If a crust forms inside the bottle, immerse the container in warm water for 10-20 minutes and shake well.

Manufactured for:
Revival Animal Health
1700 Albany Place SE
Orange City, IA 51041
www.RevivalAnimal.com
800.786.4751

Rev 0524



Vet Basics® Lime Sulfur Dip is an antimicrobial and antiparasitic preparation. Dilute with water before use.

WARNING:

- Consult a veterinarian before using this product.
- Avoid contact with eyes and mucous membranes.
- If irritation develops, discontinue use and consult a veterinarian.
- May stain light colored animals and porous surfaces such as countertops, cement, fabrics and skin. Will discolor jewelry.
- Use gloves when applying to animal's skin.
- Use in well ventilated area.

Caution: For topical use on dogs, cats and horses. Do not exceed label dosages, measure carefully. Avoid contact with eyes and mucous membranes. If eye contact or skin irritation develops, rinse thoroughly with water for at least 15 minutes, discontinue treatment and consult a veterinarian immediately. If ingestion occurs, rinse mouth and offer large amounts of milk, egg white or water. DO NOT INDUCE VOMITING.

Storage: Store at room temperature (59°-86°F) in a dry place.

For External Use Only

Keep Out of Reach of Children and Pets

VET BASICS®



Lime SULFUR DIP

CONCENTRATED SULFURATED LIME SOLUTION

Active Ingredients:
Sulfurated Lime Solution 97.8%
Inert Ingredients: 2.2%
Total 100%

DIRECTIONS FOR USE

Shake Well Before Use

CAUTION: Must Be Diluted Before Use

Add 4 ounces of **Vet Basics® Lime Sulfur Dip** to one gallon of water. Mix well.

Apply diluted lime sulfur solution directly over the affected areas. Apply as a rinse or dip at 5-7 day intervals. DO NOT RINSE.

Do not allow animal to lick. A protective collar may be used until dry to prevent ingestion. Allow product to remain on animal and air dry. Do not towel dry or use blower to dry animal.

Vet Basics® Lime Sulfur Dip may be used at 8 ounces per gallon of water, if necessary.

DO NOT EXCEED 8 ounces per gallon of water.

The use of any medicated preparation should not be taken lightly.

Note: If a crust forms inside the bottle, immerse the container in warm water for 10-20 minutes and shake well.

Manufactured for:
Revival Animal Health
1700 Albany Place SE
Orange City, IA 51041
www.RevivalAnimal.com
800.786.4751

Rev 0524

■ Formulated for dogs, cats and horses

1 gallon (3.785 liters)



VET BASICS LIME SULFUR

sulferated lime solution, concentrate

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:86201-0001
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CALCIUM POLYSULFIDE (UNII: 87N1QVL75L) (LIME (CALCIUM OXIDE) - UNII:C7X2M0VVNH, SULFUR - UNII:70FD1KFU70)	LIME (CALCIUM OXIDE)	290 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
water (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
---	-----------	---------------------	----------------------	--------------------

1	NDC:86201-0001-1	473.2 g in 1 BOTTLE, PLASTIC		
2	NDC:86201-0001-2	3628.7 g in 1 BOTTLE, PLASTIC		
Marketing Information				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
unapproved drug other			07/29/2024	

Labeler - Revival Animal Health (609777461)