

**WALGREENS MULTI-ANTIBIOTIC WITH PAIN RELIEF CREAM- polymyxin b sulfate, neomycin sulfate, pramoxine hydrochloride cream**  
**Walgreens Company**

-----

**Drug Fact**

| <b>Active ingredients (in each gram)</b> | <b>Purpose</b>       |
|--|----------------------|
| Neomycin Sulfate (3.5mg)                 | First Aid Antibiotic |
| Polymixin B Sulfate (10,000 units)       | First Aid Antibiotic |
| Pramoxine Hydrochloride (10 mg)          | External Analgesic   |

**Uses**

first aid to prevent infection and for the temporary relief of pain or discomfort in minor:

- cuts
- scapes
- burns

**Warning**

**For external use only.**

**Keep this and all drugs out of the reach of children**

If swallowed, get medical help or contact Poison Control Center right away.

**Directions**

Adults and children 2 years of age and older:

- clean the affected area
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage
- children under 2 years of age: ask a doctor

**Other information**

- store at 20° to 25°C (68° to 77°F)

**Inactive Ingredients**

Cetareth-20, Cetearyl Alcohol, Glyceryl Stearate SE, Methylparaben, Mineral Oil, Phosphoric Acid, Propylene Glycol, Purified Water, White Petrolatum

## Questions ?

### Principal Display panel 0.5oz Tube

Walgreens Multi-Antibiotic With Pain Relief Cream

Maximum Strength

Neomycin Sulfate / Polymyxin B Sulfate / Pramoxine HCL

NET WT 0.5 oz (14 g)

*Walgreens*

# Multi-Antibiotic With Pain Relief Cream

NEOMYCIN SULFATE / POLYMYXIN B SULFATE /  
PRAMOXINE HCl

Maximum Strength

NET WT 0.5 OZ (14 g)

Walgreens Pharmacist Recommended.

Our pharmacists recommend the Walgreens brand. We invite you to compare to national brands.

DISTRIBUTED BY: WALGREEN CO., 200 WILMOT RD., DEERFIELD, IL 60015

100% SATISFACTION GUARANTEED walgreens.com ©2021 Walgreen Co.

ITEM 912093 W00000-0000-0 W3ORG0921-F

**Active ingredients (in each gram)** Neomycin 3.5mg,  
Polymyxin B 10,000 units, and Pramoxine hydrochloride 10 mg

**Purposes** First aid antibiotic and Pain reliever

**Uses** first aid to help prevent infection in and temporarily relieves pain due to

▪ minor cuts ▪ scrapes ▪ burns. **Warnings For external use only.**

**Allergy alert:** ▪ do not use if allergic to any of the ingredients. **Do not use**  
▪ in or near the eyes ▪ on large areas of the body. **Ask a doctor before use**  
**if you have** ▪ deep or puncture wounds ▪ animal bites ▪ serious burns.

**When using this product** ▪ do not use longer than 1 week. **Stop use and**  
**ask a doctor if** ▪ condition lasts or gets worse ▪ symptoms last for more  
than 7 days or clear up and come back within a few days ▪ a rash or other  
allergic reaction occurs. **Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center  
immediately. **Directions** Adults and children 2 years and older: ▪ clean  
affected area ▪ apply a small amount (equal to the surface area of tip of finger)  
on area 1 to 3 times daily. ▪ may be covered with a sterile bandage. Children  
under 2 years: ask a doctor. **Other information** Store at controlled room  
temperature 68°-77°F (20°-25°C). **Questions? Call 1-800-222-1087**



how2recycle.info



Walgreens

# Multi-Antibiotic With Pain Relief Cream

NEOMYCIN SULFATE / POLYMYXIN B SULFATE / PRAMOXINE HCl

Maximum Strength

NET WT 0.5 OZ (14 g)

Walgreens Pharmacist Recommended.

Our pharmacists recommend the Walgreens brand. We invite you to compare to national brands.

DISTRIBUTED BY: WALGREEN CO., 200 WILMOT RD., DEERFIELD, IL 60015

100% SATISFACTION GUARANTEED walgreens.com ©2021 Walgreen Co.

ITEM 912093 W00000-0000-0 W3ORG0921-F

**Active ingredients (in each gram)** Neomycin 3.5mg, Polymyxin B 10,000 units, and Pramoxine hydrochloride 10 mg

**Purposes** First aid antibiotic and Pain reliever

**Uses** first aid to help prevent infection in and temporarily relieves pain due to

▪ minor cuts ▪ scrapes ▪ burns. **Warnings For external use only.**

**Allergy alert:** ▪ do not use if allergic to any of the ingredients. **Do not use** ▪ in or near the eyes ▪ on large areas of the body. **Ask a doctor before use if you have** ▪ deep or puncture wounds ▪ animal bites ▪ serious burns.

**When using this product** ▪ do not use longer than 1 week. **Stop use and ask a doctor if** ▪ condition lasts or gets worse ▪ symptoms last for more than 7 days or clear up and come back within a few days ▪ a rash or other allergic reaction occurs. **Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center immediately. **Directions** Adults and children 2 years and older: ▪ clean

affected area ▪ apply a small amount (equal to the surface area of tip of finger) on area 1 to 3 times daily. ▪ may be covered with a sterile bandage. Children

under 2 years: ask a doctor. **Other information** Store at controlled room temperature 68°-77°F (20°-25°C). **Questions? Call 1-800-222-1087**



how2recycle.info



## Principal Display panel 0.5oz Carton

Walgreens Multi-Antibiotic With Pain Relief Cream

Maximum Strength

Neomycin Sulfate / Polymyxin B Sulfate / Pramoxine HCL

NET WT 0.5 oz (14 g)



# WALGREENS MULTI-ANTIBIOTIC WITH PAIN RELIEF CREAM

polymyxin b sulfate, neomycin sulfate, pramoxine hydrochloride cream

## Product Information

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:0363-2123 |
| <b>Route of Administration</b> | TOPICAL        |                           |               |

**Active Ingredient/Active Moiety**

| <b>Ingredient Name</b>  | <b>Basis of Strength</b> | <b>Strength</b>      |
|---|--------------------------|----------------------|
| <b>POLYMYXIN B SULFATE</b> (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)   | POLYMYXIN B              | 10000 [USP'U] in 1 g |
| <b>NEOMYCIN SULFATE</b> (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)         | NEOMYCIN                 | 3.5 mg in 1 g        |
| <b>PRAMOXINE HYDROCHLORIDE</b> (UNII: 88AYB867L5) (PRAMOXINE - UNII:068X84E056) | PRAMOXINE HYDROCHLORIDE  | 10 mg in 1 g         |

**Inactive Ingredients**

| <b>Ingredient Name</b>                                  | <b>Strength</b> |
|---|-----------------|
| <b>POLYOXYL 20 CETOSTEARYL ETHER</b> (UNII: YRC528SWUY) |                 |
| <b>CETOSTEARYL ALCOHOL</b> (UNII: 2DMT128M1S)           |                 |
| <b>GLYCERYL STEARATE SE</b> (UNII: FCZ5MH785I)          |                 |
| <b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)                 |                 |
| <b>MINERAL OIL</b> (UNII: T5L8T28FGP)                   |                 |
| <b>PHOSPHORIC ACID</b> (UNII: E4GA8884NN)               |                 |
| <b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)              |                 |
| <b>WATER</b> (UNII: 059QF0KO0R)                         |                 |
| <b>WHITE PETROLATUM</b> (UNII: B6E5W8RQJ4)              |                 |

**Packaging**

| <b>#</b> | <b>Item Code</b> | <b>Package Description</b>                        | <b>Marketing Start Date</b> | <b>Marketing End Date</b> |
|----------|------------------|---|-----------------------------|---------------------------|
| 1        | NDC:0363-2123-14 | 1 in 1 CARTON                                     | 07/15/2015                  |                           |
| 1        |                  | 14 g in 1 TUBE; Type 0: Not a Combination Product |                             |                           |
| 2        | NDC:0363-2123-28 | 1 in 1 CARTON                                     | 07/15/2015                  |                           |
| 2        |                  | 28 g in 1 TUBE; Type 0: Not a Combination Product |                             |                           |

**Marketing Information**

| <b>Marketing Category</b> | <b>Application Number or Monograph Citation</b> | <b>Marketing Start Date</b> | <b>Marketing End Date</b> |
|---------------------------|---|-----------------------------|---------------------------|
| OTC Monograph Drug        | M004  | 07/15/2015                  |                           |

**Labeler** - Walgreens Company (008965063)