POVI-ONE- povidone-iodine 10% topical liquid Elevate Oral Care

Povi-One

Drug Facts Active Ingredients

Drug Facts

Active ingredient (in each ampule)

Purpose

Povidone-iodine USP, 10% w/v.....Antiseptic

Uses Purpose

Uses health-care antiseptic for preparation of the skin and oral tissues, first aid antiseptic to help prevent the risk of infection, clears bacteria that can cause infection ■ cuts ■ scrapes ■ burns

Warning For External Use Do Not Use

Warnings For external use only

Do not use ■ in the eyes ■ over large areas of the body ■ if you are allergic to povidone-iodine or any other ingredients in this preparation ■ more than one unit per patient per month unless directed otherwise by a doctor

Stop use and ask a doctor if irritation or redness occurs.

Keep out of reach of children. Do not swallow, expectorate (spit) extra material out. If more than one dose is swallowed, seek medical advice or contact a Poison Control Center right away.

Stop Use And Ask A Doctor

Stop use and ask a doctor if irritation or redness occurs.

Keep Out of Reach of Children

Keep out of reach of children. Do not swallow, expectorate (spit) extra material out. If more than one dose is swallowed, seek medical advice or contact a Poison Control Center right away.

Directions

Directions

- Remove one ampule (caramel-colored container) and one brush (clear adapter) from the box.
- Screw the brush into the threaded end of the ampule until you hear a "pop" which opens the ampule.
- Dry the patient's teeth with gauze or a tissue.
- Apply a light application of Povi•One to the teeth and gums surrounding the teeth.
 - Do not over-apply. Often, wetting the bristles before applying to teeth is sufficient to deliver the product.
 - You will likely have extra material in the ampule when finished. There is no need to use the extra material.
- Discard the ampule. Do not re-use the product.
- Follow your dental or medical professional instructions for frequency of application. Do not use more than one ampule each month unless instructed by a dental or medical professional.

Other Information

Warnings For external use only

Do not use ■ in the eyes ■ over large areas of the body ■ if you are allergic to povidone-iodine or any other ingredients in this preparation ■ more than one unit per patient per month unless directed otherwise by a doctor

Inactive Ingredients

Inactive ingredients

Citric Acid, Disodium Phosphate, Glycerin, Purified Water, Sodium Citrate, Tween 80

Contents

Contents 6 unit-dose applicators, each containing 0.45 mL

Questions?

Questions? 877-866-9113 (8:30am-5pm, EST, Mon-Fri) or visit www.elevateoralcare.com.

Instructions for Use







1. Remove one ampule (caramel-colored container) and one brush (clear adapter) from the box. Screw the brush into the threaded end of the ampule until you hear a "pop" which opens the ampule.

INSTRUCTIONS FOR USE:



- 2a. Dry the patient's teeth with gauze or a tissue.
- 2b. Squeeze ampule over gauze or tissue to wet bristles prior to application.



- 3. Apply a light application of Povi•One™ to the teeth and gums.
- 3b. Do not over apply. With the bristles wet, there is no need to squeeze extra material out of the ampule during application.





- 4a. Continue to rewet bristles over gauze or tissue in between each section.
- 4b. Continue across all teeth. Keep mouth open for ten seconds after application is complete.

Follow your dental or medical professional instructions for frequency of application. Do not use more than one ampule each month unless instructed by a dental or medical professional.

Drug Facts

Drug Facts (continued)

Other information

■ Store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)

Povi-One Soultion Outside box label

Povi•One 10% Povidone-iodine Antiseptic • Oral Antimicrobial • Oral Antiseptic Drug Facts Active ingredient (in each ampule) Povidone-iodine USP, 10% w/v..... **Uses** health-care antiseptic for preparation of the skin and oral tissues, first aid antiseptic to help prevent the risk of infection, clears bacteria that can cause infection ■ cuts ■ scrapes ■ burns Warnings For external use only warnings For external use only Do not use ■ in the eyes ■ over large areas of the body ■ if you are allergic to povidone-iodine or any other ingredients in this preparation ■ more than one unit per patient per month unless directed otherwise by a doctor Stop use and ask a doctor if irritation or redness occurs. Keep out of reach of children. Do not swallow, expectorate (spit) extra material out. If more than one dose is swallowed, seek medical "pop" which opens the ampule. Dry the patient's teeth with gauze or a tissue. Apply a light application of Povi-One to the teeth and gums

• Kills Germs

Patient Friendly Flow-Thru[™] Ampules

Drug Facts (continued) Other information

**Store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)

Inactive ingredients
Citric Acid, Disodium Phosphate, Glycerin, Purified Water, Sodium
Citrate, Tween 80

Questions? 877-866-9113 (8:30am-5pm, EST, Mon-Fri) or visit

advice or contact a Poison Control Center right away. Directions
■ Remove one ampule (caramel-colored container) and one brush (clear adapter) from the box. Screw the brush into the threaded end of the ampule until you hear a

Purpose Antiseptio

- surrounding the teeth.
- surrounding the teeth.

 Do not over-apply. Often, wetting the bristles before applying to teeth is sufficient to deliver the product.

 You will likely have extra material in the ampule when finished. There is no need to use the extra material.

 Discard the ampule. Do not re-use the product.

 Follow your dental or medical professional instructions for frequency of application. Do not use more than one ampule each month unless instructed by a dental or medical professional.







Made in USA **Elevate Oral Care, LLC** West Palm Beach, FL 33411

Povi•One is a trademark of Elevate Oral Care, LLC.

© Elevate Oral Care 2021. All rights reserved. ELE728-10212021

Wisit www.elevateoralcare.com



POVI-ONE

povidone-iodine 10% topical liquid

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:57511-0611(NDC:68599-3500)	
Route of Administration	TOPICAL			

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
POVIDONE-IODINE (UNII: 85H0HZU99M) (IODINE - UNII:9679TC07X4)	IODINE	1 mg in 10 mL		

Inactive Ingredients			
Ingredient Name	Strength		
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)			
WATER (UNII: 059QF0KO0R)			
SODIUM PHOSPHATE, DIBASIC, ANHYDROUS (UNII: 22ADO53M6F)			
POLYSORBATE 80 (UNII: 6OZP39ZG8H)			
SODIUM CITRATE (UNII: 1Q73Q2JULR)			
GLYCERIN (UNII: PDC6A3C0OX)			

Product Characteristics			
Color	brown (liquid)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

l	Packaging				
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date
	1		6 mL in 1 BOX, UNIT-DOSE; Type 0: Not a Combination Product	03/01/2023	

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	505G(a)(3)	03/01/2023		

Labeler - Elevate Oral Care (002863526)

Establishment				
Name	Address	ID/FEI	Business Operations	
Elevate Oral Care		002863526	relabel(57511-0611), repack(57511-0611)	

Revised: 10/2023 Elevate Oral Care