

**PROTECT PREVENT DAILY MINERAL SUNSCREEN BROAD SPECTRUM SPF30-  
titanium dioxide, zinc oxide cream  
Norwex Usa, Inc.**

-----  
**Protect Prevent Daily Mineral Sunscreen Broad Spectrum SPF30**

**DRUG FACTS**

**ACTIVES/MEDICINAL INGREDIENTS:% W/W- P/P:**

Titanium Dioxide ..... 2.88%  
Zinc Oxide..... 6.80%

**PURPOSE**

Sunscreen

**USES**

Helps prevent sunburn.

**WARNINGS**

**For external use only.**

**When using this product**

avoid contact with eyes. If contact occurs, rinse thoroughly with water.

**Stop use and consult a doctor if**

rash occurs.

**Keep out of reach of children.**

If swallowed, call a poison control centre or get medical help right away.

**Do not use**

on broken skin.

**DIRECTIONS**

- Apply liberally 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Reapply after 40 minutes of swimming or sweating.
- Reapply immediately after towel drying.
- Children under 6 months of age: Ask a doctor.
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin

cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: limit time in the sun, especially from 10 a.m. – 2 p.m.; and wear long-sleeved shirts, pants, hats and sunglasses.

- Store in a cool dry place.
- Do not use if safety seal is broken.
- May stain some fabric.
- Protect the product in this container from excessive heat and direct sun.

**NON-MEDICINAL/OTHER INGREDIENTS:**

Water, Isoamyl Laurate, Caprylic/ Capric Triglyceride, Butyloctyl Salicylate, Glycerin, C12-15 Alkyl Benzoate, Arachidyl Alcohol, Polyglyceryl-10 Laurate, Cetearyl Oliviate, Lactobacillus Ferment, Sorbitan Oliviate, Argania Spinosa (Argan) Kernel Oil, Fructose, Linum Usitatissimum (Flaxseed) Seed Oil\*, Ribes Nigrum (Black Currant) Seed Oil\*, Rubus Chamaemorus (Cloudberry) Seed Oil\*, Withania Somnifera (Ashwagandha) Root Extract, Sambucus Nigra (Elderberry) Seed Oil\*, Dipotassium Glycyrrhizate, Vaccinium Vitis-Idaea (Lingonberry) Seed Oil\*, Hippophae Rhamnoides (Sea Buckthorn) Fruit Extract, Betula Alba (Birch Sap Juice) Bark Extract, Ocimum Basilicum (Basil) Oil, Tocopheryl Acetate, Lavandula Angustifolia (Lavender) Oil, Pelargonium Graveolens (Geranium) Flower Oil, Citrus Aurantium Bergamia (Bergamot) Fruit Oil, Citrus Aurantium Dulcis (Orange) Peel Oil, Citrus Limon (Lemon) Peel Oil, Hydroxyacetophenone, Biosaccharide Gum-4, Stearic Acid, Bisabolol, Arachidyl Glucoside, Behenyl Alcohol, Polyhydroxystearic Acid, Cetyl Alcohol, Stearyl Alcohol, Hydroxyethyl Acrylate/ Sodium Acryloyldimethyl Taurate Copolymer, Cellulose Gum, Xanthan Gum, 1,2-Hexanediol, Citric Acid, Alumina, Microcrystalline Cellulose, Styrene/Acrylates Copolymer, Potassium Sorbate, Limonene, Linalool, Citral.  
 \*Organic Ingredients/ Ingrédients organiques.

**Package Labeling:**



OUTSIDE K.O.

occurs, rinse thoroughly with water. **Stop use and consult a doctor** if rash occurs. **Keep out of reach of children.** If swallowed, call a poison control centre or get medical help right away. **Do not use on broken skin.**

**DIRECTIONS**

Apply liberally 15 minutes before sun exposure. Reapply at least every 2 hours. Reapply after 40 minutes of swimming or sweating. Reapply immediately after towel drying. Children under 6 months of age: Ask a doctor.

**Sun Protection Measures:**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: limit time in the sun, especially from 10 a.m. – 2 p.m.; and wear long-sleeved shirts, pants, hats and sunglasses.

Store in a cool dry place. Do not use if safety seal is broken. May stain some fabric. Protect the product in this container from excessive heat and direct sun.

**UTILISATION**

Aide à prévenir les coups de soleil.

**ATTENTION**

Pour usage externe seulement. Lors de l'utilisation de ce produit éviter tout contact avec les yeux. Le cas échéant, bien rincer avec de l'eau. En cas d'éruption cutanée, cesser l'utilisation et consulter un médecin. Tenir hors de la portée des enfants. En cas d'ingestion, appeler immédiatement un centre antipoison ou obtenir une assistance médicale. Ne pas utiliser sur une peau éraflée.



contre le soleil, telles que : limiter le temps passé au soleil, notamment entre 10 h – 14 h; et porter des chandails à manches longues, des pantalons, un chapeau et des lunettes de soleil. Conservez dans un endroit frais et sec. Ne pas utiliser si le sceau de sécurité est brisé. Pourrait tacher certains tissus. Protégez le produit dans ce contenant de la chaleur excessive et des rayons directs du soleil.

**NON-MEDICINAL/OTHER**

**INGREDIENTS: INGRÉDIENTS NON-MÉDICINAUX/AUTRES :**

Water, Isoamyl Laurate, Caprylic/Capric Triglyceride, Butyloctyl Salicylate, Glycerin, C12-15 Alkyl Benzoate, Arachidyl Alcohol, Polyglyceryl-10 Laurate, Cetearyl Oliviate, Lactobacillus Ferment, Sorbitan Oliviate, Argania Spinosa (Argan) Kernel Oil, Fructose, Linum Usitatissimum (Flaxseed) Seed Oil\*, Ribes Nigrum (Black Currant) Seed Oil\*, Rubus Chamaemorus (Cloudberry) Seed Oil\*, Withania Somnifera (Ashwagandha) Root Extract, Sambucus Nigra (Elderberry) Seed Oil\*, Dipotassium Glycyrrhizate, Vaccinium Vitis-ladaea (Lingonberry) Seed Oil\*, Hippophae Rhamnoides (Sea Buckthorn) Fruit Extract, Betula Alba (Birch Sap Juice) Bark Extract, Ocimum Basilicum (Basil) Oil, Tocopheryl Acetate, Lavandula Angustifolia (Lavender) Oil, Pelargonium Graveolens (Geranium) Flower Oil, Citrus Aurantium Bergamia (Bergamot) Fruit Oil, Citrus Aurantium Dulcis (Orange) Peel Oil, Citrus Limon (Lemon) Peel Oil, Hydroxyacetophenone, Biosaccharide Gum-4, Stearic Acid, Bisabolol, Arachidyl Glucoside, Behenyl Alcohol, Polyhydroxystearic Acid, Cetyl Alcohol, Stearyl Alcohol, Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Cellulose Gum, Xanthan Gum, 1,2-Hexanediol, Citric Acid, Alumina, Microcrystalline Cellulose, Styrene/Acrylates Copolymer, Potassium Sorbate, Limonene, Linalool, Citral. \*Organic Ingredients/Ingrédients organiques.

**CRAN SOLAIRE MINÉRAL QUOTIDIEN**

**BROAD SPECTRUM LARGE SPECTRE SPF/FPS 30**

Water Resistant 40 minutes  
Résistance à l'eau de 40 minutes

**30**

**Norwex®**

50 mL / 1.7 FL OZ

fast-absorbing and non-sticky, this lightweight face lotion rubs evenly into skin with no residue. Perfect for layering over your skin care products and under makeup.

**UNE BEAUTÉ SAINE, TOUT SIMPLEMENT FORMULE ANTI-RIDES**

Ce produit polyvalent à usage quotidien offre une protection UVA/UVB à large spectre et résistante à l'eau et à la transpiration.

Formulée pour être rapidement absorbée et non collante, cette lotion légère pour le visage pénètre uniformément la peau sans aucun résidu. Elle est idéale à appliquer après vos produits de soins de peau et avant le maquillage.

**QUESTIONS?**

Call/Appeler : 1-866-450-7499

Made in USA

Fabriqué aux E.-U.

Distributed by/Distribué par :

Norwex USA Inc., 800 W. Bethel

Rd., Ste. 100, Coppell, TX 75019

Toll Free: 1-866-450-7499

Norwex Canada Inc., 871 Whitmore

Ave. E, Dauphin, MB R7N 3B3

Toll Free: 1-877-766-7939

WWW.NORWEX.COM

403800 001 SL120

OUTSIDE K.O.

OUTSIDE K.O.

FSC LOGO  
UPDATED BY  
PRINTER

# LYSERE™

## PROTECT + PREVENT

DAILY MINERAL  
SUNSCREEN

BROAD SPECTRUM  
SPF 30

*Water Resistant  
40 minutes*

Reef Friendly

## PROTÈGE + PRÉVIENT

ÉCRAN SOLAIRE  
MINÉRAL QUOTIDIEN

LARGE SPECTRE  
FPS 30

*Résistance à l'eau  
de 40 minutes*

Sans risques  
pour les récifs

# 30

## Norwex®

50 mL / 1.7 FL OZ

## WRINKLE DEFENSE FORMULA

### FORMULE ANTI-RIDES

**ACTIVES/MEDICINAL INGREDIENTS:**  
**INGRÉDIENTS ACTIFS/MÉDICINAUX**  
% W/W- P/P : Titanium Dioxide (2.88%)  
and Zinc Oxide (6.80%)

**PURPOSE/OBJET :** Sunscreen/  
Écran solaire

**USE:** Helps prevent sunburn.

**DIRECTIONS:** Apply liberally  
15 minutes before sun exposure.  
Reapply at least every 2 hours.  
Reapply after 40 minutes of  
swimming or sweating. Reapply  
immediately after towel drying.

**UTILISATION :** Aide à prévenir  
les coups de soleil.

### MODE D'EMPLOI :

Appliquez généreusement  
15 minutes avant l'exposition au soleil.  
Réappliquez toutes les 2 heures au  
moins. Réappliquez après 40 minutes  
de baignade ou de transpiration.  
Réappliquez immédiatement après  
séchage à la serviette.

*\*For complete product information  
and warnings, see carton.*

*\*Pour les informations complètes  
et les avertissements sur le produit,  
voir l'emballage.*

Made in USA/Fabriqué aux É.-U.

Distributed by/Distribué par :

Norwex USA, Inc., 800 W. Bethel Rd., Ste. 100,  
Coppell, TX 75019, Toll Free: 1-866-450-7499

Norwex Canada, Inc., 871 Whitmore Ave. E.

Dauphin, MB R7N 3E3, Toll Free: 1-877-766-7939

WWW.NORWEX.COM | 403800 001 SL120



## PROTECT PREVENT DAILY MINERAL SUNSCREEN BROAD SPECTRUM SPF30

titanium dioxide, zinc oxide cream

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:80971-102
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	28.8 mg in 1 mL
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	68 mg in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>ISOAMYL LAURATE</b> (UNII: M1SLX00M3M)	
<b>MEDIUM-CHAIN TRIGLYCERIDES</b> (UNII: C9H2L21V7U)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>ARACHIDYL ALCOHOL</b> (UNII: 1QR1QRA9BU)	
<b>POLYGLYCERYL-10 LAURATE</b> (UNII: MPJ2Q8W8G)	
<b>CETEARYL OLIVATE</b> (UNII: 58B69Q84JO)	
<b>SORBITAN OLIVATE</b> (UNII: MDL271E3GR)	
<b>ARGAN OIL</b> (UNII: 4V59G5UW9X)	
<b>FRUCTOSE</b> (UNII: 6YSS42VSEV)	
<b>FLAX SEED</b> (UNII: 4110YT348C)	
<b>RIBES NIGRUM SEED OIL</b> (UNII: GKE1188837)	
<b>RUBUS CHAMAEMORUS SEED OIL</b> (UNII: WH495F04LZ)	
<b>WITHANIA SOMNIFERA ROOT</b> (UNII: V038D626IF)	
<b>SAMBUCUS NIGRA SEED OIL</b> (UNII: ZZV3NWA4A3)	
<b>GLYCYRRHIZINATE DIPOTASSIUM</b> (UNII: CA2Y0FE3FX)	
<b>LINGONBERRY SEED OIL</b> (UNII: 44P1VFO6KM)	
<b>HIPPOPHAE RHAMNOIDES FRUIT</b> (UNII: AVLOR9111T)	
<b>BETULA PUBESCENS BARK</b> (UNII: 3R504894L9)	
<b>BASIL OIL</b> (UNII: Z129UMU8LE)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>LAVENDER OIL</b> (UNII: ZBP1YXW0H8)	
<b>PELARGONIUM GRAVEOLENS FLOWER OIL</b> (UNII: 3K0J1S7QGC)	
<b>BERGAMOT OIL</b> (UNII: 39W1PKE3JI)	
<b>ORANGE OIL, COLD PRESSED</b> (UNII: AKN3KSD11B)	
<b>LEMON OIL, COLD PRESSED</b> (UNII: I9GRO824LL)	
<b>HYDROXYACETOPHENONE</b> (UNII: G1L3HT4CMH)	
<b>BIOSACCHARIDE GUM-4</b> (UNII: 9XRL057X90)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>LEVOMENOL</b> (UNII: 24WE03BX2T)	
<b>ARACHIDYL GLUCOSIDE</b> (UNII: 6JVV35JOOJ)	
<b>DOCOSANOL</b> (UNII: 9G1OE216XY)	
<b>CETYL ALCOHOL</b> (UNII: 936JST6JCN)	
<b>STEARYL ALCOHOL</b> (UNII: 2KR89I4H1Y)	
<b>CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED</b> (UNII: K679OBS311)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	
<b>1,2-HEXANEDIOL</b> (UNII: TR046Y3K1G)	
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)	
<b>ALUMINUM OXIDE</b> (UNII: LMI26O6933)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)	
<b>LIMONENE, (+)-</b> (UNII: GFD7C86Q1W)	

**LINALOOL, (+/-)-** (UNII: D81QY6I88E)

**CITRAL** (UNII: T7EU009VPP)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:80971-102-01	1 in 1 CARTON	01/01/2023	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/01/2023	

**Labeler** - Norwex Usa, Inc. (016707931)

### Establishment

Name	Address	ID/FEI	Business Operations
COSMAX USA. CORPORATION		010990210	manufacture(80971-102)

Revised: 12/2024

Norwex Usa, Inc.