

**PROTECT PREVENT DAILY MINERAL SUNSCREEN BROAD SPECTRUM SPF30-  
titanium dioxide, zinc oxide cream  
Norwex Usa, Inc.**

-----  
**Protect Prevent Daily Mineral Sunscreen Broad Spectrum SPF30**

**DRUG FACTS**

**ACTIVES/MEDICINAL INGREDIENTS:% W/W- P/P:**

Titanium Dioxide ..... 2.88%  
Zinc Oxide..... 6.80%

**PURPOSE**

Sunscreen

**USES**

Helps prevent sunburn.

**WARNINGS**

**For external use only.**

**When using this product**

avoid contact with eyes. If contact occurs, rinse thoroughly with water.

**Stop use and consult a doctor if**

rash occurs.

**Keep out of reach of children.**

If swallowed, call a poison control centre or get medical help right away.

**Do not use**

on broken skin.

**DIRECTIONS**

- Apply liberally 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Reapply after 40 minutes of swimming or sweating.
- Reapply immediately after towel drying.
- Children under 6 months of age: Ask a doctor.
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin

cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: limit time in the sun, especially from 10 a.m. – 2 p.m.; and wear long-sleeved shirts, pants, hats and sunglasses.

- Store in a cool dry place.
- Do not use if safety seal is broken.
- May stain some fabric.
- Protect the product in this container from excessive heat and direct sun.

### **NON-MEDICINAL/OTHER INGREDIENTS:**

Water, Isoamyl Laurate, Caprylic/ Capric Triglyceride, Butyloctyl Salicylate, Glycerin, C12-15 Alkyl Benzoate, Arachidyl Alcohol, Polyglyceryl-10 Laurate, Cetearyl Oliviate, Lactobacillus Ferment, Sorbitan Oliviate, Argania Spinosa (Argan) Kernel Oil, Fructose, Linum Usitatissimum (Flaxseed) Seed Oil\*, Ribes Nigrum (Black Currant) Seed Oil\*, Rubus Chamaemorus (Cloudberry) Seed Oil\*, Withania Somnifera (Ashwagandha) Root Extract, Sambucus Nigra (Elderberry) Seed Oil\*, Dipotassium Glycyrrhizate, Vaccinium Vitis-Idaea (Lingonberry) Seed Oil\*, Hippophae Rhamnoides (Sea Buckthorn) Fruit Extract, Betula Alba (Birch Sap Juice) Bark Extract, Ocimum Basilicum (Basil) Oil, Tocopheryl Acetate, Lavandula Angustifolia (Lavender) Oil, Pelargonium Graveolens (Geranium) Flower Oil, Citrus Aurantium Bergamia (Bergamot) Fruit Oil, Citrus Aurantium Dulcis (Orange) Peel Oil, Citrus Limon (Lemon) Peel Oil, Hydroxyacetophenone, Biosaccharide Gum-4, Stearic Acid, Bisabolol, Arachidyl Glucoside, Behenyl Alcohol, Polyhydroxystearic Acid, Cetyl Alcohol, Stearyl Alcohol, Hydroxyethyl Acrylate/ Sodium Acryloyldimethyl Taurate Copolymer, Cellulose Gum, Xanthan Gum, 1,2-Hexanediol, Citric Acid, Alumina, Microcrystalline Cellulose, Styrene/Acrylates Copolymer, Potassium Sorbate, Limonene, Linalool, Citral.  
\*Organic Ingredients/ Ingrédients organiques.

### **Package Labeling:**

## DRUG FACTS/ INFO-MÉDICAMENT

### ACTIVES/MEDICINAL

#### INGREDIENTS:

#### INGRÉDIENTS ACTIFS/ MÉDICINAUX : % W/W- P/P :

Titanium Dioxide ..... 2.88%  
Zinc Oxide ..... 6.80%

#### PURPOSE/OBJET

Sunscreen/Écran solaire

**USES** Helps prevent sunburn.

#### WARNINGS

**For external use only.**

**When using this product** avoid contact with eyes. If contact occurs, rinse thoroughly with water.

**Stop use and consult a doctor if** rash occurs. **Keep out of reach of children.** If swallowed, call a poison control centre or get medical help right away.

**Do not use on** broken skin.

#### DIRECTIONS

■ Apply liberally 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Reapply after 40 minutes of swimming or sweating. ■ Reapply immediately after towel drying. ■ Children under 6 months of age: Ask a doctor.

#### ■ Sun Protection Measures:

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: limit time in the sun, especially from 10 a.m. – 2 p.m.; and wear long-sleeved shirts, pants, hats and sunglasses.

■ Store in a cool dry place.

■ Do not use if safety seal is broken. ■ May stain some fabric.

■ Protect the product in this container from excessive heat and direct sun.

#### UTILISATION

Aide à prévenir les coups de soleil.

#### ATTENTION

**Pour usage externe seulement.**

**Lors de l'utilisation de ce produit** éviter tout contact avec les yeux. Le cas échéant, bien rincer avec de l'eau. **En cas d'éruption cutanée, cesser l'utilisation et consulter un médecin. Tenir hors de la portée des enfants.** En cas d'ingestion, appeler immédiatement un centre antipoison ou obtenir une assistance médicale. Ne pas utiliser sur une peau éraflée.

#### MODE D'EMPLOI

■ Appliquez généreusement 15 minutes avant l'exposition au soleil. ■ Réappliquez toutes les 2 heures au moins. ■ Réappliquez après 40 minutes de baignade ou de transpiration. ■ Réappliquez immédiatement après séchage à la serviette. ■ Enfants de moins de 6 mois : Demandez à un médecin.

**Mesures de protection contre le soleil:** Passer du temps au soleil augmente le risque de cancer de la peau et de vieillissement prématuré de la peau. Afin de diminuer ce risque, il convient d'utiliser régulièrement un écran solaire avec un FPS à large spectre d'au moins 15 et d'appliquer d'autres mesures de protection contre le soleil, telles que : limiter le temps passé au soleil, notamment entre 10 h – 14 h; et porter des chandails à manches longues, des pantalons, un chapeau et des lunettes de soleil. ■ Conservez dans un endroit frais et sec. ■ Ne pas utiliser si le sceau de sécurité est brisé. ■ Pourrait tacher certains tissus. ■ Protégez le produit dans ce contenant de la chaleur excessive et des rayons directs du soleil.

#### NON-MEDICINAL/OTHER INGREDIENTS: INGRÉDIENTS NON-MÉDICINAUX/AUTRES :

Water, Isoamyl Laurate, Caprylic/Capric Triglyceride, Butyloctyl Salicylate, Glycerin, C12-15 Alkyl Benzoate, Arachidyl Alcohol, Polyglyceryl-10 Laurate, Cetearyl Olivatate, Lactobacillus Ferment, Sorbitan Olivatate, Argania Spinosa (Argan) Kernel Oil, Fructose, Linum Usitatissimum (Flaxseed) Seed Oil\*, Ribes Nigrum (Black Currant) Seed Oil\*, Rubus Chamaemorus (Cloudberry) Seed Oil\*, Withania Somnifera (Ashwagandha) Root Extract, Sambucus Nigra (Elderberry) Seed Oil\*, Dipotassium Glycyrrhizate, Vaccinium Vitis-Idaea (Lingonberry) Seed Oil\*, Hippophae Rhamnoides (Sea Buckthorn) Fruit Extract, Betula Alba (Birch Sap Juice) Bark Extract, Ocimum Basilicum (Basil) Oil, Tocopheryl Acetate, Lavandula Angustifolia (Lavender) Oil, Pelargonium Graveolens (Geranium) Flower Oil, Citrus Aurantium Bergamia (Bergamot) Fruit Oil, Citrus Aurantium Dulcis (Orange) Peel Oil, Citrus Limon (Lemon) Peel Oil, Hydroxyacetophenone, Biosaccharide Gum-4, Stearic Acid, Bisabolol, Arachidyl Glucoside, Behenyl Alcohol, Polyhydroxystearic Acid, Cetyl Alcohol, Stearyl Alcohol, Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Cellulose Gum, Xanthan Gum, 1,2-Hexanediol, Citric Acid, Alumina, Microcrystalline Cellulose, Styrene/Acrylates Copolymer, Potassium Sorbate, Limonene, Linalool, Citral. \*Organic Ingredients/Ingrédients organiques.

 norwex

#### PROTECT + PREVENT

Mineral Facial  
Sunscreen

Broad Spectrum SPF 30

Water-Resistant  
40 minutes

#### PROTÈGE + PRÉVIENT

Écran solaire  
minéral facial

Large spectre FPS 30

Résistance à l'eau  
de 40 minutes

30

NPN 80119882  
50 mL / 1.7 FLOZ

## Simple. Clean. Natural. UVA/UVB Wrinkle Defense Formula

Perfect for layering over your skin care products and under makeup. This daily-wear, multifunctional product offers:

Broad-spectrum, blue light and pollution protection.

Water/Sweat Resistance.

Fast-absorbing and non-sticky with no residue.

## Simple. Propre. Naturel. Formule UVA/UVB contre les rides

Parfait pour appliquer par-dessus vos produits de soins de peau et sous le maquillage. Ce produit quotidien multifonction offre :

Une protection à large spectre, contre la lumière bleue et la pollution.

Une résistance à l'eau et la transpiration.

Une absorption rapide et une formule non collante, sans résidus.



REEF-FRIENDLY  
CERTIFIED



#### QUESTIONS?

Call/Appeler : 1-866-450-7499

Made in USA / Fabriqué aux É.-U.


Distributed by/Distribué par :

Norwex USA Inc., 800 W. Bethel Rd., Ste. 100, Coppell, TX 75019  
Toll Free: 1-866-450-7499

Norwex Canada Inc., 871 Whitmore Ave. E, Dauphin, MB R7N 3B3  
Toll Free: 1-877-766-7939

WWW.NORWEX.COM  
403800 002 SL120





## PROTECT PREVENT DAILY MINERAL SUNSCREEN BROAD SPECTRUM SPF30

titanium dioxide, zinc oxide cream

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:80971-102
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	28.8 mg in 1 mL
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	68 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>ISOAMYL LAURATE</b> (UNII: M1SLX00M3M)	
<b>MEDIUM-CHAIN TRIGLYCERIDES</b> (UNII: C9H2L21V7U)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	

<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)
<b>ARACHIDYL ALCOHOL</b> (UNII: 1QR1QRA9BU)
<b>POLYGLYCERYL-10 LAURATE</b> (UNII: MPJ2Q8W8G)
<b>CETEARYL OLIVATE</b> (UNII: 58B69Q84JO)
<b>SORBITAN OLIVATE</b> (UNII: MDL271E3GR)
<b>ARGAN OIL</b> (UNII: 4V59G5UW9X)
<b>FRUCTOSE</b> (UNII: 6YSS42VSEV)
<b>FLAX SEED</b> (UNII: 4110YT348C)
<b>RIBES NIGRUM SEED OIL</b> (UNII: GKE1188837)
<b>RUBUS CHAMAEMORUS SEED OIL</b> (UNII: WH495F04LZ)
<b>WITHANIA SOMNIFERA ROOT</b> (UNII: V038D626IF)
<b>WATER</b> (UNII: 059QF0KO0R)
<b>SAMBUCUS NIGRA SEED OIL</b> (UNII: ZZV3NWA4A3)
<b>GLYCYRRHIZINATE DIPOTASSIUM</b> (UNII: CA2Y0FE3FX)
<b>LINGONBERRY SEED OIL</b> (UNII: 44P1VFO6KM)
<b>HIPPOPHAE RHAMNOIDES FRUIT</b> (UNII: AVL0R9111T)
<b>BETULA PUBESCENS BARK</b> (UNII: 3R504894L9)
<b>BASIL OIL</b> (UNII: Z129UMU8LE)
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)
<b>LAVENDER OIL</b> (UNII: ZBP1YXW0H8)
<b>PELARGONIUM GRAVEOLENS FLOWER OIL</b> (UNII: 3K0J1S7QGC)
<b>BERGAMOT OIL</b> (UNII: 39W1PKE3JI)
<b>ORANGE OIL, COLD PRESSED</b> (UNII: AKN3KSD11B)
<b>LEMON OIL, COLD PRESSED</b> (UNII: I9GRO824LL)
<b>HYDROXYACETOPHENONE</b> (UNII: G1L3HT4CMH)
<b>BIOSACCHARIDE GUM-4</b> (UNII: 9XRL057X90)
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)
<b>LEVOMENOL</b> (UNII: 24WE03BX2T)
<b>ARACHIDYL GLUCOSIDE</b> (UNII: 6JVW35JOOJ)
<b>DOCOSANOL</b> (UNII: 9G1OE216XY)
<b>CETYL ALCOHOL</b> (UNII: 936JST6JCN)
<b>STEARYL ALCOHOL</b> (UNII: 2KR89I4H1Y)
<b>CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED</b> (UNII: K679OBS311)
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)
<b>1,2-HEXANEDIOL</b> (UNII: TR046Y3K1G)
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)
<b>ALUMINUM OXIDE</b> (UNII: LMI26O6933)
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)
<b>LIMONENE, (+)-</b> (UNII: GFD7C86Q1W)
<b>LINALOOL, (+/-)-</b> (UNII: D81QY6I88E)
<b>CITRAL</b> (UNII: T7EU009VPP)

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:80971-102-01	1 in 1 CARTON	01/01/2023	
1		50 mL in 1 TUBE; Type 0: Not a Combination		

Product			
<b>Marketing Information</b>			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/01/2023	

**Labeler** - Norwex Usa, Inc. (016707931)

<b>Establishment</b>			
Name	Address	ID/FEI	Business Operations
COSMAX USA. CORPORATION		010990210	manufacture(80971-102)

Revised: 11/2025

Norwex Usa, Inc.