

**EXCHANGE SELECT SPORT SUNSCREEN CONTINUOUS SPF 50- avobenzone, homosalate, octisalate, octocrylene spray  
Army & Air Force Exchange Service**

-----  
**EXCHANGE SELECT SPORT SUNSCREEN CONTINUOUS SPRAY SPF 50**

**☐Active ingredients**

Avobenzone 3.0%, Homosalate 10.0%, Octisalate 5.0%, Octocrylene 4.0%

**Purpose**

Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see ☐**Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**

**FLAMMABLE:**

- do not use near heat, flame or while smoking
- avoid long term storage above 104°F (40°C)

**Do not use**

- on damaged or broken skin.

**When using this product**

- keep out of eyes. Rinse with water to remove.
- keep away from face to avoid breathing it.
- do not puncture or incinerate. Contents under pressure.
- do not store at temperatures above 120°F.

**Stop use and ask a doctor if**

- rash occurs.

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

### **Directions**

- Spray liberally and spread evenly by hand 15 minutes before sun exposure
- Hold can 4-6 inches away from the skin to apply
- Do not spray directly into face. Spray into hands then apply to face
- Do not apply in windy conditions
- Use in a well-ventilated area.
- Reapply:
  - after 80 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours
- Children under 6 months of age: Ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeved shirts, pants, hats, and sunglasses

### **Other information**

- protect the product in this container from excessive heat and direct sun
- may stain or damage some fabrics, materials or surfaces

### **Inactive ingredients**

alcohol denat., butyloctyl salicylate, acrylates/octylacrylamide copolymer, panthenol (provitamin B5), tocopherol (vitamin E), fragrance, stearoxytrimethylsilane, caprylic/capric triglyceride, glycerin

### **Label**

Compare to Coppertone® SPORT®  
SPF 50 Continuous Spray\*

exchange **select**™

**SPORT**  
SUNSCREEN  
CONTINUOUS SPRAY



**BROAD SPECTRUM  
SPF 50**

Sweat & Water Resistant  
(80 Minutes)  
Sprays at any Angle  
Reef-Conscious Formula†

TWO – NET WT 5.5 OZ (156 g)  
TOTAL – NET WT 11 OZ (312 g)



**Exchange Select™ Sport Continuous Spray SPF 50**  
helps protect skin from the sun's harmful rays. Non-greasy formula absorbs quickly,  
leaving hands dry and ready! Won't run and sting eyes.

• Broad Spectrum UVA & UVB Protection • Sweat & Water Resistant

| Drug Facts         |           |
|--------------------|-----------|
| Active Ingredients | Purpose   |
| Avobenzone 3.0%    | Sunscreen |
| Homosalate 10.0%   |           |
| Octisalate 5.0%    |           |
| Octocrylene 4.0%   |           |

**Uses** • helps prevent sunburn • If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**  
For external use only

**FLAMMABLE:**  
• do not use near heat, flame or while smoking  
• avoid long term storage above 104°F (40°C)

Do not use • on damaged or broken skin.

When using this product • keep out of eyes. Rinse with water to remove. • do not puncture or incinerate. Contents under pressure. • do not store at temperatures above 120° F.

Stop use and ask a doctor if • rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

• Spray liberally and spread evenly by hand 15 minutes before sun exposure

• hold can 4-6 inches away from skin to apply

• do not spray into face. Spray into hand then apply to face.

• do not apply in windy conditions

• use in well-ventilated area

• reapply:

• after 80 minutes of swimming or sweating

• immediately after towel drying

• at least every 2 hours

• children under 6 months of age; ask a doctor

• Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging.

To decrease this risk, regularly use a sunscreen with a broad-spectrum SPF of 15 or higher and other sun protection measures including:

• limit time in the sun, especially from 10 a.m. – 2 p.m.

• wear long-sleeve shirts, pants, hats, and sunglasses

**Other information**

• protect this product from excessive heat and direct sun

• may stain or damage some fabrics, materials or surfaces

**Inactive ingredients**  
alcohol denat., butylol salicylate, acrylates/octylacrylamide copolymer, panthenol (provitamin B5), tocopherol (vitamin E), fragrance, stearyltrimethylsilane, caprylic/capric triglyceride, glycerin

**Questions or comments?**  
Call toll free 1-800-527-7731

**"SATISFACTION GUARANTEED OR YOUR MONEY BACK."**

Manufactured For Your Military Exchanges

By: Fruit of the Earth, Inc., Grand Prairie, TX 75050

Product of U.S.A.

\*This product is not manufactured or distributed by Schering-Plough HealthCare Products, Inc., distributor of Coppertone® SPORT® SPF 50 Continuous Spray.

† Formula is compliant with Hawaii SB2571.



## EXCHANGE SELECT SPORT SUNSCREEN CONTINUOUS SPF 50

avobenzone, homosalate, octisalate, octocrylene spray

### Product Information

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:55301-042 |
| <b>Route of Administration</b> | TOPICAL        |                           |               |

### Active Ingredient/Active Moiety

| Ingredient Name   | Basis of Strength | Strength      |
|---|-------------------|---------------|
| <b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)   | AVOBENZONE        | 30 mg in 1 g  |
| <b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)   | HOMOSALATE        | 100 mg in 1 g |
| <b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)   | OCTISALATE        | 50 mg in 1 g  |
| <b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM) | OCTOCRYLENE       | 40 mg in 1 g  |

### Inactive Ingredients

| Ingredient Name  | Strength |
|--|----------|
| <b>ALCOHOL</b> (UNII: 3K9958V90M)  |          |
| <b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)  |          |
| <b>ACRYLATE/ISOBUTYL METHACRYLATE/N-TERT-OCTYLACRYLAMIDE COPOLYMER (75000 MW)</b> (UNII: JU3XHR8VVK) |          |
| <b>PANTHENOL</b> (UNII: WW9CM0067Z)  |          |
| <b>.ALPHA.-TOCOPHEROL, DL-</b> (UNII: 7QWA1RIO01)  |          |
| <b>STEAROXYTRIMETHYLSILANE</b> (UNII: 9862TW94B2)  |          |
| <b>MEDIUM-CHAIN TRIGLYCERIDES</b> (UNII: C9H2L21V7U)   |          |

**GLYCERIN** (UNII: PDC6A3C0OX)

### Packaging

| # | Item Code        | Package Description                               | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:55301-042-63 | 2 in 1 PACKAGE                                    | 03/28/2013           |                    |
| 1 | NDC:55301-042-37 | 156 g in 1 CAN; Type 0: Not a Combination Product |                      |                    |

### Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020                                     | 03/28/2013           |                    |

**Labeler** - Army & Air Force Exchange Service (001695568)

Revised: 10/2024

Army & Air Force Exchange Service