

**EXTRA STRENGTH MINI SOFTGELS PAIN RELIEVER- acetaminophen capsule,  
liquid filled  
CVS WOONSOCKET PRESCRIPTION CENTER, INCORPORATED**

-----  
**Extra Strength Mini Softgels Pain Reliever**

***Drug Facts***

***Active Ingredient***

Acetaminophen 500 mg

***Purpose***

Pain reliever/fever reducer

***Uses***

temporarily relieves minor aches and pains due to:

- the common cold
- headache
- backache
- minor pain of arthritis
- toothache
- muscular aches
- premenstrual and menstrual cramps
- temporarily reduces fever

***Warnings***

**Liver warning**

This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours with other drugs
- containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:**acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

- if you are allergic to acetaminophen or any of the inactive ingredients in this product

**Ask a doctor before use if you have liver disease**

**Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin**

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.**

**Overdose warning**

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

### ***Directions***

do not take more than directed (see **overdose warning**)

---

adults and children 12 years and over	<ul style="list-style-type: none"><li>• take 2 caplets every 6 hours while symptoms last</li><li>• do not take more than 6 caplets in 24 hours, unless directed by a doctor</li><li>• do not use for more than 10 days unless directed by a doctor</li></ul>
children under 12 years	ask a doctor

---

### ***Other information***

store between 20-25°C (68-77°F)

### ***Inactive ingredients***

FD & C Red # 40, gelatin, glycerin, isopropyl alcohol, light mineral oil, N-butyl alcohol, polysorbate 80, polyethylene glycol 40, polyethylene glycol 400, povidone, purified water, shellac, sorbiton solution, titanium dioxide

### ***Questions or comments?***

1-800-632-6900

Compare to the active ingredient  
in Tylenol® Extra Strength

Extra Strength Mini Softgels Pain Reliever

Acetaminophen 500 mg

Compare to the  
Active Ingredient in  
TYLENOL® Extra Strength†

NDC 51316-444-40

**Extra Strength**  
**PAIN RELIEVER**  
**Acetaminophen 500 mg**  
Pain reliever/fever reducer

- Ultra concentrated mini softgels
- Dissolves quickly

**40** Softgels

TAMPER EVIDENT: DO NOT USE IF SAFETY SEAL UNDER THE CAP IS BROKEN OR MISSING

**Drug Facts**

**Active ingredient (in each softgel) Purpose**  
Acetaminophen .....Pain reliever/  
500 mg fever reducer

**Uses**  
Temporarily relieves minor aches and pains due to:

- the common cold ■ headache ■ backache ■ minor pain of arthritis ■ toothache ■ muscular aches
- premenstrual and menstrual cramps ■ temporarily reduces fever

**Warnings**  
**Liver warning:**  
This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen ■ 3 or more alcoholic drinks every day while using this product

**Allergy alert:** acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening ■ blisters ■ rash

If a skin reaction occurs, stop use and seek medical help right away.

**Drug Facts (continued under label)**

0 00000 00000 0

LOT:  
EXP:

Made in India

**Drug Facts (Continued)**

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist ■ if you are allergic to acetaminophen or any of the inactive ingredients in this product

**Ask a doctor before use if you have liver disease**

**Ask a doctor or pharmacist before use if you are** taking the blood thinning drug warfarin

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.**

**Overdose warning:**  
In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**  
do not take more than directed  
(see **overdose warning**)

adults and children 12 years and over	<ul style="list-style-type: none"> <li>■ take 2 softgels every 6 hours while symptoms last</li> <li>■ do not take more than 6 softgels in 24 hours, unless directed by a doctor</li> <li>■ do not use for more than 10 days unless directed by a doctor</li> </ul>
children under 12 years	ask a doctor

**Other information**  
store between 20-25°C (68-77°F)

**Inactive ingredients**  
FD & C Red # 40, gelatin, glycerin, isopropyl alcohol, light mineral oil, N-butyl alcohol, polysorbate 80, polyethylene glycol 40, polyethylene glycol 400, povidone, purified water, shellac, sorbitol solution, titanium dioxide

**Questions or comments?** 1-800-373-6981

This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Tylenol®.

FPO  
H2R Logo

**Extra Strength  
Pain  
Reliever  
mini softgels**

Compare to  
the active ingredient  
in Extra Strength Tylenol®<sup>1</sup>

NDC 51316-444-18

**NEW**

**Extra Strength  
Pain  
Reliever  
mini softgels**

**Acetaminophen 500 mg**  
Pain reliever / Fever reducer

- dissolves quickly
- ultra-concentrated
- easy to swallow
- smaller size



Not Actual Size

**18 mini softgels**

**Drug Facts (continued)**

■ new symptoms occur ■ redness or swelling is present  
These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional  
before use. Keep out of reach of children.

**Overdose warning**

In case of overdose, get medical help or contact a Poison  
Control Center right away. (1-800-222-1222) Quick medical  
attention is critical for adults as well as for children even if  
you do not notice any signs or symptoms.

**Directions**

■ do not use more than directed (see overdose warning)

adults and children 12 years and over:	■ take 2 softgels every 6 hours while symptoms last ■ do not take more than 6 softgels in 24 hours, unless directed by a doctor ■ do not use for more than 10 days unless directed by a doctor
children under 12 years:	■ ask a doctor

**Other information**

■ store at 25°C (77°F); excursions permitted between  
15°-30°C (59°-86°F)

**Inactive ingredients**

FD & C Red # 40, gelatin, glycerin, isopropyl alcohol, light  
mineral oil, N-butyl alcohol, polysorbate 80, polyethylene  
glycol 40, polyethylene glycol 400, povidone, purified water,  
shellac, sorbitol solution, titanium dioxide

**Questions or comments? 1-800-373-6981**

<sup>1</sup>This product is not manufactured or distributed by  
Johnson & Johnson Corporation, owner of the  
registered trademark Tylenol®. Made in India

**TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED  
OR SAFETY SEAL UNDER CAP IS BROKEN OR MISSING**

**Drug Facts**

**Active ingredients (in each softgel) Purpose**

**Uses**

■ temporarily relieves minor aches and pains due to:  
■ the common cold ■ headache ■ backache ■ minor pain of  
arthritis ■ toothache ■ muscular aches ■ premenstrual and  
menstrual cramps ■ temporarily reduces fever

**Warnings**

**Liver warning:** This product contains acetaminophen. Severe  
liver damage may occur if you take:  
■ more than 4,000 mg of acetaminophen in 24 hours  
■ with other drugs containing acetaminophen  
■ 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin  
reactions. Symptoms may include:  
■ skin redness ■ blisters ■ rash  
If a skin reaction occurs, stop use and seek medical help  
right away.

**Do not use**

■ with any other drug containing acetaminophen (prescription  
or nonprescription). If you are not sure whether a drug contains  
acetaminophen, ask a doctor or pharmacist.  
■ if you are allergic to acetaminophen or any of the inactive  
ingredients in this product.

Ask a doctor before use if you have ■ liver disease

Ask a doctor or pharmacist before use if you are

■ taking the blood thinning drug warfarin

Stop use and ask a doctor if

■ pain gets worse or lasts more than 10 days

■ fever gets worse or lasts more than 3 days

**KEEP OUTER CARTON FOR COMPLETE  
WARNINGS AND PRODUCT INFORMATION.**

Distributed by:  
XXX XXXXX  
XXXXXX XXXXXX



**EXTRA STRENGTH MINI SOFTGELS PAIN RELIEVER**

acetaminophen capsule, liquid filled

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:51316-444
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>ACETAMINOPHEN</b> (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg

## Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>GELATIN</b> (UNII: 2G86QN327L)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>PEG-40</b> (UNII: QQQ93L995Q)	
<b>POLYETHYLENE GLYCOL 400</b> (UNII: B697894SGQ)	
<b>POVIDONE</b> (UNII: FZ989GH94E)	
<b>POLYSORBATE 80</b> (UNII: 6OZP39ZG8H)	
<b>ISOPROPYL ALCOHOL</b> (UNII: ND2M416302)	
<b>LIGHT MINERAL OIL</b> (UNII: N6K5787QVP)	
<b>SHELLAC</b> (UNII: 46N107B71O)	
<b>N-BUTYL ALCOHOL</b> (UNII: 8PJ61P6TS3)	
<b>SORBITAN</b> (UNII: 6O92ICV9RU)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	

## Product Characteristics

<b>Color</b>	red	<b>Score</b>	no score
<b>Shape</b>	OVAL	<b>Size</b>	16mm
<b>Flavor</b>		<b>Imprint Code</b>	SDP
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51316-444-18	1 in 1 CARTON	05/28/2026	
1		18 in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:51316-444-40	40 in 1 BOTTLE; Type 0: Not a Combination Product	05/28/2026	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	05/28/2026	

**Labeler** - CVS WOONSOCKET PRESCRIPTION CENTER, INCORPORATED (062312574)