#### CORETEX PROFESSIONAL OUTDOOR SKIN PROTECTION WALLET- coretex professional outdoor skin protection wallet CoreTex Products Inc

\_\_\_\_\_

**CoreTex Professional Outdoor Skin Protection Wallet** 65753-514

#### Hand Sanitizer Active Ingredients:

SD Alcohol 40-B 62.5%

#### Hand Sanitizer Purpose

Antimicrobial

#### Hand Sanitizer Uses:

Hand Sanitizer to help reduce bacteria on the skin.

#### Hand Sanitizer Warnings

#### Flammable. Keep away from heat or flame.

#### For external use only.

#### When using this product

do not use in or near the eyes. In case of contact, rinse eyes thoroughly with water.

#### Stop use and ask a doctor

if irritation or rash appears and lasts.

**Keep out of reach of children.** If swallowed, get help or contact a Poison Control Center right away.

#### Hand Sanitizer Directions:

Put enough product in your palm to cover hands and rub hands together briskly until dry.

#### Hand Sanitizer

#### Inactive Ingredients:

actinidia chinesis (kiwi) extract, aloe barbadenis leaf juice, aminomethyl propanol, brassica oleracea italica (broccoli) extract, cannabis sativa (hemp) seed extract, carbomer citrullus vulgaris (watermelon) fruit extract, euterpe oleracea fruit extract, fragaria vesca (strawberry) fruit extract, glycerin, helianthus annus (sunfloer) seed oil, hippophae rhamnoides (sea buckthorn) fruit extract, lycium barbarum (goji) extract, myrciaria dubia (camu camu) fruit extract, propanediol, propylene glycol, punica granatum extract, rubus idaeus seed extract, tocopherol acetate (vitamin E acetate), vaccinium angustifolium (blueberry) extract, vaccinium macrocarpon (cranberry) fruit extract, vitis vinifera (grape) seed extra, water

#### Hand Sanitizer Other Information:

Store below 110 °F (43 °), Read the Safety Data Sheet for this Product. You may obtain an SDS from our website: www.coretexproducts.com or Call: 1-877-684-5774

#### SunX 30 Active Ingredients:

Avobenzone 3.0%

Homosalate 7.5%

Octisalate 5.0%

Octocrylene 5.0%

#### SunX 30 *Purpo*se

Sunscreen

Sunscreen

Sunscreen

Sunscreen

#### SunX 30 *Uses:*

- helps prevent sunburn.
- higher SPF gives more sunburn protection.
- retains SPF after 80 minutes of activity in the water or sweating.
- provides high protection against sunburn.

SunX 30 Warnings

For external use only

#### SunX 30 Do Not Use

• on damaged or broken skin

#### When using this product

- keep out of the eyes
- rinse with water to remove

#### Stop use and ask a doctor if

• rash or irritation develops and lasts

#### Keep out of reach of children.

If swallowed, get medical help or contact Poison Control Center right away.

#### SunX 30 Directions:

- apply liberally and evenly 15 minutes before sun exposure
- reapply:
- after 80 minutes of swimming or sweating
- after towel drying, swimming, or
- at least every 2 hours
- children under 6 months of age: Ask a doctor

#### SunX 30 Other Information:

• protect this product from excessive heat or direct sun.

Sun alert: Limiting sun exposure, wearing protective clothing, and using sunscreens may reduce the risk of skin aging, skin cancer, and other harmful effects of the sun.

#### SunX 30 Inactive Ingredients:

acrylates/C10-30 alkyl acrylate crosspolymer, aloe barbadensis leaf juice, C12-15 alkyl benzoate, carbomer, disodium EDTA, ethylexyiglycerin, hydroxypropyl methylcellulose, phenoxyethanol, polyethylene, polysorbate 20, propylene glycol, sodium hydroxide, sorbitan oleate, theobroma cacao (cocoa) seed butter, tocopheryl acetate, water

#### SunX 30 Questions?

Call: 1-877-684-5774

SunX 50 Lip Balm Active Ingredients: Avobenzone...3.0% Homosalate...3.0% Octinoxate...7.5% Octisalate...5.0% Petrolatum...40.0%

#### SunX 50 Lip Balm *Purpose*

Sunscreen

Sunscreen

Sunscreen

Sunscreen

Skin Protectant

#### SunX 50 Lip Balm *Uses:*

Helps protect against sunburn and chapped lips.

#### SunX 50 Lip Balm *Warnings*

**Sun Alert:** Limiting sun exposure, wearing protective clothing, and using sunscreens may reduce the risks of skin aging, skin cancer, and other harmful effects of the sun.

#### Do not use

Do not use on damaged or broken skin.

#### Stop use and ask a doctor if

rash occurs

#### When using this product

• keep out of eyes. Rinse to remove.

#### Keep out of reach of children.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

#### SunX 50 Lip Balm *Directions:*

Apply liberally before sun exposure and as needed

• Children under 6 months of age: **Ask a doctor before use.** 

#### SunX 50 Lip Balm Other information:

protect the product in this container from excessive heat and direct sun.

#### SunX 50 Lip Balm Inactive Ingredients:

C12-15 alkyl benzoate, caprylic/capric triglyceride, mineral oil, ozokerite, phenyl trimethicone, tocopherol.

#### Anti-Itch Active Ingredients:

Camphor 0.1%

Diphenhydramine hydrochloride 2%

Zinc acetate 1%

#### Anti-Itch *Purpo*se

Extrenal analgesic

Antihistamine

Skin protectant

### Anti-Itch

#### Uses:

- For the temporary relief of itching and pain associated with minor skin irritations and rashes due to insect bites, poison ivy, poison oak, poison sumac.
- dries the oozing and weeping of poison ivy, poison oak, poison sumac.

#### Anti-Itch *Warnings*

For external use only

#### Do Not Use

- on chicken pox, blisters or on extensive areas of the skin
- with any drugs containing diphenhydramine while using this product.

#### When using this product

• keep out of eyes.

#### Stop use and ask a doctor if

• conditions worsen or if symptoms persist for more than 7 days or clear up and occur again within a few days.

#### Keep out of reach of children

If swallowed get medical help or contact Poison Control center right away.

#### Anti-Itch *Directions:*

• Adults and children 12 years of age and older, apply to affected area not more than 3 to 4 times daily, or as directed bu a doctor.

#### Anti-Itch Other Information:

• protect this product from excessive heat and direct sun.

#### Anti-Itch Inactive Ingredients:

citric acid, diazolidinyl urea, glycerin, hydroxypropyl methylcellulose, methylparaben, propylene glycol, propylparaben, SD alcohol 40, sodium citrate, water (aqua).

#### Anti-Itch Questions?

Call: 1-877-684-5774

#### Sting X Active Ingredients:

Benzocaine 6%

#### Sting X *Purpose*

**Topical Analgesic** 

#### Sting X *Use:*

For temporary pain relief from insect bites and stings

#### Sting X *Warnings*

For external use only

#### Do not use

- in or near eyes
- over large areas of the body
- over raw or blistered areas

#### Stop use and ask a doctor if

 conditions worsen or persist for more than 7 days or clear up and occur again within a few days

#### Keep out of reach of children.

If swallowed get medical help or contact Poison Control center right away.

#### Sting X Directions:

Apply to affected area not more than 3 to 4 times daily, for adults and children 2 years of age or older.

#### Sting X Inactive Ingredients:

SD alcohol 40, water (aqua), glycerin, allantoin

#### Sting X Other Information:

Made in USA for CoreTex Products, Inc.

Bakersfield, CA 93308

www.CoreTexProducts.com (877)684-5774

#### **Outdoor Professional Kit and Refill Kit Contents**

1 ea - Sun X SPF 30 Broad Spectrum Lotion Pouch

- 1 ea Sun X SPF 30 Broad Spectrum Multi-Pack Pouch w/Towelette
- 1 ea Sun X SPF 30 Lip Balm
- 2 ea Bug X 30 Insect Repellent Towelette
- 2 ea Ivy X Pre-Contact Barrier Towelette
- 2 ea Ivy X Post-Contact Cleanser Towelette
- 2 ea Burn X Lite Cooling Gel Pouch
- 1 ea Anti-Itch Gel Pouch
- 1 ea Sting X Pain Relief Pad
- 1 ea Hand Sanitizer Gel Pouch

#### **Professional Outdoor Kit Label**






Hand Sanitizer Package Label

#### Hand Sanitizer Pouch



SunX 30 Label

Sun X Pouch







Pouch Size: 2.5 x 3.5"

## SunX 30 Multipack with Towelette Label

Sunscreen Lotion Pouch	Utility Towelette
<section-header><section-header><section-header><text><text><text><text><text></text></text></text></text></text></section-header></section-header></section-header>	A state of the second of the s
Protect Yourself!	Prepare Yourself!

Purpose     Sunscreen     Sunsoffer     Sunscreen     Sunscreen     Sunscreen     Sunscreen

Back

Front



# Anti-Itch Gel Pouch








Sting X Label

Sting X Pouch



H2.5" x W2"


# **Burn X Lite Pouch**



#### **IVY X Cleanser Label**



#### **IVY X Pre Label**



		OFESSIONAL OUT		KIN PROTECTIO	N WALLET			
Produ	ict Inform	nation						
Product Type		HUMAN OTC DRUG	ltem Co	ode (Source)	NDC:65753-514			
Packa	ging							
# Ite	m Code	Package Descript	tion	Marketing Start Date	Marketing End Date			
1 NDC:0	65753-514-	1 in 1 KIT; Type 0: Not a Combi Product	ination	02/24/2023				
Quant	ity of Pa	rts						
Part #		Package Quantity		Total Product (	Quantity			
Part 1	1 PACKET		44 mL					
Part 2	1 POUCH		7 g					
Part 3	14809258 A	PPLICATOR	657531	65753105 mL				
Part 4	1 POUCH		1 mL	1 mL				
Part 5	1 POUCH		1.1 mL	1.1 mL				
Part 6	1 POUCH		3.5 mL					
Part	1 of 6							
CORI	ETEX SU	JN X SPF 30 NEW						

avobenzone, homosalate, octisalate, octocrylene lotion

Product Information	
ltem Code (Source)	NDC:65753-110
Route of Administration	TOPICAL

# Active Ingredient/Active Moiety

Ingredient Name	<b>Basis of Strength</b>	Strength
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	7.5 g in 100 mL
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	5 g in 100 mL
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	3 g in 100 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	5 g in 100 mL

# Inactive Ingredients

Ingredient Name	Strength
MEDIUM DENSITY POLYETHYLENE (UNII: 3W404QE89S)	
DISODIUM EDTA-COPPER (UNII: 6V475AX06U)	
THEOBROMA CACAO WHOLE (UNII: EB048G1S9J)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
POLYSORBATE 20 (UNII: 7T1F30V5YH)	
METHYLCELLULOSE, UNSPECIFIED (UNII: Z944H5SN0H)	
CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE (UNII: 0A5MM307FC)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
ACRYLATES CROSSPOLYMER-6 (UNII: 4GXD0Q3OS3)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
.ALPHATOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
WATER (UNII: 059QF0KO0R)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
PEG-6 SORBITAN OLEATE (UNII: 5807V09UCI)	
PROPYLENE GLYCOL PROPYL ETHER (UNII: 92KA3PYX0S)	

# Product Characteristics Color white (Thick White Lotion) Score Shape Size Size

Flavor	Imprint Code	
Contains		
Packaging		

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:65753-110- 37	44 mL in 1 PACKET; Type 0: Not a Combination Product		

Category	Applica	tion Number or Monograph Citation	Marketing Start Date	Marketing End Date
	4020		10/01/2023	
Part 2 of 6				
CORFTEX SUN		F 30 MULTIPACK NEV	V	
	_	tisalate, octocrylene lotion	•	
	salate, ot			
	<b>.</b>			
Product Informa	τιοη			
Item Code (Source)		NDC:65753-109		
Route of Administra	ation	TOPICAL		
Active Ingredient	/Active	Moiety		
	Ingre	dient Name	Basis of Stre	ngth Strength
AVOBENZONE (UNII: GE	63QQF2NO	() (AVOBENZONE - UNII:G63QQF2NO)	() AVOBENZONE	3 g in 100 g
OCTOCRYLENE (UNII: 5	5A68WGF6W	M) (OCTOCRYLENE - UNII:5A68WGF6V	M) OCTOCRYLENE	5 g in 100 g
OCTISALATE (UNII: 4X4	9Y0596W) (	OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	5 g in 100 g
HOMOSALATE (UNII: VO	)6SV4M95S	) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	7.5 g in 100
Inactive Ingredie	nte			
Inactive Ingredie	nts	Ingradiant Nama		Stronath
-		Ingredient Name		Strength
DISODIUM EDTA-COPF	PER (UNII: 6	SV475AX06U)		Strength
DISODIUM EDTA-COPF SODIUM HYDROXIDE (I	<b>PER</b> (UNII: 6 UNII: 55X04	SV475AX06U) QC32I)		Strength
DISODIUM EDTA-COPF SODIUM HYDROXIDE (I ETHYLHEXYLGLYCERIN	<b>PER</b> (UNII: 6 UNII: 55X04 <b>N</b> (UNII: 147	5V475AX06U) QC32I) D247K3P)		Strength
DISODIUM EDTA-COPF SODIUM HYDROXIDE (I ETHYLHEXYLGLYCERIN POLYSORBATE 20 (UNI	PER (UNII: 6 UNII: 55X04 N (UNII: 147 II: 7T1F30V	5V475AX06U) QC32I) D247K3P) 5YH)		Strength
DISODIUM EDTA-COPF SODIUM HYDROXIDE (I ETHYLHEXYLGLYCERIN POLYSORBATE 20 (UNI METHYLCELLULOSE, U	PER (UNII: 6 UNII: 55X04 N (UNII: 147 II: 7T1F30V JNSPECIFI	SV475AX06U) QC32I) D247K3P) SYH) ED (UNII: Z944H5SN0H)		Strength
DISODIUM EDTA-COPF SODIUM HYDROXIDE (I ETHYLHEXYLGLYCERIN POLYSORBATE 20 (UNI METHYLCELLULOSE, U PROPYLENE GLYCOL P	PER (UNII: 6 UNII: 55X04 N (UNII: 147 II: 7T1F30V JNSPECIFI PROPYL ET	5V475AX06U) QC32I) D247K3P) 5YH) ED (UNII: Z944H5SN0H) HER (UNII: 92KA3PYX0S)	C)	Strength
DISODIUM EDTA-COPF SODIUM HYDROXIDE (I ETHYLHEXYLGLYCERIN POLYSORBATE 20 (UNI METHYLCELLULOSE, U PROPYLENE GLYCOL P CARBOMER HOMOPOL	PER (UNII: 6 UNII: 55X04 N (UNII: 147 II: 7T1F30V JNSPECIFI PROPYL ET LYMER, UN	5V475AX06U) QC32I) D247K3P) 5YH) ED (UNII: Z944H5SN0H) THER (UNII: 92KA3PYX0S) SPECIFIED TYPE (UNII: 0A5MM307F	С)	Strength
DISODIUM EDTA-COPF SODIUM HYDROXIDE (I ETHYLHEXYLGLYCERIN POLYSORBATE 20 (UNI METHYLCELLULOSE, U PROPYLENE GLYCOL P CARBOMER HOMOPOL ALOE VERA LEAF (UNII:	PER (UNII: 6 UNII: 55X04 N (UNII: 147 II: 7T1F30V JNSPECIFI PROPYL ET LYMER, UN	5V475AX06U) QC32I) D247K3P) 5YH) ED (UNII: Z944H5SN0H) FHER (UNII: 92KA3PYX0S) SPECIFIED TYPE (UNII: 0A5MM307F 40X)	C)	Strength
DISODIUM EDTA-COPF SODIUM HYDROXIDE (( ETHYLHEXYLGLYCERIN POLYSORBATE 20 (UNI METHYLCELLULOSE, U PROPYLENE GLYCOL P CARBOMER HOMOPOL ALOE VERA LEAF (UNII: .ALPHATOCOPHEROL	PER (UNII: 6 UNII: 55X04 N (UNII: 147 II: 7T1F30V JNSPECIFI PROPYL ET LYMER, UN : ZY81Z83F L ACETATE	5V475AX06U) QC32I) D247K3P) 5YH) ED (UNII: Z944H5SN0H) FHER (UNII: 92KA3PYX0S) SPECIFIED TYPE (UNII: 0A5MM307F 40X)	C)	Strength
DISODIUM EDTA-COPF SODIUM HYDROXIDE ( ETHYLHEXYLGLYCERIN POLYSORBATE 20 (UNI METHYLCELLULOSE, U PROPYLENE GLYCOL P CARBOMER HOMOPOL ALOE VERA LEAF (UNII: .ALPHATOCOPHEROL WATER (UNII: 059QF0KC	PER (UNII: 6 UNII: 55X04 N (UNII: 147 II: 7T1F30V JNSPECIFI PROPYL ET LYMER, UN : ZY81Z83H L ACETATE DOR)	5V475AX06U) QC32I) D247K3P) 5YH) ED (UNII: Z944H5SN0H) FHER (UNII: 92KA3PYX0S) SPECIFIED TYPE (UNII: 0A5MM307F 40X) (UNII: 9E8X80D2L0)	C)	Strength
DISODIUM EDTA-COPF SODIUM HYDROXIDE ( ETHYLHEXYLGLYCERIN POLYSORBATE 20 (UNI METHYLCELLULOSE, U PROPYLENE GLYCOL F CARBOMER HOMOPOL ALOE VERA LEAF (UNII: .ALPHATOCOPHEROL WATER (UNII: 059QF0KC PHENOXYETHANOL (UN	PER (UNII: 6 UNII: 55X04 N (UNII: 147 II: 7T1F30V JNSPECIFI PROPYL ET LYMER, UN : ZY81Z83H L ACETATE DOR) NIII: HIE4922	SV475AX06U) QC32I) D247K3P) SYH) ED (UNII: Z944H5SN0H) THER (UNII: 92KA3PYX0S) ISPECIFIED TYPE (UNII: 0A5MM307F IOX) (UNII: 9E8X80D2L0) ZZ3T)	C)	Strength  Strength
DISODIUM EDTA-COPF SODIUM HYDROXIDE (I ETHYLHEXYLGLYCERIN POLYSORBATE 20 (UNI METHYLCELLULOSE, U PROPYLENE GLYCOL P CARBOMER HOMOPOL ALOE VERA LEAF (UNII: .ALPHATOCOPHEROL WATER (UNII: 059QF0KC PHENOXYETHANOL (UN PEG-6 SORBITAN OLEA	PER (UNII: 6 UNII: 55X04 N (UNII: 147 II: 7T1F30V JNSPECIFI PROPYL ET LYMER, UN : ZY81Z83F L ACETATE DOR) NII: HIE4922 ATE (UNII: 1	XV475AX06U) QC32I) D247K3P) SYH) ED (UNII: Z944H5SN0H) THER (UNII: 92KA3PYX0S) SPECIFIED TYPE (UNII: 0A5MM307F H0X) (UNII: 9E8X80D2L0) ZZ 3T) S807V09UCI)	C)	Strength Str
DISODIUM EDTA-COPF SODIUM HYDROXIDE ( ETHYLHEXYLGLYCERIN POLYSORBATE 20 (UNI METHYLCELLULOSE, U PROPYLENE GLYCOL P CARBOMER HOMOPOL ALOE VERA LEAF (UNII: .ALPHATOCOPHEROL WATER (UNII: 059QF0KC PHENOXYETHANOL (UP PEG-6 SORBITAN OLE/ ALKYL (C12-15) BENZ	PER (UNII: 6 UNII: 55X04 N (UNII: 147 II: 7T1F30V JNSPECIFI PROPYL ET LYMER, UN : ZY81Z83F L ACETATE DOR) NII: HIE4922 ATE (UNII: 1	SV475AX06U)         QC32I)         D247K3P)         SYH)         ED (UNII: Z944H5SN0H)         "HER (UNII: 92KA3PYX0S)         SPECIFIED TYPE (UNII: 0A5MM307F         IOX)         (UNII: 9E8X80D2L0)         ZZ 3T)         S807V09UCI)         : A9EJ3J61HQ)	C)	Strength Strength
DISODIUM EDTA-COPF SODIUM HYDROXIDE (( ETHYLHEXYLGLYCERIN POLYSORBATE 20 (UNI METHYLCELLULOSE, U PROPYLENE GLYCOL P CARBOMER HOMOPOL ALOE VERA LEAF (UNII: .ALPHATOCOPHEROL WATER (UNII: 059QF0KC PHENOXYETHANOL (UN PEG-6 SORBITAN OLE) ALKYL (C12-15) BENZ MEDIUM DENSITY POL	PER (UNII: 6 UNII: 55X04 N (UNII: 147 II: 7T1F30V JNSPECIFI PROPYL ET LYMER, UN : ZY81Z83H L ACETATE DOR) NII: HIE4922 ATE (UNII: 1 COATE (UNII: 1 COATE (UNII: 1	SV475AX06U)         QC32I)         D247K3P)         SYH)         ED (UNII: Z944H5SN0H)         *HER (UNII: 92KA3PYX0S)         SPECIFIED TYPE (UNII: 0A5MM307F         IOX)         (UNII: 9E8X80D2L0)         ZZ3T)         S807V09UCI)         : A9EJ3J61HQ)         IE (UNII: 3W404QE89S)	C)	Strength           -<
	PER (UNII: 6 UNII: 55X04 N (UNII: 147 II: 7T1F30V JNSPECIFI PROPYL ET LYMER, UN : ZY81Z83H L ACETATE DOR) NII: HIE4922 ATE (UNII: 1 COATE (UN	SV475AX06U)         QC32I)         D247K3P)         SYH)         ED (UNII: Z944H5SN0H)         FHER (UNII: 92KA3PYX0S)         SPECIFIED TYPE (UNII: 0A5MM307F         40X)         (UNII: 9E8X80D2L0)         ZZ3T)         S807V09UCI)         : A9EJ3J61HQ)         JE (UNII: 3W404QE89S)         UNII: 4GXD0Q30S3)	C)	Strength           -<
DISODIUM EDTA-COPF SODIUM HYDROXIDE (I ETHYLHEXYLGLYCERIN POLYSORBATE 20 (UNI METHYLCELLULOSE, U PROPYLENE GLYCOL P CARBOMER HOMOPOL ALOE VERA LEAF (UNII: .ALPHATOCOPHEROL WATER (UNII: 059QF0KC PHENOXYETHANOL (UF PEG-6 SORBITAN OLE/ ALKYL (C12-15) BENZ MEDIUM DENSITY POL ACRYLATES CROSSPO	PER (UNII: 6 UNII: 55X04 N (UNII: 147 II: 7T1F30V JNSPECIFI PROPYL ET LYMER, UN : ZY81Z83H L ACETATE DOR) NII: HIE4922 ATE (UNII: 1 COATE (UNII: 1 COATE (UNII: 1 COATE (UNII: 1 LYMER-6 (	SV475AX06U)         QC32I)         D247K3P)         SYH)         ED (UNII: Z944H5SN0H)         FHER (UNII: 92KA3PYX0S)         SPECIFIED TYPE (UNII: 0A5MM307F         40X)         (UNII: 9E8X80D2L0)         ZZ3T)         S807V09UCI)         : A9EJ3J61HQ)         JE (UNII: 3W404QE89S)         UNII: 4GXD0Q30S3)	C)	Strength           -<
DISODIUM EDTA-COPF SODIUM HYDROXIDE (I ETHYLHEXYLGLYCERIN POLYSORBATE 20 (UNI METHYLCELLULOSE, U PROPYLENE GLYCOL P CARBOMER HOMOPOL ALOE VERA LEAF (UNII: .ALPHATOCOPHEROL WATER (UNII: 059QF0KC PHENOXYETHANOL (UF PEG-6 SORBITAN OLE/ ALKYL (C12-15) BENZ MEDIUM DENSITY POL ACRYLATES CROSSPO	PER (UNII: 6 UNII: 55X04 N (UNII: 147 II: 7T1F30V JNSPECIFI PROPYL ET LYMER, UN : ZY81Z83H L ACETATE DOR) NII: HIE4922 ATE (UNII: 1 COATE (UNII: 1 COATE (UNII: 1 COATE (UNII: 1 LYMER-6 (	SV475AX06U)         QC32I)         D247K3P)         SYH)         ED (UNII: Z944H5SN0H)         FHER (UNII: 92KA3PYX0S)         SPECIFIED TYPE (UNII: 0A5MM307F         40X)         (UNII: 9E8X80D2L0)         ZZ3T)         S807V09UCI)         : A9EJ3J61HQ)         JE (UNII: 3W404QE89S)         UNII: 4GXD0Q30S3)	C)	Strength           -<

	ltem Code	Pae	kage Description	mar	Date	Ma	Date
	NDC:65753-109- 39	7 g in 1 POUC Product	H; Type 0: Not a Combination				
Μ	arketing	Informat	ion				
	Marketing Category	Applica	tion Number or Monograph Citation	M	arketing Start Date	М	arketing End Date
ото	C Monograph Dr	ug M020		10/0	1/2023		
Pa	art 3 of 6						
			D SPECTRUM SUNS			м	
-			tinoxate, octisalate, petrolatu			_1*1	
av	55CH20HC, H						
Pr	oduct Info	rmation					
lte	m Code (Sou	rce)	NDC:65753-108				
Ro	ute of Admin	istration	TOPICAL				
٨	tive Ingred	ient/Active	Maiaty				
AC	live myreu		lient Name		Basis of Stren	ath	Strength
oc	TINOXATE (UN	•	(OCTINOXATE - UNII:4Y5P7MUD51)			gui	7.5 g in 100 mL
	-		) (HOMOSALATE - UNII:V06SV4M95S	5)	HOMOSALATE		3 g in 100 mL
	-		OCTISALATE - UNII:4X49Y0596W)		OCTISALATE		5 g in 100 mL
			() (AVOBENZONE - UNII:G63QQF2NG	DX)	AVOBENZONE		3 g in 100 mL
PE.	<b>FROLATUM</b> (UN	III: 4T6H12BN9U	) (PETROLATUM - UNII:4T6H12BN9U)	)	PETROLATUM		40 g in 100 mL
							5
1	ativa luary						
Ina	active Ingre	ealents	Ingredient Name				Strength
пц	ENVI TRIMETU	ICONE (UNII: DF	-				Strength
		NII: Q9L0073W7L	•				
		BENZOATE (UNI					
	NERAL OIL (UNI						
	ITE WAX (UNII:						
		III: ROZ B2556P8	)				
-		0					
<b>D</b> -							
Ра	ckaging			NÆ	arketing Start	N/	arketing End
#	ltem Code	Pa	ckage Description	IVI	Date	IVI	Date
	NDC:65753- 108-39	4.44 mL in 1 AP Combination Pr	PLICATOR; Type 0: Not a oduct				

<b>_</b>	nformat					
Marketing Category	Applica	tion Number or Monograph Citation	Ma	rketing Start Date		eting End Date
OTC Monograph Dru	g M020		02/24	/2023		
Part 4 of 6						
CORETEX A	NTI-ITCH	I GEL				
camphor, diphen	nhydramine,	zinc acetate gel				
Product Inform	mation					
ltem Code (Sour	ce)	NDC:65753-400				
Route of Adminis	stration	TOPICAL				
Active Ingredie	ent/Active	Moiety				
	•	dient Name		Basis of Str	ength	Strengt
CAMPHOR (SYNTHETIC) (UNII: 5TJD82A1ET) (CAMPHOR (SYNTHETIC) - UNII:5TJD82A1ET) CAMPHOR (SYNTHET				IETIC)	0.1 g in 100 mL	
ZINC ACETATE (UN	II: FM5526K07	A) (ZINC CATION - UNII:13S1S8SF37	)	ZINC ACETATE		1 g in 100 mL
DIPHENHYDRAMINE -		ORIDE (UNII: TC2D6JAD40) 583M)		DIPHENHYDRAMINI HYDROCHLORIDE	E	2 g in 100 mL
Inactive Ingree	dients					
		Ingredient Name			5	Strength
SODIUM CITRATE (	-					
METHYLPARABEN (						
ANHYDROUS CITRI GLYCERIN (UNII: PD		AF417D3F3L)				
		3MPW4)				
DIAZOLIDINYL URE						
DIAZOLIDINYL URE METHYLCELLULOS	E (1500 CPS)	) (UNII: PONTE48364)				
METHYLCELLULOS PROPYLPARABEN ( ALCOHOL (UNII: 3KS	UNII: Z8IX2SC 9958V90M)					
METHYLCELLULOS PROPYLPARABEN ( ALCOHOL (UNII: 3KS WATER (UNII: 059Q)	UNII: Z8IX2SC 9958V90M) F0KO0R)	10H)				
METHYLCELLULOS PROPYLPARABEN ( ALCOHOL (UNII: 3KS WATER (UNII: 059Q)	UNII: Z8IX2SC 9958V90M) F0KO0R)					
METHYLCELLULOS PROPYLPARABEN ( ALCOHOL (UNII: 3KS WATER (UNII: 059QF PROPYLENE GLYCC	UNII: Z8IX2SC 9958V90M) F0KO0R)	10H)				
METHYLCELLULOS PROPYLPARABEN ( ALCOHOL (UNII: 3KS WATER (UNII: 059Q)	UNII: Z8IX2SC 9958V90M) F0KO0R) <b>DL 1-ALLYL E</b>	10H)	Marl	keting Start Date		eting End Date
METHYLCELLULOS PROPYLPARABEN ( ALCOHOL (UNII: 3KS WATER (UNII: 059QF PROPYLENE GLYCO Packaging # Item Code	UNII: Z8IX2SC 9958V90M) FOKOOR) DL 1-ALLYL E Pa	10H) THER (UNII: QRB8092KPK)	Marl	keting Start Date		-

	-	format				
Marketi Catego		Applica	tion Number or Monograph Citation	Marketing S Date	itart M	arketing End Date
)TC Monogra	oh Drug	M017		11/01/2023		
Part 5 o	f 6					
STINGX						
penzocaine	swab					
Product I	nform	ation				
tem Code (	Source	)	NDC:65753-350			
Route of Ac	lminist	ration	TOPICAL			
Active Ing	redier	nt/Active	Moiety			
		Ingred	ient Name	Basis of	Strength	Strength
nactive lı	ngredi	ents				
		In	gredient Name		Str	ength
VATER (UNII:						
Packaging						
ttem Code	, 	Pack	age Description	Marketing Sta Date	art Ma	rketing End Date
L	1.1 ml Produc		l; Type 0: Not a Combination			
	Troduc					
Marketi	na In	format	ion			
Marketi Catego	ng		tion Number or Monograph Citation	Marketing S Date	itart M	arketing Enc Date
)TC Monogra	-	M017		11/25/2019		
Part 6 o	f 6					

	alcohol liq	uid				
Pro	oduct Inf	forma	ation			
lter	n Code (S	ource	)	NDC:65753-200		
Rou	oute of Administration TOPICAL					
Act	ive Ingre	edien	t/Active	Moiety		
	-		Ingredier	it Name	Basis of Strength	Strength
ALC (		: 3K995	58V90M) (ALC	OHOL - UNII:3K9958V90M)	ALCOHOL	62.5 mL in 100 mL
na	ctive Ing	gredi	ents			
				Ingredient Name		Strength
				BENZOATE) (UNII: 8860R9ORQR)		
	CERIN (UNII		-			
	ER (UNII: 0			UNII: 9E8X80D2L0)		
ALO	E VERA LEA	AF (UNI	II· 7 Y817 83F	IOX)		
			II: ZY81Z83F ANEDIOL (U	IOX) NII: CZ7BU4QZJZ)		
AMII	ΝΟΜΕΤΗΥΙ	. PROP	ANEDIOL (U		)7FC)	
AMII	ΝΟΜΕΤΗΥΙ	. PROP	ANEDIOL (U	NII: CZ7BU4QZJZ)	07FC)	
AMII CAR	ΝΟΜΕΤΗΥΙ	. PROP	ANEDIOL (U	NII: CZ7BU4QZJZ)	07FC)	
AMII CAR Pac	NOMETHYL BOMER HO	. PROP	ANEDIOL (U	NII: CZ7BU4QZJZ)	D7FC) Marketing Start Date	Marketing End Date
AMII CAR Pac #	NOMETHYL BOMER HO : <b>kaging</b> Item Code	PROP	PANEDIOL (U DLYMER, UN Packa . in 1 POUCH	NII: CZ7BU4QZJZ) <b>SPECIFIED TYPE</b> (UNII: 0A5MM3(	Marketing Start	-
AMII CAR Pac #	NOMETHYL BOMER HO : <b>kaging</b> Item Code	3.5 mL	PANEDIOL (U DLYMER, UN Packa . in 1 POUCH	NII: CZ7BU4QZJZ) SPECIFIED TYPE (UNII: 0A5MM3( nge Description	Marketing Start	-
AMII CAR Pac #	NOMETHYL BOMER HO : <b>kaging</b> Item Code	3.5 mL Produc	PANEDIOL (U DLYMER, UN Packa . in 1 POUCH	NII: CZ7BU4QZJZ) SPECIFIED TYPE (UNII: 0A5MM3( age Description ; Type 0: Not a Combination	Marketing Start	-
AMII CAR Pac # 1	NOMETHYL BOMER HO : <b>kaging</b> Item Code	3.5 mL Produc	PANEDIOL (U DLYMER, UN Packa in 1 POUCH t formati	NII: CZ7BU4QZJZ) SPECIFIED TYPE (UNII: 0A5MM3( age Description ; Type 0: Not a Combination	Marketing Start	Date
AMII CAR Pac # 1	NOMETHYL BOMER HO :kaging Item Code Item Code	3.5 mL Produce	PANEDIOL (U DLYMER, UN Packa in 1 POUCH t formati	NII: CZ7BU4QZJZ) SPECIFIED TYPE (UNII: 0A5MM3( age Description : Type 0: Not a Combination ON ion Number or Monograph	Marketing Start Date Marketing Start	Date Marketing End
AMII CAR Pac # 1 Ma	NOMETHYL BOMER HO :kaging Item Code orketin Marketin Category	3.5 mL Produce	Packa . in 1 POUCH tt formati	NII: CZ7BU4QZJZ) SPECIFIED TYPE (UNII: 0A5MM3( age Description : Type 0: Not a Combination ON ion Number or Monograph	Marketing Start Date Marketing Start Date	Date Marketing End
AMII CAR Pac # 1 Ma	NOMETHYL BOMER HO :kaging Item Code nrketin Marketin Category Monograph	3.5 mL Produce g in g / Drug	Packa . in 1 POUCH tt formati	NII: CZ7BU4QZJZ) SPECIFIED TYPE (UNII: 0A5MM3(  ge Description ; Type 0: Not a Combination  ON tion Number or Monograph Citation	Marketing Start Date Marketing Start Date	Date Marketing End
AMII CAR Pac # 1 Ma	NOMETHYL BOMER HO :kaging Item Code nrketin Marketin Category Monograph	3.5 mL Produce g in g / Drug g in g	Packa Packa in 1 POUCH t formati Applicat M004	NII: CZ7BU4QZJZ) SPECIFIED TYPE (UNII: 0A5MM3(  ge Description ; Type 0: Not a Combination  ON tion Number or Monograph Citation	Marketing Start Date Marketing Start Date	Date Marketing End

Labeler - CoreTex Products Inc (061944620)

Establishment

Name	Address	ID/FEI	<b>Business Operations</b>
Cosmetic Enterprises		017701475	manufacture(65753-400, 65753-350)
•			

Establishment					
Name	Address	ID/FEI	Business Operations		
CoreTex Products Inc		061944620	pack(65753-514, 65753-200, 65753-108, 65753-110, 65753-109, 65753-350, 65753-400)		

Establishment						
Name	Address	ID/FEI	Business Operations			
Pure Source		080354456	manufacture(65753-109, 65753-110)			

Establishment				
Name	Address	ID/FEI	<b>Business Operations</b>	
Raining Rose		083819404	manufacture(65753-108)	

Establishment					
Name	Address	ID/FEI	<b>Business Operations</b>		
HealthSpecialty		794053863	manufacture(65753-200)		

Revised: 2/2023

CoreTex Products Inc