HEB SPF 50 KIDS PURPLE MINERAL SUNSCREEN STICK GRAPE SCENTED- zinc oxide stick H.E.B.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

HEB SPF 50 Kids Purple Mineral Sunscreen Stick Grape Scented

Active Ingredients

Zinc Oxide 20.0%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see \(\bigcup \textbf{Directions} \)),
 decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use

on damaged or broken skin.

When using this product

• keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

· rash occurs.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally 15 minutes before sun exposure
- reapply:
- after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours
- children under 6 months of age: Ask a doctor
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
- limit time in the sun, especially from 10 a.m. 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses


Other Information

- protect the product in this container from excessive heat and direct sun
- may stain or damage some fabrics, materials or surfaces

∏Inactive Ingredient(s)

C12-15 alkyl benzoate, ozokerite, cetyl alcohol, neopentyl glycol diethylhexanoate, theobroma cacao (cocoa) seed butter, synthetic beeswax, isostearic acid, euphorbia cerifera (candelilla) wax, cocos nucifera (coconut) oil, helianthus annuus (sunflower) seed oil, butyrospermum parkii (shea) butter, caprylyl glycol, fragrance, ultramarines, red 7 lake, yellow 6 lake, red 4 lake, blue 1 lake, acid blue 74 aluminum lake

Label



Drug Facts

Active ingredient Zinc Oxide 20% Purpose Sunscreen

Uses • helps prevent sunburn • if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use . on damaged or broken skin.

When using this product • keep out of eyes, Rinse with water to remove.

Stop use and ask a doctor if . rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions


- apply liberally 15 minutes before sun exposure
- · reapply:
- after 80 minutes of swimming or sweating
- · immediately after towel drying
- at least every 2 hours
- children under 6 months of age: ask a doctor
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher:
 - limit time in the sun, especially from 10 a.m. 2 p.m.
 - · wear long-sleeved shirts, pants, hats, and sunglasses

Other information

- · protect this product from excessive heat and direct sun
- · may stain or damage some fabrics, materials or surfaces

Inactive ingredients: C12-15 alloyi benzoate, cookerite, cely alcohol, neopeniyi glycoli diethylhexancate, theobroma cacco (cocco) seed butter, synthetic besswax, isostearic acid, euphorbia cerifera (candellia) wax, cocco nuclifera (cocnur) oil, helianthus annuus isunthwer) seed oil, butyrospermum parkii (ishes) butter, capylyli glycol, fragrance, ultramarines, red 7 lake, yaltaw 6 lake, red 4 lake, blue 1 lake, acid blue 74 aluminum lake

Questions or comments? Call toll free 1-800-527-7731





Dermatologist Tested - Hypoallergenic - PABA Free Retired Palmitate Free & Paraban Free - Pree of chamical sunscreens

Drug Facts

Active ingredient

Purpose

Zinc Oxide 20%.

Uses . helps prevent sunburn . if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

For external use only

Do not use . on damaged or broken skin.

When using this product . keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if . rash occurs.

Keep out of reach of children, if swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally 15 minutes before sun exposure
- reapply:
 after 80 minutes of swimming or sweating
- · immediately after towel drying · at least every 2 hours

- Antesia every riburs
 Children under 6 months of age: Ask a doctor
 Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To doctease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 Ilmit time in the sun, especially from 10 a.m. 2 p.m.

 - · wear long-sleeved shirts, pants, hats, and sunglasses

Other information

 protect this product from excessive heat and direct sun · may stain or damage some fabrics, materials or surfaces

Inactive ingredients C12-15 alkyl benzoate, ozokerite, cetyl alcohol, neopentyl glycol diethylnexanosis, theorems acan (cocoa) seed butter, synthetic beswax, isosteraric acid, euphorbia cerifera (candella) wax, cocos nucliera (coconut) oil, helianthus annus (sunflower) seed oil, butyrospermum parkii (shea) butter, caprylyl glycol, fragrance, ultramarines, red 7 lake, yellow 6 lake, red 4 lake, blue 1 lake, acid blue 74 aluminum lake

Questions or comments? Call toll free 1-800-527-7731

'no parabens separately added to preserve this product. MADE WITH PRIDE AND CARE FOR H-E-B*, SAN ANTONIO, TEXAS 78204







HEB SPF 50 KIDS PURPLE MINERAL SUNSCREEN STICK GRAPE SCENTED

zinc oxide stick

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:37808-039

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	200 mg in 1 g

Inactive Ingredients		
Ingredient Name	Strength	
CANDELILLA WAX (UNII: WL0328HX19)		
SUNFLOWER OIL (UNII: 3W1JG795YI)		
SHEA BUTTER (UNII: K49155WL9Y)		
SYNTHETIC BEESWAX (UNII: 08MNR5YE2R)		
NEOPENTYL GLYCOL DIETHYLHEXANOATE (UNII: U68Z V6W62C)		
ISOSTEARIC ACID (UNII: X33R8U0062)		
CETYL ALCOHOL (UNII: 936JST6JCN)		
COCOA BUTTER (UNII: 5120YT1CRR)		
CERESIN (UNII: Q1LS2UJO3A)		
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)		
KAOLIN (UNII: 24H4NWX5CO)		
CAPRYLYL GLYCOL (UNII: 00YIU5438U)		
COCONUT OIL (UNII: Q9L0073W7L)		
ULTRAMARINE BLUE (UNII: 139WR998BI)		
FD&C RED NO. 40 (UNII: WZB9127XOA)		
D&C RED NO. 7 (UNII: ECW0LZ41X8)		
ROSIN (UNII: 88S87KL877)		
INDIGOTINDISULFONATE SODIUM (UNII: D3741U8K7L)		
CALCIUM SULFATE ANHYDROUS (UNII: E934B3V59H)		
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)		
FD&C BLUE NO. 1 ALUMINUM LAKE (UNII: J9EQA3S2JM)		

l	Packaging					
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
		NDC:37808- 039-01	13.3 g in 1 CONTAINER; Type 0: Not a Combination Product	02/15/2021		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph final	M020	02/15/2021		

Labeler - H.E.B. (007924756)

Revised: 2/2023 H.E.B.