

**HEB SPF 50 KIDS PURPLE MINERAL SUNSCREEN STICK GRAPE SCENTED- zinc
oxide stick
H.E.B.**

HEB SPF 50 Kids Purple Mineral Sunscreen Stick Grape Scented

Active Ingredients

Zinc Oxide 20.0%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **▯*Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use

- on damaged or broken skin.

When using this product

- keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

- rash occurs.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally 15 minutes before sun exposure
- reapply:
- after 80 minutes of swimming or sweating

- immediately after towel drying
- at least every 2 hours
 - children under 6 months of age: Ask a doctor
 - **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses

Other Information

- protect the product in this container from excessive heat and direct sun
- may stain or damage some fabrics, materials or surfaces

Inactive Ingredient(s)

C12-15 alkyl benzoate, ozokerite, cetyl alcohol, neopentyl glycol diethylhexanoate, theobroma cacao (cocoa) seed butter, synthetic beeswax, isostearic acid, euphorbia cerifera (candelilla) wax, cocos nucifera (coconut) oil, helianthus annuus (sunflower) seed oil, butyrospermum parkii (shea) butter, caprylyl glycol, fragrance, ultramarines, red 7 lake, yellow 6 lake, red 4 lake, blue 1 lake, acid blue 74 aluminum lake

Label

H-E-B

50

KIDS
PURPLE Mineral
Sunscreen Stick

Grape Scented

BROAD SPECTRUM
SPF 50

NET WT 0.47 OZ (13.3 g)

Drug Facts

Active ingredient	Purpose
Zinc Oxide 20%	Sunscreen

Uses • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use • on damaged or broken skin.

When using this product • keep out of eyes, Rinse with water to remove.

Stop use and ask a doctor if • rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply **liberally** 15 minutes before sun exposure
- reapply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- children under 6 months of age: ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses

Other information

- protect this product from excessive heat and direct sun
- may stain or damage some fabrics, materials or surfaces

Inactive ingredients C12-15 alkyl benzoate, cokerite, cetyl alcohol, neopentyl glycol diethylhexanoate, theobroma cacao (cocoa) seed butter, synthetic beeswax, isostearic acid, euphorbia cerifera (candelilla) wax, cocos nucifera (coconut) oil, helianthus annuus (sunflower) seed oil, butyrospermum parkii (shea) butter, caprylic glycol, fragrance, ultramarines, red 7 lake, yellow 6 lake, red 4 lake, blue 1 lake, acid blue 74 aluminum lake

Questions or comments? Call toll free 1-800-527-7731

Lightweight Formula

Dermatologist Tested • Hypoallergenic • PARABEN Free
Retinyl Palmitate Free & Parabens Free • Free of chemical sunscreens

Drug Facts	
Active ingredient	Purpose
Zinc Oxide 20%	Sunscreen

Uses • helps prevent sunburn • if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings
For external use only
Do not use • on damaged or broken skin.
When using this product • keep out of eyes. Rinse with water to remove.
Stop use and ask a doctor if • rash occurs.
Keep out of reach of children, if swallowed, get medical help or contact a Poison Control Center right away.

Directions
• apply liberally 15 minutes before sun exposure
• reapply:
• after 80 minutes of swimming or sweating
• immediately after towel drying
• at least every 2 hours
• children under 6 months of age: Ask a doctor
• **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
• limit time in the sun, especially from 10 a.m. - 2 p.m.
• wear long-sleeved shirts, pants, hats, and sunglasses

Other information
• protect this product from excessive heat and direct sun
• may stain or damage some fabrics, materials or surfaces

Inactive ingredients C12-15 alkyl benzoate, ozokerite, cetyl alcohol, neopentyl glycol diethylhexanoate, theobroma cacao (cocoa) seed butter, synthetic beeswax, isosorbic acid, euphorbia cerifera (candelilla) wax, cocos nucifera (coconut) oil, helianthus annuus (sunflower) seed oil, butyrospermum parkii (shea) butter, caprylyl glycol, fragrance, ultramarines, red 7 lake, yellow 6 lake, red 4 lake, blue 1 lake, acid blue 74 aluminum lake

Questions or comments?
Call toll free 1-800-527-7731

*no parabens separately added to preserve this product.

MADE WITH PRIDE AND CARE FOR H-E-B, SAN ANTONIO, TEXAS 78204

PLEASE RECYCLE

H-E-B
100% GUARANTEE
If you aren't completely pleased with this product, we'll buy it back or replace it or refund your money. You have our word on it.

15761-2101

0 4 1220 56582 5

HEB SPF 50 KIDS PURPLE MINERAL SUNSCREEN STICK GRAPE SCENTED

zinc oxide stick

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37808-039
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	200 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
CANDELILLA WAX (UNII: WL0328HX19)	
SUNFLOWER OIL (UNII: 3W1JG795YI)	
SHEA BUTTER (UNII: K49155WL9Y)	
SYNTHETIC BEESWAX (UNII: 08MNR5YE2R)	
NEOPENTYL GLYCOL DIETHYLHEXANOATE (UNII: U68ZV6W62C)	
ISOSTEARIC ACID (UNII: X33R8U0062)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
COCOA BUTTER (UNII: 512OYT1CRR)	
CERESIN (UNII: Q1LS2UJO3A)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
KAOLIN (UNII: 24H4NWX5CO)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
COCONUT OIL (UNII: Q9L0O73W7L)	
ULTRAMARINE BLUE (UNII: I39WR998BI)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
FD&C BLUE NO. 1 ALUMINUM LAKE (UNII: J9EQA3S2JM)	
D&C RED NO. 7 (UNII: ECW0LZ41X8)	
ROSIN (UNII: 88S87KL877)	
INDIGOTINDISULFONATE SODIUM (UNII: D3741U8K7L)	
CALCIUM SULFATE ANHYDROUS (UNII: E934B3V59H)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37808-039-01	13.3 g in 1 CONTAINER; Type 0: Not a Combination Product	02/15/2021	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	02/15/2021	

Labeler - H.E.B. (007924756)