

**KIRKLAND SIGNATURE LAXACLEAR ORIGINAL PRESCRIPTION STRENGTH-  
polyethylene glycol 3350 powder, for solution  
Costco Wholesale Company**

-----  
**Costco Wholesale Corp. LaxaClear® Drug Facts**

**Active ingredient (in each dose)**

Polyethylene Glycol 3350, 17 g (cap filled to line)

**Purpose**

Osmotic Laxative

**Use**

- relieves occasional constipation (irregularity)
- generally produces a bowel movement in 1 to 3 days

**Warnings**

**Allergy alert:** Do not use if you are allergic to polyethylene glycol

**Do not use**

if you have kidney disease, except under the advice and supervision of a doctor

**Ask a doctor before use if you have**

- nausea, vomiting or abdominal pain
- a sudden change in bowel habits that lasts over 2 weeks
- irritable bowel syndrome

**Ask a doctor or pharmacist before use if you are**

taking a prescription drug

**When using this product**

you may have loose, watery, more frequent stools

**Stop use and ask a doctor if**

- you have rectal bleeding or your nausea, bloating, cramping or abdominal pain gets worse. These may be signs of a serious condition.
- you get diarrhea
- you need to use a laxative for longer than 1 week

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Directions**

- **do not take more than directed unless advised by your doctor**
- the bottle top is a measuring cap marked to contain 17 grams of powder when filled to the indicated line (white section in cap)
- adults and children 17 years of age and older:
  - use once a day
  - fill to top of white section in cap which is marked to indicate the correct dose (17 g)
  - stir and dissolve in any 4 to 8 ounces of beverage (cold, hot or room temperature) then drink
  - do not combine with starch-based thickeners used for difficulty swallowing
  - ensure that the powder is fully dissolved before drinking
  - do not drink if there are any clumps
  - do not use no more than 7 days
- children 16 years of age or under: ask a doctor

**Other information**

- store at 20° -25°C (68° -77°F)
- tamper-evident: do not use if printed foil seal under cap is missing, open or broken

**Inactive ingredients**

none

**Questions or comments?**

**1-800-719-9260**

**Principal Display Panel**

KIRKLAND Signature

COMPARE TO MIRALAX<sup>®</sup> active ingredient

LAXACLEAR<sup>®</sup>

Polyethylene Glycol 3350 Powder for Solution

Osmotic Laxative

Unflavored Powder • Grit Free

- Relieves Occasional Constipation/Irregularity

- Softens Stool

50 Once-Daily Doses

NET WT 29.9 OZ (850g)

**KIRKLAND**  
*Signature*

**COMPARE  
TO MIRALAX®**  
active ingredient\*

NDC 63981-306-04  
ITM. / ART. 1129909

# LAXACLEAR®

Polyethylene Glycol 3350 Powder for Solution

**Osmotic Laxative**

Unflavored Powder • Grit Free

- Relieves Occasional Constipation/Irregularity
- Softens Stool

50 Once-Daily Doses  
**NET WT 29.9 OZ**  
(850g)

306F6 5N F5

Polyethylene Glycol 3350 increases frequency of bowel movements and softens the stool.

Dissolves in Any Beverage

## Drug Facts

**Active ingredient (in each dose)** Polyethylene Glycol 3350, 17 g (cap filled to line).....**Purpose** Osmotic Laxative

**Use** ■ relieves occasional constipation (irregularity)  
■ generally produces a bowel movement in 1 to 3 days

## Warnings

**Allergy alert:** Do not use if you are allergic to polyethylene glycol  
**Do not use** if you have kidney disease, except under the advice and supervision of a doctor

**Ask a doctor before use if you have**  
■ nausea, vomiting or abdominal pain  
■ a sudden change in bowel habits that lasts over 2 weeks  
■ irritable bowel syndrome

**Ask a doctor or pharmacist before use if you are taking a prescription drug**

**When using this product** you may have loose, watery, more frequent stools  
**Stop use and ask a doctor if**  
■ you have rectal bleeding or your nausea, bloating, cramping or abdominal pain gets worse. These may be signs of a serious condition.  
■ you get diarrhea  
■ you need to use a laxative for longer than 1 week

**If pregnant or breast-feeding**, ask a health professional before use.  
**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

## Directions

■ do not take more than directed unless advised by your doctor ▶

## Drug Facts (continued)

- the bottle top is a measuring cap marked to contain 17 grams of powder when filled to the indicated line (white section in cap)
- adults and children 17 years of age and older:
  - use once a day
  - fill to top of white section in cap which is marked to indicate the correct dose (17 g)
  - stir and dissolve in any 4 to 8 ounces of beverage (cold, hot or room temperature) then drink
  - do not combine with starch-based thickeners used for difficulty swallowing
  - ensure that the powder is fully dissolved before drinking
  - do not drink if there are any clumps
  - do not use more than 7 days
- children 16 years of age or under: ask a doctor

**Other information** ■ store at 20°-25°C (68°-77°F)

■ tamper-evident: do not use if printed foil seal under cap is missing, open or broken

**Inactive ingredients** none

**Questions or comments?** 1-800-719-9260

• Sugar Free  
Packaged by: Perrigo®, 515 Eastern Ave. Allegan, MI 49010 USA 1-800-719-9260  
For: Costco Wholesale Corporation  
999 Lake Drive, Issaquah, WA 98027 USA  
www.costco.com

\*This product is not manufactured or distributed by Bayer HealthCare LLC, distributor of MiraLAX®.



306F6 5N B5

# KIRKLAND SIGNATURE LAXACLEAR ORIGINAL PRESCRIPTION STRENGTH

polyethylene glycol 3350 powder, for solution

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:63981-306
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>POLYETHYLENE GLYCOL 3350</b> (UNII: G2M7P15E5P) (POLYETHYLENE GLYCOL 3350 - UNII:G2M7P15E5P)	POLYETHYLENE GLYCOL 3350	17 g in 17 g

## Product Characteristics

<b>Color</b>	WHITE	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63981-306-07	3 in 1 PACKAGE	01/24/2011	12/01/2019
1		510 g in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:63981-306-03	510 g in 1 BOTTLE; Type 0: Not a Combination Product	01/24/2011	12/01/2019
3	NDC:63981-306-04	850 g in 1 BOTTLE; Type 0: Not a Combination Product	11/07/2009	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA090685	11/07/2009	

**Labeler** - Costco Wholesale Company (103391843)