

MEIJER PAIN RELIEF PATCHES- lidocaine patch
Meijer Distribution Inc

MEIJER PAIN RELIEF PATCHES

Active Ingredients

Lidocaine 4% Topical Anesthetic

Purpose

Temporarily relieves minor pain.

Dosage and Administration

Directions Adults and children over 12 years:

- clean and dry affected area
- remove backing from patch by firmly grasping both ends and gently pulling until backing separates in middle
- carefully remove smaller portion of backing from patch and apply exposed portion of patch to affected area
- once exposed portion of patch is positioned, carefully remove remaining backing to completely apply patch to affected area
- use one patch for up to 12 hours. Children under 12 years of age: consult a physician.

Warnings

For external use only.

Indications and Usage

Uses: Temporarily relieves minor pains.

When using this product

- use only as directed
- read and follow all directions and warnings on this carton
- do not allow contact with the eyes
- do not use at the same time as other topical analgesics
- do not bandage tightly or apply local heat (such as heating pads) to the area of use

- do not microwave

- dispose of used patch in manner that always keeps product away from children and pets. Used patches still contain the drug product that can produce serious adverse effects if a child or pet chews or ingests this patch.

Stop use and consult a doctor

- condition worsens

- redness is present

- irritation develops

- symptoms persist for more than 7 days or clear up and occur again within a few days

- you experience signs of skin injury, such as pain, swelling or blistering where the product was applied.

If pregnant or breastfeeding, ask a health professional before use.

Do not Use

- more than one patch on your body at a time

- on cut, irritated or swollen skin

- on puncture wounds

- for more than one week without consulting a doctor

- if you are allergic to any active or inactive ingredients

- if pouch is damaged or opened.

Keep out of reach of children and pets.

If swallowed, get medical help or contact a Poison Control Center right away.

Other Safety Information

Store in a clean, dry place outside of direct sunlight. Protect from excessive moisture.

Inactive Ingredients

Aluminum Glycinate, Glycerin, Kaolin, Methylparaben, Polyacrylic Acid, Polysorbate 80, Propylene Glycol,

Propylparaben, PVP, Sodium Polyacrylate, Tartaric Acid, Titanium Dioxide, Water

Questions

TOLL-FREE

Customer Care Help Line
866-326-1313
Mon-Fri 8:30 am-4:30 pm CST

DIST. BY
MEIJER DISTRIBUTION, INC.
GRAND RAPIDS, MI 49544
www.meijer.com

Made in China

meijer

**MAXIMUM STRENGTH
lidocaine pain relief patches**

Drug Facts

Active ingredient: Lidocaine 4.5% **Purpose:** Topical anesthetic

Use: Temporarily relieves minor pain.

Warnings:
Do not use if you have had a heart attack, chest pain, or other heart problems. Do not use if you are allergic to any anesthetic or local anesthetic. Do not use if you have had a seizure or are taking medicine for a seizure. Do not use if you are pregnant or breastfeeding. Do not use if you are taking medicine for a seizure. Do not use if you are taking medicine for a seizure. Do not use if you are taking medicine for a seizure.

Directions: Adults and children: Clean and dry the area to be treated. Peel off the patch and apply it to the skin. Do not use if you are pregnant or breastfeeding. Do not use if you are taking medicine for a seizure.

Other information: Store at room temperature. Do not use if the patch is torn or damaged.

Contains: Lidocaine 4.5% (lidocaine hydrochloride), adhesive, and other inactive ingredients.

© 2015 Meijer Inc. All rights reserved. Meijer is a registered trademark of Meijer Inc. Lidocaine is a registered trademark of Meijer Inc.

meijer

**MAXIMUM STRENGTH
lidocaine pain relief patches**

**LARGE
5.64 IN. x 3.51 IN.**

**MEDIUM
3.87 IN. x 2.51 IN.**

**SMALL
4.10 IN. x 2.00 IN.**

meijer

Compare to Salonpas® Maximum Strength Lidocaine Patch

**MAXIMUM STRENGTH
lidocaine pain relief patches**

Topical Anesthetic 4% Lidocaine

No Mess | Odor Free | Stays in Place

ASSORTED SIZES

Temporarily relieves minor pain & discomforts associated with single-use application

6 patches

Assorted Sizes:
2 Small - 4.12 in. x 3.4 in. (12 cm x 9 cm) Each
2 Medium - 3.87 in. x 2.51 in. (10 cm x 7 cm) Each
2 Large - 5.64 in. x 3.51 in. (15 cm x 10 cm) Each

lidocaine patch

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41250-625
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	4 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
ALUMINUM (UNII: CPD4NFA903)	
GLYCERIN (UNII: PDC6A3C00X)	
KAOLIN (UNII: 24H4NWX5CO)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
POLYACRYLIC ACID (300000 MW) (UNII: A8371R0U5J)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
SODIUM POLYACRYLATE (2500000 MW) (UNII: 05I15JN12J)	
TARTARIC ACID (UNII: W4888I119H)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
WATER (UNII: 059QF0KO0R)	

Product Characteristics

Color		Score	
Shape	RECTANGLE	Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41250-625-26	6 in 1 CARTON	01/01/2019	
1		6 g in 1 PATCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date

OTC Monograph Drug M017

01/01/2019

Labeler - Meijer Distribution Inc (006959555)

Establishment

Name	Address	ID/FEI	Business Operations
Foshan Aqua Gel Biotech Co.,Ltd.		529128763	manufacture(41250-625)

Revised: 12/2024

Meijer Distribution Inc